

# nodern DETROIT PUBLIC LIBRARY **TOGRA**







# 6 ways you're a better photographer with an Anscoset® Camera

(automatically, of course)

1. Just matching the Anscoset's exposure needles automatically sets the proper lens opening and shutter speed. It simplifies the taking of perfect pictures without guesswork or fancy calculations. 2. Perfect exposure every time with the Anscoset built-in, highly sensitive exposure meter . . . it's self-contained . . . eliminates additional investment in a separate meter. Every member of the family can take superb pictures without exposure worry. Lets you concentrate on the picture itself. 3. Every picture always needle-sharp! The Anscoset pre-

cision coupled rangefinder makes focusing surer and faster even in dim light. Easygrip knurled ring works rapidly and smoothly for greater focusing ease. 4. Bright, clear viewing in dimmest light. Built-in white frame lines in large-image viewfinder outline the exact picture you get. 5. Takes all the fuss out of your flash photography! Exclusive flash computer instantly selects perfect exposure settings for all types of flash. 6. Precision high-speed f/2.8 lens means clear, sharp pictures . . . distortion-free and critically sharp from corner to corner . . . more picture-taking in dim light without flash. From every point of view the Anscoset is the ideal 35mm camera for beginners and advanced photographers. See it at

your Ansco dealer today. Anscoset—less than \$70. Leather carrying case, less than \$10. Ansco, Binghamton, New York, A Division of General Aniline & Film Corporation.



IODERN PHOTOGRAPHY (combined with Minicam) is published monthly by the Photography Publishing Corp., 33 West 60th Street, New York 23, N. Y. econd class postage paid at New York, N. Y., and at additional mailing offices. Yearly subscription price is \$4.00 in U.S.A. and possessions, \$4.50 in anada, \$6.00 in Pan-American Union and Philippines. Elsewhere, \$8.00. Single Copies U.S.A. and Canada, 40c. Elsewhere, 75c. April, 1961, al. 25. No. 4.

If you do for the operate as you to a new in Electric film and think it'era it's

This in the I the moot thing w proof. W



# Because there has never been a camera like this, there has never been a guarantee like this:

if you don't get good pictures, you don't pay for them. This strongest of all guarantees operates very simply: As often in two years as you take eight bad pictures, we'll send you as you take eight bad pictures, we'll send you fellow the Polaroid Electric Eye Camera loaded with 3000-speed film and, for indoor shots, the wink-light. We think it's a safe offer, because with this camera it's a long, long time between bad shots.

This guarantee is proof of our confidence in the Polaroid Electric Eye Camera (either the model 850 or 900). We have done everything we could to make it completely foolproof. With this camera, you don't need to be a photography expert. The Polaroid Electric

Eye is the expert. It automatically reads the light, automatically sets the shutter speed and lens opening for you. You can shoot indoors at night or against dazzling sunlit snow and the Electric Eye will give you perfectly exposed pictures time after time.

And, of course, because it's a Polaroid Land Camera, you get your finished picture in only 10 seconds.

Since this Electric Eye Camera is so easy to use, we are guaranteeing not only the camera, but you as a picture-taker. Sure, you can make mistakes, but we don't think you will. So any eight pictures you judge to be unsatisfactory, whether it's your fault, the camera's

or the film's, can be exchanged for free replacement film.

So go ahead—shoot to your heart's content. If you should goof, don't throw the print away. Save it; it may be valuable. If, before your two years are up, you have collected eight bad prints, you've got a free roll of film coming. Just send your errors to Polaroid Corporation, Cambridge, Mass., with the serial number of your camera and the date you bought it.

You can try a Polaroid Electric Eye Camera at most camera dealers. Stop in for a demonstration and see how easy good photography can be. And how much fun it is to get perfectly exposed pictures, ready in ten seconds.



complete with one camera adapter

Extra camera adapters \$5.95 each

**Custom compartment** leather case \$9.95

Nikon F **■** Canonflex ■ Miranda ■ Minolta SR

Practice

etri Penta

Pentamatic Pentacon

ne Converto-Tamron is a high speed, fine sality 135mm true telephoto, only 4" ng; with the addition of just one comment, it becomes a 225mm f:5.5 telephoto, measuring a bare 6".

Other fine lenses available for all cameras listed, using the same camera adapters:

200mm f:3.5 Accura Supertel 200, pre-set .... \$95.95 400mm f:7.5 Tamron \$69.95

400mm f:6.9 Tamron, pre-set, tripod mount....\$84.95

**EVERETT GELLERT, Publisher** 

AUGUSTUS WOLFMAN, Ed.-in-Chief

els

for

ph 21/4 an

film

car pre ste 255 COL

the ma

eda

pro

col

per Co Ca

the

API

86

PICTURE TAKIN	GI	ID	EA	S
---------------	----	----	----	---

this small but distinctive camera class

The state of the s	
CLOSE-UP, DOUBLE PRINTING, OVEREXPOSURE, SELECTIVE FOCUS:  Some techniques used by Leonard Balish for better 2 <sup>1</sup> / <sub>4</sub> color	54
CROP & SOMETIMES TILT: How to cope with squares, squares, squares	3.5
by Patricia Caulfield	60
LOOK MA-NO FACE! You can capture children's moods even when their	
faces are hiddenby Patricia Caulfield	64
TECHNICAL ARTICLES	W
TOO HOT TO HANDLE: Modern answers probing technical questions from its readers	49
INSIDE STORY: THE 21/4 SINGLE-LENS REFLEX: Features and facets of	

TWIN-LENS CLOSE-UPS, MACRO & MICRO: It's easier than you think to use supplementary lenses or a microscope ... ...by Herbert Keppler 68 MODERN TESTS: An exclusive monthly appraisal of equipment ...

...by Herbert Keppler and Bennett Sherman 50

#### NEWS

HIGH-SPEED EKTACHROME 120 SIZE:	It's available-sort of
***************************************	by Herbert Keppler 8

#### MOVIES

MOVIE VIEWER	24
TITLING: LEARN THE BASIC STEPS: Adding titles to your home movies	
needn't be a complicated processby Myron A. Matzkin	72
WATER'S EDGE: A step-by-step description of how Ernst Wildi made a	
prize-winning 8mm movie	76
SPLICING: TAPE OR CEMENT? MODERN examines the pros and cons of	
each system by Myron A. Matzkin	82
LET THE LABS LABOR! Detailed listings of many movie labs throughout	

the country that will add the professional touch to your home movies
by Myron A, Matzkin 84 MOVIE MAKER by Myron A. Matzkin 96

### DEPARTMENTS

COFFEE BREAK		6
LETTERS TO THE EDITOR		10
NEW PHOTO BOOKS		14
NEW PRODUCTS		16
TECHNIQUES TOMORROW	by Bennett Sherman	22
SALON CALENDAR		23
CONTESTS		26
MODERN COLOR	by Norman Rothschild	28
ULTRAMINIATURE	by Joseph Cooper	30
BEHIND THE SCENES	by Herbert Keppler	35
35мм	by John Wolbarst	40
THE LARGE CAMERA	by Andreas Feininger	42
PICTURES IN A MOMENT	by John Wolbarst	92

JACQUELYN BALISH, Editor

HERBERT KEPPLER, Exec. Editor

MYRON A. MATZKIN, Assoc. Editor DAVID L. MILLER, Assoc. Ed. PRISCILLA HERBERT, Edtl. Asst. FAY TRAVERS, Production Dir.

PATRICIA CAULFIELD, Picture Ed. WILLIAM JOHNSON, Manag. Ed. BENNETT SHERMAN, Tech. Cons. A. J. PALAGONIA. Assoc. Art Dir. PAUL M. FUCHS, Adv. Prod'n. MILTON GORBULEW, Circ. Mgr.

ERNEST G. SCARFONE, Art Dir.

JOHN WOLBARST, Consult. Ed. EDWARD MEYERS, Tech. Ed.

ROBERT DORIN, Dir. of Advtg.

IRVING RICHTER, Bus. Mgr.

W. D. BORNSTEIN, Adv. Mgr.

Copyright © 1961, Photography Publishing Corp., 33 West 69 St., New York 23, N. Y. Phone: PLaza 7-3700. Mid-West representative: Bill Pattis & Associates, 6316 N. Lincoln Ave., Chicago 45, Ill. Phone: Riving 8-4242. West Coast office. Bert Dellins, 13758 Victory Blvd., Van Nuys, Calif., Phone: TRiangle 3-4153. Yearly subscription, 24.09 in the U. S. A. and possessions, 24.59 in Canada, 36.00 in Pan-American Union and Philippines. Elsewhere, 8.00. Single copies, U. S. A. and Canada, 40c, elsewhere, 75c. Editorial contributions must be accompanied by return postage and will be handled with reasonable care; however, the publisher assumes no responsibility for return of unsolicited photographs or manuscripts.

SUBSCRIBERS: Send subscription inquiries and address changes to Circulation Manager, MODERN PHOTOGRAPHY, 33 West 60th St., New York 23, N. Y. Give old and new address, including zone number, if any Enclose address label from last issue and allow five weeks for change to become effective. POSTMASTER: Send Form 3579 to MODERN PHOTOGRAPHY, 33 West 60th St., New York 23, N. Y.

# What could possibly make a camera worth \$550?

THE work you can do with it, nothing

The precision and resolving power, for example, that have led many studio photographers to use a Hasselblad 21/4 x 21/4 single-lens reflex instead of an 8 x 10 view camera.

The interchangeability of lenses, film backs and accessories—over 100 camera set-ups in all—that enables a professional to carry a Hasselblad instead of half his studio on location assignments.

The automatic aids that let the pro concentrate on his subject instead of the camera, and help the amateur make up in part for the intimate knowledge of light and optics that marks professional work.

Hasselblad lenses, for instance, make color and detail almost automatically perfect. These lenses have Synchro-Compur shutters and are made by Carl Zeiss of the best optical glass in the world. Resolving power-the acid

test of any lens-permits greater enlargements than virtually any other lens made today.

The Hasselblad reflex system alone costs more to make than many cameras sell for. On its ground glass viewer you see a print-size preview of the quality you will get-focus, depth of field right through the lens (and no parallax). A pop-up magnifier even shows details too tiny for the naked

Diaphragms of Hasselblad lenses are automatic. They remain open until you shoot, so that your view cannot get away from you. If you wish, you can also stop the diaphragm down by hand.

The EVS system synchronizes diaphragm openings to shutter speeds. You simply set your lens for a code number and your speed and aperture will be automatically aligned. You can then change to any other speed and your aperture will change with it -automatically.

Hasselblad interchangeability? You can switch from color to black and white in mid-roll, or from telephoto to wide angle, or to a sports viewer, or to a magnifying hood for shots through a microscope. You can set up for almost every shot known to photography in seconds.

What could possibly make a camera worth \$550? The work you can do with it, nothing else. With Zeiss Planar f/2.8 80mm lens, \$549.50.

Write Dept. HMP-4 for literature and the name of your nearest Hasselblad dealer. PAILLARD Incorporated, 100 Sixth Avenue, New York 13, New York.







HASSELBLAD

# Movies are more fun with the right accessories!



# quik splice DIRECT-VUE 8mm EDITOR \$14.95

See your films soon as you get them. Cut out blank, bad sections. Rewind film on large reels for continuous shows. Holds all reels — 50° to 400°. Features built-in Quik Splice Automatic Butt Splicer, 110-volt light source, one hand control with high speed rewind. Each Editor includes editing booklet, scene timing scale, supply of splicing tapes.

# 8mm MOVIE VIEWER \$9.95

Action movies, forward, reverse, stills!
Large bright picture, built-in illumination, drop-in loading, automatic framing, rapid rewind, uses all standard 50' reels. Compact, attractive "Carry-Case" (\$2.95) holds viewer and several rolls of film.



## quik splice 8mm automatic Butt splicer

Invisible butt splices mean no screen flicker, projector "pop" or lost frames Built with wear-compensating Stainless Steel cutting blades, die-cast body, tape storage compartment. Quick and easy to use. Lifetime Guarantee. Complete with tapes, instructions. \$4.98

Write for free illustrated booklet on how to edit your movies. Please include 'Self-addressed, Stamped Envelope.

NUDSON PHOTOGRAPHIC INDUSTRIES. Inc.

DEPT. MP

# Coffee Break with the Editors

THIS MONTH'S COVER . . .

In the strip of 120 film across the top you see, first, part of the bird-onsun picture that's shown in full on page 55; it's one of four by Leonard Balish illustrating a fresh approach to 2½ color. Next, our artist's impression of the skeleton of a 2¼ single-lens reflex a breed of camera that's anatomized on page 50. Finally, a cropped child photographed by Steven C. Wilson with a Rolleiflex, to introduce some advice on composing and cropping your 2½ negs, page 60.

The somewhat crumpled strip of movie film is self-explanatory, except for the shots of the water wheel. These are frame enlargements from Ernst Wildi's prize-winning movie Water's Edge, which is analyzed on page 76. Oh yes, in case you're trying to read the title set up in the first frame, it says "Mountain Trails." Mike Matzkin, whose title it is, hasn't even planned the movie yet, let alone shot it—but he believes in beginning strictly at the beginning.

#### JUST ANOTHER AMATEUR . . .

Mrs. Tomi Keitlin is one of those typical amateur photographers who lug around a still and movie camera in their travels throughout Europe and the United States. She has no trouble at all in producing on request several hundred still and black-and-white photographs that show all the places she's been. Enough of the pictures are well composed to show that her sense of photographic balance is no accident. In addition they show a well developed feeling for form and shape. Many of her pictures appear in her recently published book Farewell To Fear (with Norman M. Lobsenz, published by Bernard Geis Associates). But Mrs. Keitlin has never seen any of her still photographs or movies: she is totally blind.

We spent a good part of an afternoon over lunch and in her office at the Physical Fitness Institute, finding out how Mrs. Keitlin takes pictures and also pursues a number of other hobbies (she climbs mountains, plays golf, skis, and has even started skin diving).

Some pictures she took in Venice are good examples of the technique used by Mrs. Keitlin.

"First, I spent a number of days getting familiar with the feel of the city. People described various points of interest and I just soaked in sounds and smells.

"When I wanted to take a specific photo, someone would stand at the extremes of the subject and shout back at me. This helps me get the direction and general size of things. Some other photos made from a gondola required only centering the front of the gondola and knowing what was in the background. Since I use Bell & Howell electric eye 16mm movie and 127 still cameras, exposure usually isn't much of a problem. However, I do like shadows in my photographs and I can generally tell the direction of the sun from the way it feels on my face.

"Landscapes are even easier for me.

If I keep the camera fairly level with



A photographer who cannot see . . .



. . . the places she photographs.

my eye and am sufficiently far from a mountain, for example, I usually manage quite well. Panning helps, of course, when I shoot movies. Last summer we were taking a boat through the Norwegian fjords when someone remarked about a waterfall cascading down a mountain. I asked him where it was, swung my movie camera and shot. The scene is one of the best of those I made on the trip. I've had my

(Continued on page 8)

# THE PROFESSIONAL 35



# Contarex

TWO MODELS—The standard Contarex model is fitted with the 1/2, 50mm Planar lens and has built-in light meter, coupled to both shutter speed and lens opening. You can pre-select either for an accurate automatic exposure—or you can disengage the interlock to purposely over or under expose. Viewfinder has split-image rangefinder and ground-glass ring.

The Contarex Special, without built-in meter has the f/2.8, 50mm Zeiss Tessar lens. Features a convertible viewing-focusing system, which enables the professional to view at waist or eye-level, and to focus with full ground-glass or split-image rangefinder.

All lenses and accessories, except viewfinder attachments and inserts for Contarex Special, can be used on both models.



In Contarex, Zeiss Ikon has produced a superb 35mm reflex that meets the needs of the professional and advanced amateur in the broadest and truest sense. It offers utmost capability and versatility—in most compact form.

And to exactly suit your requirements, there are two models—Contarex Standard, with built-in light meter, and Contarex Special without meter.

Contarex combines speed and ease of operation with unerring precision. Has the most modern automatic features—but you are always in control.

Six interchangeable Zeiss lenses, with bayonet mounts, provide virtually unlimited range—from wide-angle shots of 90° to tele shots of 10°. Just a few accessories are required for micro and macro photography.

Viewfinder gives natural size image of incredible brightness. Focal-plane shutter has speeds to 1/1000 sec., fully synchronized. Synchronization adjusts automatically as speed is selected.

See the Contarex—at leading dealers.
WRITE FOR CONTAREX LITERATURE
CARL ZEISS, INC., 485 Fifth Avenue, New York 17


a ...

of

st

g e

of



# Exciting new light MAKES INDOOR MOVIES EASY!

Here it is—the powerful little movie light that does all the work of a multiple light bar—and does it better! SUN GUN's new kind of lamp lights the scene like the sun. Your movies come out with truer colors, more even lighting and no double shadows. SUN GUN fits any movie camera. See it at your dealer's today.

Only \$2495\*

\*Manufacturer's suggested retail price.

Sylvania Lighting Products, Division of Sylvania Electric Products Inc., 1740 Broadway, New York 19, N.Y.

# SYLVANIA

GENERAL TELEPHONE & ELECTRONICS

# High Speed Ektachrome in 120? Sure, but it's called S0125

When 35mm High Speed Ektachrome was placed on the market, all of us wondered when this emulsion would be available in 120 roll film size to help out the larger camera owners.

The silence from Eastman Kodak on the progress (if any) of 120 High Speed Ektachrome was constant. We entered a camera store a few weeks ago, passed the film counter and were stopped by a salesman, "Hey, want some really hot film?" he whispered under his breath in best prohibition-days style. The "hot film" turned out to be High Speed Ektachrome, both Daylight and Type B, in 120 roll film size.

We rushed a query to Kodak and the fathers of High Speed Ektachrome made the facts known to us somewhat reluctantly. The reluctance, however, was understandable as the story unfolded. Limited quantities of 120-size roll Kodak Color Reversal Film, Daylight Type SO125 and Type B SO126 with an E.I. of 160 and 125 respectively, are available on a special order basis. A mini-

mum order of 20 rolls is required. At \$1.75 per roll, it's the type of purchase that anyone save a prolific amateur or professional might think twice about.

One of the problems at present has to do with processing. The film must be given exceptionally intense re-exposure. This requires either removing the film from the processing reel completely and then replacing it after re-exposure, or the use of a special high intensity light with two RFL2 lamps and heat-absorbing glass.

Few labs at this writing are prepared to handle even a limited number of rolls. However, it's quite obvious that it won't be long before film production and processors' knowhow both increase and the film will become available normally.

"Available on special order" seems to be a very intelligent marketing procedure by which Kodak enables professionals to use products which, if they had to be released to the general market, might be held up for a much longer time.—H.K.

### COFFEE BREAK

(Continued from page 6)

share of misses of course—but doesn't everyone?"

Mrs. Keitlin has been blind for only about five years and her memory of the way things are helps, she admits.

But why does she take pictures she can't see? "First, I like to show people where I've been. I'm not one of those amateurs who drag out a slide or movie projector at the least provocation. But if people want to see my pictures, I enjoy their looking at them.

"Important, too, I have a growing daughter who travels with me quite a bit. Someday she'll want a record of the things we saw. Right now, her interest in photography is just beginning. It's a bit late for the places we've already been to."

#### SITTING PRETTY . . .


Who do you think was the most photographed woman of 1960? Jackie Kennedy? Try again. Queen Elizabeth, or her sister Margaret? No. Brigitte Bardot? You'd better give up. Who then? Karin Levin. Karin Levin? That's right: you may remember she was Miss New York State in 1955, and then runner-up for Miss World and Miss Universe. Can't say I do remember, but anyway, how come she was photographed more times than the top celebrities? Quite simple—she models for Eastman Kodak's film testing studio in Rochester. I thought it was a

catch question—why, they could have picked anyone! Oh no, they had to have someone with near-perfect features and beautiful coloring. Uh-huh, and how many times was she photographed, anyway? Oh, 80,000 still pictures (give or take a couple of thousand) and 250,000 ft. of movie film



One out of 80,000.

(give or take a couple of thousand feet). Say, is that her picture above? Yes it is. (Whistle. Sound of footsteps.) Hey, where are you going? Rochester. Wait a minute, she's married! Okay, I only wanted to take my camera and bring the total up to 80,010 or so. Still no go—her husband photographs her weekends!—THE END



# NIKON F AUTOMATIC REFLEX... FOR THE WORKING PHOTOGRAPHER, THE SERIOUS AMATEUR...FOR ALL MEN TO WHOM PHOTOGRAPHY HAS BECOME A FORM OF CREATIVE SELF-EXPRESSION

Take this remarkable instrument into your hands, and discover the sheer delight in the feel of its precision, the effortless ease with which it handles, and the incredible responsiveness which puts you in command of every picture situation. \$329.50 with Auto-Nikkor f2 lens; \$375. with f1.4—at Franchised Nikon Dealers. For descriptive literature and name of the Nikon dealer nearest you, write Dept. MP-4.





# **PICTURE YOU** AT BROOKS... LEARNING TO EARN!



Students on a photographic assignment in front of Brooks Administration Building. The 7-acre campus overlooks beautiful Santa Barbara.

For nearly two decades, Brooks Institute of Photography has been teaching the art of professional photography. Today, Brooks graduates are operating their own studios and serving in industry, television and motion pictures throughout the world. You, too, can "learn by doing"...in modern studios, laboratories and classrooms...with an internationally recognized faculty

### CHOOSE FROM THESE 3 COURSES!

## 1. Complete 28-month course

in: Professional Portraiture • Illustratrative Photography (Advertising, Fashion, General Commercial, Pictorial-Journalism) • Color Printing and Techniques • Motion Picture Production

- 2. Custom Short Courses to meet your special personal needs. Enter at any time for one week or longer.
- 3. Motion Picture Course with complete training from script to screen ... Commercial, Television, Movies, Documentary.

Coeducational • Approved by U.S. Government for Veterans and students from abroad • Approved by California State Board of Education • Professional Place-

Start your career in professional photography today! Course outlines and other descriptive material are yours free of obligation or cost. Brooks counselors help resident students meet housing and part-time employment needs.

## MAIL THIS COUPON NOW!

Dept. 404 2190 Alston Roa Santa Barbara, ( Please send m I am interested 28-month of	California e complete descri d in:	riptive literature.
NAME		
CITY	ZONE	STATE
	teran with educa	ational benefits

# LETTERS TO THE EDITOR

#### **Indoor Sportsmen**

Shooting pictures of a TV screen is an interesting indoor sport as your article (November 1960) stated. However, shooting 8mm Tri-X movies of a TV screen is even more fascinating since it is possible to make up a reel containing highlights of everything from the Olympics to the Miss America contest.

Either f/4 or f/5.6 will give fair movies, depending on what exposure works best according to your screen brightness. Many times the movies will have a zoom effect which is second nature with television cameras.

Campbell, Ohio Edward Verba

Because camera and TV are not in sync, a descending horizontal line will probably appear on movie film. Kinescope cameras filming live TV shows are locked in sync with the TV image rate (30 impulses per sec.).-ED.

I am a high school student with a minimum of equipment, but I believe I have attained success with my method of shooting from the TV screen. I use a twin-lens reflex camera on a tripod, approximately 3 ft. from the screen. The camera is set for 1/30 at f/3.5. I use a cable release but no close-up lenses. The film is Verichrome Pan, developed in Ethol UFG. Brooklyn, N. Y. Jerry Wachtel

It might interest you to know that after Mr. Eisenhower had finished his inaugural address (Jan. 21, 1957), they ran a scene off video tape, and my shot of the President from the video tape is clearer than those I made from the live shots.

Dayton, Ohio Frank M. Betz

. I take all my shots very close with Zeiss Contarex, 50mm f/2, Planar lens, which focuses down to 12 in., at around 12 to 20 in. at f/2.8 and f/4 at 1/30, using Agfa IR at E.I. 800. Chicago, Ill. Clarence Miller

#### Another Monocular

We read the article (March 1960) on using monoculars for telephoto lenses, and were surprised that Edmund Scientific was not included as a source for budget-minded individuals. Enclosed is a picture of one of their \$15 units which I mounted very simply with a small piece of wood, a piece of strap iron, a short length of 1/8-in. pipe threaded into the eyepiece end for a hinge pin, and three thumbscrews. The eyepiece cup was filed down until it would enter the shade of the camera lens, as shown. Pictures taken with this combination are sharp at the center, fall off considerably at the corners. The camera lens must not be stopped down, or vignetting will occur.



W. H. SPARING

350mm for a do-it-yourselfer.

This 7 x 50 monocular seems to produce very nearly the theoretical 350mm length at f/7 with a 50mm camera lens.

Park Forest, Ill. W. H. Sparing

#### Whole vs. Its Parts

In the October 1960 issue ("Too Hot to Handle"), a question was asked concerning the comparison of results of the Pro-Tessar lens components for the Contaflex, against the 35mm f/4 Distagon for the Contarex. We appreciate the generally fair answer you gave. Although the question as put in your column was rather specific, there may be other factors worth mentioning.

Actually, the set of objectives provides three different focal lengths and hence is really in the form of a convertible lens system. This is pointed out to differentiate between supplementary attachments that neither give as much change in focal length nor provide the more desirable wider aperture and overall quality.

With respect to the quality comparison between these two for general use, it would be doubtful if even an expert could distinguish a picture made with one or the other lens, since the quality of the image of either is better than the resolution of the film or print. Therefore, for all practical purposes, the results should be equally satisfac-

New York, N.Y.

John V. Adams Carl Zeiss, Inc.

Although we could tell the difference between this convertible lens system and supplementary lenses, we still feel the completely interchangeable lenses are better.-ED.









C2 PHOTOGRAPH BY VICTOR KEPPLER


# MAMIYA C2 WORLD'S MOST VERSATILE TWIN-LENS REFLEX

The Mamiya C2 is the only twin-lens reflex with interchangeable wide angle, normal and telephoto lenses. And with the new eyelevel Porroflex image-erecting finder and other special accessories it is also the world's most versatile. Lens complement includes new 65mm f3.5 wide angle, 80mm f2.8 normal lens, and the following telephotos:

105mm f3.5, 135mm f4.5 and 180mm f4.5 — all in M-X synchro shutters with speeds from 1 second to 1/500th. Prices range from under \$85 to below \$150. Price of Porroflex, \$29.95. At your dealer, or write for literature to Dept. MP-4.

MAMIYA • A Div. of Caprod Ltd., 111 Fifth Ave., N. Y. 3 In Canada: Precision Cameras of Canada, 5835 Pare Street, Montreal 9, P. Q.

SETTING NEW STANDARDS OF EXCELLENCE AND VALUE THROUGH CREATIVE ENGINEERING





FEATHER-TOUCH POWER CONTROL Touch the back of the power control and zoom smoothly from wide-angle to normal to telephoto...touch the front and zoom back again. Merely lift finger to stop power zoom at any position.

f1.8 FOCUSING ZOOM LENS 9 to 27mm range. Zoom in focus. Fully enclosed lens system zooms within permanent mount.

AUTOMATIC EXPOSURE ADJUSTMENT Electric eye continuously "sees" light changes, adjusts exposure instantly.

ZOOM VIEWFINDER Zooms with lens to show exactly what you're shooting.

DISTANCE FOCUSING RING Assures pinpoint focus at any distance, including portrait-sharp closeups. Settings from 6 ft. to infinity. Can be set at "Universal" position for general outdoor shooting.

From its modern, compact styling to its advanced precision-built components, the new Keystone 8mm Feather-Touch Auto-Zoom Movie Camera is everything you've ever dreamed of. This is the camera that lets you control as much, or as little, of the mechanics of movie-making as you wish . . . the camera that responds instantly to your every command. But, the most beautiful part is that you can own it for far less than you ever dreamed possible.

all automatic ... all-time value

# KEYSTONE AUTO-ZOOM

with feather-touch power control



MANUAL ZOOM CONTROL Lets you pre-frame each scene.

MANUAL EXPOSURE CONTROL Lets you hand-set exposure for dramatic lighting, professional "fades."

BUILT-IN "A" FILTER Lets you shoot outdoors and indoors with the same roll of film.

m

OTHER FEATURES: f stop indicator and dim-light warning system in viewfinder • Adjustment for film speeds ASA-

10-40 • 3-way trigger: regular, locked and single-frame run.

FULL-YEAR GUARANTEE Registered in your name, on all Keystone Cameras and Projectors. UNDER \$180

For Free Booklet Write Dept. F-48 KEYSTONE CAMERA CO., Inc., Boston 24, Mass.

Price varies in different localities; slightly higher in Canada



FUJICA 35

has 13 electrical resistors in its coupled light meter system.

One of the reasons for the consistently accurate exposures found in pictures taken with a FUJICA is its unusual light meter system. Instead of having gears or cams that might be affected by temperature or physical shock, there are 13 electrical resistors. These control the infinitely small electrical impulses generated by light that hits the photo cell. They are part of the controlled automation circuitry that enables you to "just center the needle and shoot"... or for unusual light or action situations, select any one of a complete range of aperture and shutter-speed combinations automatically pre-set for you.

In addition, FUJICA's natural thumb position rear focusing enables you to shift and pinpoint your focus quickly and smoothly from closeup to middle shot to infinity with out finger fumbling.

With 10 different shutter speeds up to 1/500th and the superb Fujindh lens, there is no limit to your range of superior color or black and white pictures...

It will be worth your while to visit your camera store and compare a FUJICA with "35s" selling for about \$100 more.

#### NEW LOW PRICES

FUJICA with f/2.8 lens and built in automatic meter

\$8995

Other fine FUJICAs from \$5995



FREE: 40-Rage FUJICA FACT BOOK packed full of useful data on 35mm Photography, at your favorite camera store or write for your copy today.

FUJI PHOTO OPTICAL PRODUCTS INC. 111 Fifth Avenue, Dept. A-50 New York 3, N. Y. In Canada: Precision Cameras of Canada Ltd. 5385 Pare Street, Montreal 9, P.Q.

# New Photo Books

TAKING PICTURES AFTER DARK, by Y. Ernest Satow, 119 pages, profusely illustrated. Amphoto: Edition Bound, \$2.50\*

Excellent illustrations and downto-earth information on indoor and outdoor shooting after the sun has set. The material on film exposure and development is particularly valuable. Highly recommended for anyone interested in expanding the scope of his picture taking to include available light and night photography.—P.C.

#### OUTER SPACE PHOTOGRAPHY FOR THE AMATEUR, by Henry E. Paul, 128 pages, profusely illustrated. Amphoto, \$2.50\*

At last!! A book about photogaphing the stars and astronomical subjects for amateurs without showing any photographs taken with the giant telescopes of the professional astronomers. In an all too brief 128 pages Dr. Paul ranges over the techniques and problems of photographing stars, planets, comets, meteors, the Sun, high-flying objects, the eclipses, and a variety of other subjects. He devotes many pages to the selection and use of moderately priced camera lenses and astronomical mountings. The many excellent photographs (more than 130) Dr. Paul has selected are all "amateur" made. Thus, Dr. Paul has raised his voice in enthusiasm and encouragement to the amateur astronomers and photographers who want to try this fascinating work but hardly know where to start.

He strives earnestly "to encourage the amateur—in the use of readily available photographic equipment and telescopes." In support of this he shows amateur photographs taken with such lenses as the famous 7½-in. f/2.5 war-surplus Aero-Ektar; the 180mm f/2.8 Zeiss Sonnar; and a series of "spotting" telescopes attached to typical miniature cameras.

This little volume is a goldmine of encouragement to the amateur astronomer, but, I'm afraid, may awe the photography fan somewhat. The book makes a strong case for acquiring and working with some type of equatorially mounted telescope. To counteract this, Dr. Paul might have shown a few more photographs taken with more commonplace cameras.

This reviewer finds the book excellent, with good illustration quality and clear printing on high quality paper. A few minor typographical errors do not detract from the excellence. On page 5 under Figure 7, E. C. Silva's large telescope is given as "2 inch aperture," whereas it is 20 inches aperture, large by any amateur standards.

The book is definitely recommended for the photography fan who wishes to invade a new and interesting area of picture-taking.—B.S.

#### OFFICIAL NIKON F REFLEX MANUAL, by Amphoto Editorial Board. 126 pages, illustrated. Amphoto: Edition Bound, 52.50\*

All about the Nikon F, its lenses and accessories as well as how to use them in almost any possible picture taking situation. Complete, detailed depth-of-field tables for every lens; diagrams and charts on subjects ranging from the filters to use with black-and-white and color films to calculating your own guide numbers for electronic flash. Complete chapters cover exposure, color, picture taking techniques and lighting. A must for every Nikon F owner.—P.C.

#### CAMERA AFLOAT, by H. S. Newcombe, 160 pages, 43 photographs. Focal Press/ Amphoto, \$5.95\*

H. S. Newcombe is an extremely successful writer about photography (which is also his hobby) and an enthusiastic sailor. In this "Guide For Those Who Go Sailing With Cameras" he tells how to combine the two.

It is full of the most useful information, and anyone who takes the trouble to read this book with any attention can hardly avoid learning how to make good pictures afloat.

Not the least important parts are two glossaries of sailing terms (for those who don't know a bobstay from a transom) and photographic words from acceptance angle to wide-angle lens. There are only a few expressions so English that Americans will get lost.

The well reproduced pictures, while hardly sensational, are on the whole well chosen to illustrate the various points that the author makes. However, the warm, sunny look characteristic of many American sailing scenes is missing.

There is a worthwhile (unillustrated) chapter on picture taking aboard ocean liners, in which he describes how to overcome the problems caused by brilliant overhead tropical light.

Mr. Newcombe's technical background is such that his recommendations can be followed with confidence.

(Continued on page 20)

FROM ONE OF THE LARGEST INDEPENDENTLY-OWNED EXCLUSIVELY PHOTOGRAPHIC STORES IN U.S.!

USERS SAY "THE BEST" WARREN Imported BINOCULARS Individual Focus



**Exclusive at HABER & FINK** 

MIRANDA D



SINGLE LENS REFLEX f 1.9 autom. lens. Penta Prism Viewfinder, instant return mirror, sync. shutter to 1/500, etc.

Case 18.95

10745

**Terrific Buy! Act Now!** AIREQUIPT MAGAZINES 3 for 4.29



149 SPECIAL

Sold with case 8.95

Carrying Case with 12 Mag. 19.95

SPECIAL

98 SPECIAL 3 for 539

**WARREN 3 SECTION TRIPOD** 



f

d

n

g

n

e

d

y

e

n

e

e

r

n

8

e

S t

e

ė

S

7-

-

h

y

ξ-

with 60 "lift 20" closed elevator SPECIAL 845

Also for 35mm
• Capacity 240 negatives (40 pgs.)
• 8x1016 inche:
• Hard Cover Binder

It's Revolutionary! NEW "DO-IT-YOURSELF" Rox-Combi Genuine Leather Gadget Bag

ROX 8 71413417 17.40

ROX 1 71413417 38.25

W pocket 8641351711 38.25



SPECIAL

SPECIAL" Ultrablitz Monojet 4495

Nickel Cadmium lifetime rechargeable battery

discontinued model) SPEC. inci. shutter, cord & AC cord

> **BRAND NEW** KODAK RETINA IIIS lewest Model w/E.K. Import Certificate

with 12.8/50mm Xener lens autom., exp. control, built-in light meter, parallax correct accepts fully interchangeabl lenses from 28-135mm.

SPECIAL 9695

# KODAK

**AUTOMATIC 35** 



A precision miniature with Electric Eye Control. Takes brilliant color or black and white. Has fast f 2.8 lens; manual control for flash; easy loading.

67 PRICE

Case 8.95 (Sold with case only)

### KODAK **MOTORMATIC 35**



New! Automatic Kodak 35 cam era, spring power drive. Fully automatic exposure.

G. E. GOLDEN CROWN **EXPOSURE METER** Special 2250 Free carrying case

Imported ALPEX photo electric exp. meter w/case & chain 595

# SMM BAIA CINE **ACTION EDITOR!**

With Splicer & Rewinds
Portable Carrying Case
Available in 16mm
(Same Price)

Page 295 Case 2.95 add'l

Special! SLIDE TRAYS AND CASE 12 UNIVERSAL TRAYS



Fits TBC, B & H Viewlex. AO Executive & 694

COMPLETE

Add'1 trays 4 for 1.76



12 × 18 PHOTO BLOTTER BOOK5



### RETIMA AUTOMATIC III



10450 Case 10.05

Autom. exp. control. f 2.8 45mm Retina lens, manual exp. control, single stroke film advance, etc.

**FAMOUS** WESTON **MASTER IV** 



Reflected and incident light reading, simplified exp. dial, double sensitivity, better readability. OUR FRICE - BRAND NEW 2395

SPECIAL PURCHASE

BRAND NEW

# **BAUSCH & LOMB**

## **ANIMAR MOVIE LENSES**

IN FOCUSING MOUNTS     DISCONTINUED MODELS	MFGRS. ORIG. SUG LIST	SPECIAL PRICE
3" f3.5 16mm C Mount	80.00	29.50
1" f1.9 16mm C Mount	79.50	22.50
1" f2.7 8mm D Mount	55.12	17.50
11/2" f3.5 8mm D Mount.	55.00	19.50

Free lens conversion adapters Please specify

SPECIAL PURCHASE

EASTMAN KODAK MODEL C COMMERCIAL ALL METAL TRIPOD 2450

### 8 x 10 to 5 x 7 EASTMAN KODAK REDUCING BACKS . . . . . . . 1895

**Terrific Buy! Act New!** AIREQUIPT MAGAZINES



3 for 4.29 um Order 3 SPECIAL

Carrying Case rith 12 Mag. 19.95

THE FIRST . SUPER SLIDE

. SINGLE LENS . REFLEX CAMERA

ONLY 5295

Speeds 1 sec. to 1 500

- · Automatic Pre-Set Diaphragm
- . Big Picture Slides • 65mm Prominar f 2.8
- Uses 127 Film
- e Brand New! List 69 95 Carrying Case Add. 7.24

Yashica Pentamatic 35mm Reflex F:1.8

PRICE

PRICE

59.45

NEW YASHICA CAMERASI

YF.' Inter-

PRICE 84.95

PRICE

31.95

Yashicamat 21/4x21/4 Re-flex. f3.5 Ctd. Lens. Auto Film Advance. With Case.

48.95 Smm '83' Turret. 3 /1.8 PRICE Lenses. Electric-Eye Meter. 72.95

KODAK RETINA IIIC



Retma IIIC CAMERA
Super-fact 1/2 lens, builtin light meter, plus
unique interchange lens
system for wide-angle
and the control of the control
and the control of the control
and the control of the control
and the control KODAK

PRICE \$9250 RETINA CASE \$8.50 (Sold offly with case) STROBE LITE CASES

Genuine Lather for: Jet 1, Jet 11, Matader 11, Rocket D, Rocket WLZ, Brown Automatic, Brown EF3 List 15:35—Spec. 8.85 JET LEATHER CASE and 11 List 14.95—Spec. 9.95 ULTRABLITZ METEOR List 13.95—Spec. 7.86

SPECIAL PURCHASE OUTDATED HALOID CONTACT PAPER

ı	441		0 750	20.00
١	Size	Sh.	No.	Box
ı	4x5	100	5	.50
ł	8x10	100	145	2.00
1	10x10	50	1	1.00
ı	8x101/2	250	2	4.00
J	11x14	50	2	1.50

COMPLETE ASSOR OF USED & NEW MOSE

Phone BA 12 Warren Street, New York 7 THE PRICE IS RIGHT - SATISFACTION GUARANTEED

A FRANCHISED LEICA, BOLEX & FUMIG DEALER

# **ONLY ONE CAMERA IN THE WORLD HAS**

# Leica precision rangefinder focusing and single lens reflex versatility COMBINED IN A SINGLE CAMERA!

If you're trying to decide between a reflex or a rangefinder camera—and want to enjoy the advantages of both—you should know about this advance by Leica.

On the ground glass of the Leica reflex unit you see an image that is clearer than in any other reflex system—it's as if you're looking at a life-like color transparency! It's so easy to focus on a tiny highlight in a person's eye even though his full figure is seen on the ground glass. And the sharpness of the



For reflex photography, the Leica reflex unit offers even greater light transmission in throughthe-lens viewing, thus permitting faster, easier focusing even under the most adverse lighting conditions. It also features large field, magnified viewing, especially convenient for those who wear glasses.

subjects seen on this exceptionally finegrain, high-resolution ground glass permits viewing and focusing even under the poorest lighting conditions.

Whether you want to get an extreme close-up of a tiny insect or distant mountain peaks against the horizon on a full negative size-the new Leica reflex unit is the perfect answer. And you can use any lens from 65mm to 400mm (90mm - 125mm - 135mm -200mm). When the superior accuracy of rangefinder focusing is desired, you can use wide-angle lenses like the 21mm, 28mm or 35mm, or when lenses of 50mm, 90mm, or 135mm are called for -the Leica camera has no peer. You can also use these same lenses for extreme close-up macrophotography with the reflex unit.

The Leica with the reflex unit enables you to make the fullest use of all the equipment you own, offering a number of solutions to the same problem...as well as protecting your investment in your equipment. Virtually any thread-mounted lenses you own (plus a bayonet adapter) can now have unlim-

ited use. With the Leica Visoflex II and the M-2 or M-3 camera, you can now photograph any size subject, from any distance, without owning a whole new set of lenses.

And when it comes to handling this compact, featherweight reflex unit, it fits as snugly to the camera as one would want. It's really a miracle of modern design, using the strongest, lightest, alloy metals and embodying an optical system no reflex camera can match for simplicity in performance.

You can switch from reflex throughthe-lens photography to rangefinder shooting in a simple, easy change in only a matter of seconds.

Your local Leica dealer will be glad to show you this unique dual-system of combined reflex and rangefinder photography. And whether you prefer through-the-lens viewing and focusing in single-lens reflex photography with the Visoflex II or the superior focusing accuracy of a rangefinder camera—you can now get both in this new flexible and economical system of photography.

Remember, your Leica dealer is the best photographic friend you can have. He's always willing to give you professional advice on any of your photo-



For rangefinder photography, the Leica M-2 and M-3 have the brightest image of all rangefinder cameras. As a result, they can be focused very rapidly and permit clear, bright viewing at night or indoors where light is extremely dim.

graphic problems without the slightest obligation to you. He'll help you get the most enjoyment out of photography in the most economical way.

SEND FOR FREE BOOKLET explaining the possibilities and potentials of this new reflex-rangefinder system. Tells you how to get double use out of your camera and lenses. Write to: Dept. VM1, E. Leitz, Inc., 468 Park Avenue South, New York 16, New York.

Advertisement

# NEW products

Information and specifications for the products here described are supplied by the manufacturer, and do not constitute tests by MODERN PHOTOGRAPHY.

Super Baldamatic Is Auto, Manual



Automatic as well as optional manual exposure control is possible with the Super Baldamatic I 35-mm rangefinder camera. The 45mm f/2.8 Color-Baldanar lens is

mounted in a Compur Automatic shutter with speeds from 1/30 to 1/500 sec. B, and X sync. In use the photographer sets the film speed (from E.I. 10 to 1250) on a dial, sets the shutter speed, aims the camera, and shoots. The coupled exposure meter automatically sets the correct lens opening from f/2.8 to f/22 as the shutter is snapped. By switching off the automatic exposure control, the diaphragm and shutter can be set manually and the meter can be used independently. An f-number scale shows the automatic setting in the viewfinder. Also featured on the camera: frameline finder with automatic parallax compensation, keymatic film advance, rapid rewind crank, auto film counter, and film advance control indicator. The Super Baldamatic I sells for \$99.50. Write: KLING PHOTO CORP.

#### **Built-in Meter on Prince**



A 50mm f/2.8 D. Exumar lens is featured on the Samoca Prince 35mm rangefinder camera. Known as Model LE-II, it has a built-in exposure meter with a film speed range

from E.I. 6 to 800. After setting the film speed, you read the correct lens-aperture/shutter-speed setting on the meter's dial on top of the camera. The shutter has speeds from 1 to 1/300 sec. and FX sync. Other features are a frameline finder with parallax correction marks and rapid wind and rewind levers. The Samoca Prince Model LE-II is priced at under \$35; case, under \$10. Write:


404 PARK AVE. SO., NEW YORK 16, N. Y.

### 8mm Movie Editor



A 17X magnification of 8mm movie films is provided with the Walz Edipet editor. The unit

has a 2% x 2-in screen, folding arms, and a reel capacity of 400 ft. Geared rewind ratio is 3 to 1. Built-in features (Continued on page 48)



Rollei
automatie, universal
slide projector



available next month...takes all standard size transparencies in original size mounts. Write for literature now. Another top-flight contest dominated by Rollei... the travel photo contest sponsored by Saturday Review among its list of highly discriminating readers. Five of the 10 winners in the black and white section were Rollei pictures.

And it follows the world over... wherever great pictures are shown, taken by photographers "in the know", Rollei pictures invariably dominate the scene. Because advanced workers know that ample viewing screen area, and ample negative size, are musts for great pictures... and Rollei is the one quality camera that meets all requirements, with plenty to spare. Be sure to see the Rollei model "F" at dealers to-day, or write for literature.

Rollei "F"... (shown above) available with finest f3.5 and 2.8 lenses . . . controllable automatic meter coupling . . . synchro-Compur shutter . . . automatic depth-of-field and filter correction . . . removable hood . . . Rolleiclear focusing screen. Pro model 3.5E2 (without meter) also available.

BURLEIGH BROOKS, INC. 420 Grand Avenue, Englewood, N. J

PONDER & BEST, INC. 814 North Cole Avenue, Hollywood 38. California



SAVE

**BOLSEY 8** 

# **GERMAN IMPORT Automatic**



BRAND NEW

35mm Single Lens Reflex

- Speed-coupled Exposure Meter
- F2.8 interchangeable lens
- MXV Synchro-Compur Shutter
- Speeds from 1 1/500
- **Built-in Selftimer**
- Rapid Advance Lever Case 9.50

INCOMPARABLE



Werld's smallest 8mm Movie Camera **BRAND NEW** 9.95

 High quality, fast F1.8 lens
 Variable shutter speeds
 Autom. Film counter
 Instant Magazine loading
 Also takes still pictures SAVE ZEISS TESSAR 2.8

CERTO "6"

- 2¼ x 2¼ roll film Autom. Film transport MX synchronization
- Coupled Rangefinder
   Zeiss Tessar f2.8 lens

**BRAND NEW** COMPARE Case 3.95



**VIEW CAMERAS** 



WRITE FOR DESCRIPTIVE LITERATURE TODAY!

5000 LENSES IN STOCK, WRITE US YOUR NEED!



VISTASCOPE

- WIDE SCREEN LENS
- BRAND Gives you cinemascope effect
   For all movie cameras
   Same lens used for Projection NEW
- Increases picture by 50%

SAVE

TECH

COLORMAT

Slide Projecter

No trays to buy
 300 WATT, blower cooled

SAVE

· Thru-the-lens focusing

16, 24, 32, 48, 64 speeds
 Covernor controlled motor

· Governor controlled m

• Single Exposure

**BRAND NEW** 

● 1/2" Ivotal f1.4 Ultra-speed Lens

Optical individual Viewfinders

R& H 134TA 3-Lens Turret 8mm

Ready-matic changes

8mm VISTASCOPE ... 16mm VISTASCOPE ... \$36.50

Stereo Attachment for ALL Contax Cameras

- 2 Stereotar f3.5 lenses
- Prism attachment Stereo Viewfinder Coupled to Rangefinder

COMPLETE 69 50 **BRAND NEW** OUTFIT

for Contaflex I & II,
Contaflex Alpha, Beta & Prima NEW 2450



**BRAND NEW** 

1295





ZEISS TESSAR SUPER DOLLINA

35mm Camera

Coupled Rangefinde Flash Synchronized

Autom. Filmtransport

50 BRAND 4

SAVE

4 x 5 PACEMAKER **CROWN GRAPHIC** 

- BRAND NEW
- 135mm XENAR f4.7 lens
   Syncho. Compur MX shutter
   Kalart coupled R. F. Kalart couple.
   Graflock back
   Discontinued

4 x 5 SUPER GRAPHIC

f4.7 electric shutter, used \$189.50

### SAVE

REFLEX "C"



- Auto Quinon F1.9
   Built-in Exp. Meter
   Automatic diaphragm
- Speeds 1 sec. to 1/1000

  M & X synch.
  Interchangeable lenses Mfr. List \$284.50

BRAND NEV

# SAVE

# Used SOUND PROJECTORS





\$ 85.50 \$129.50 Victor 40, 12" speaker ... \$63.00 Ampro stylist, single unit ... \$129.50 Ampro Premier, 12" speaker ... \$99.00 B & H 179, 1000W ... \$139.50 B & H 285 C, single unit ... \$225.00 Kodak Pageant, ene case ... \$148.00 Revere SP 16, 750W ......\$116.00



COMPARE

SAVE CANON VI-T with f1.8 Hi-speed, 6-element lens

- Speed-coupled Exposure Meter
- Coupled Rangefinder Variable focus viewfin

- Single dial shutter, 1/1000
   FP & X Flash Sync.
   Rapid advance lever

SAVE FOR STEREO



with matching viewfinder

While they last, ONLY Also for other Stereo came Write for our low prices!

SAVE AURAY 8mm

ACTION EDITOR **Bright Screen** 



Self-contained case BRAND NEW

400 foot capacity

1265

LAST MINUTE SPECIAL! GERMAN IMPORT STEREO PROJECTOR WITH CASE. **BRAND NEW \$69.50** 

		PRESS, VIEW & ROLLFILM CAMERAS 4x5 Linhof IV, Xenar 4.5, latestused 328.5
UKIN	CONTAX	### PRESS, VIEW & ROLLFILM CAMERAS ### Linhof IV, Xenar 4.5, Litest
	NIKON	34x444 Speed Graphic Tess. 4.5. msed 39.5 34x444 Speemaker Graphic F:4.7, Rfdr. NEW 134. 4x5 Ann. Speed Graphic F:4.7 msed 34.5 4x5 Super Graphic F:4.7 electr. shutter used 34.5
	OWNERS:	4x5 Pacemaker Speed F:4.7, Rfdr. used 118.6 5x7 Linhof, Xenar 4.5 Rfdr. used 185.6 8x1O B&J View camers. used 78.6
	KOMURA HI- Speed Rangefinder-coupled LENSES	Kodak Chevron Ektar 3.5, Rfdr. used 52.6 Omega 120, F:4.7, synch. Rfdr. used 181.6 Plaubel Makina III, synch. F:2.9, Rfdr. used 78.6
	A A HA	Polaroid 80, Dicture in 10 seconds was 29.5 Polaroid 95, 31/4x44/a, synch. used 29.5 Polaroid 150, Ridr. complete kit. NEW 62.6 Polaroid 110, F4.7, synch. used 69.5
	135mm f3.5 Telephoto 35mm f2.8 Wide Angle 29 50	Polaroid Supo, Ridr. Polaroid Exposure Meter 23B NEW 4.5 Medalist II, Ektar 3.5 synch. used 24.6 Mamilya 6, F:3.5, synch. Ridr. used 48.5
	Minox IIIS, F:3.5, kynch,used 47.75	Super Ikonta H., Tess. 2.8, Ridr. Exp. Meter_used 52.5 Super Ikonta BX, Tess. 2.8, Ridr. Exp. Meter_used 76.5 Voigtlander Bessa II, F:3.5 synch. used 76.5 Steinheil 70mm Air Camera 3" lensNEW 14.1
Zelse 7x50 Binculiers 48 495 Zelse 7x50 Binculiers 49 495 Ansec Elevator Studio Tripod Mew 34.95 Movie-Lite, 4 lamps, metal case 48 495 Oolden Blooh 16, 7:3.5, synch. Mew 21.50 Mamiys Super 16, Subministure 48 21.50	Mincox IIIS, F:3.5, kynch. 47.78  Mincox Ref D. Hullin Exp. Meter 52.50  Copy-sland for Leica, Canon, etc. 114  B.C. Flashrun 1.98  BAH 7750 Tape recorder 1.98  Bever 12140 Stere 78 records 183.10  Bever 12140 Stere 78 records 183.10	LENSES FOR PRESS & VIEW 2", 3" or 4" Schneider F:4.5 Compurused 3.5" Kodak F:4.7. Supermaticused 25.6
Golden Blook 16, F:3.5, synchNEW 9.95 Mamiya Super 16, SubministureNEW 21.50	Revers T204 Stereo Tape recorder	514" Graftex Optar F:4.7, Graphex used 21.7 6" Kodak F:4.5, Supermatic used 21.7 7" Aero-Ektar F:2.5 used 28.5 8" Kodak Ektar F:7.7. Flash-Supermatic used 86.5
35mm CAMERAS Alpa 6B Auto-Switar 1.8used 228.00	Argus 545, auto. 500W, case NEW 48.78 B&H Headliner, 300W, blower used 24.59 B&H Explorer, 300W, remote used 48.00	2", 3" or 4" Schneider Fi-4.5 Compur. used 5" Kodak Fi-4.7, Supermatic used 21.6" Kodak Fi-4.7, Supermatic used 21.6" Kodak Fi-4.5, Supermatic used 27" Aero-Ektar Fi-2.5 used 28.6" Kodak Ektar Fi-1.7, Fiash-Supermatic used 28.6" Kodak Ektar Fi-1.5, Fiash-Supermatic used 28.6" Kodak Ektar Fi-1.5, Fiash-Supermatic used 28.6" Kodak Ektar Fi-5.6" Kompur used 28.6" Kodak Ektar Fi-5.6" Telephoto used 38.6" Zeiss Fi-5.6 Iens used 38.6" Zeiss Fi-5.6 Iens used 28.5" Zeiss Fi-6.3 Iens used 28.5" Kodak Ektar Fi-6.3 Iens used 28.5" Kodak Ektar Fi-6.5" Iens used 28.5" Kodak Ek
Alpa 7, Remex F:1.9, MA. used 112.30 Telephoto & Wide Angle lenses for Alpa Secial Argus C3, F:3.5, synch. Ridr. used 11.50 Argus C4, F:2.8, synch. Ridr. used 19.50	Rodak Signet Auto, 500W case- Kodak Signet Auto, 500W ready-matic. NEW 39.50 Quick-set 303, autom., 300W NEW 27.50 Realist 400, autom. NEW 15.50	10 <sup>#</sup> Wollensak F.5.6, Telephoto used 38.1 13" Wollensak F.5.6, Telephoto used 28.2 20" Zelss F.5 lens used 29.5
Asahi Fentax, F:2.2, synch. used 88.00 Exakta VX IIA, Blotar F:2. used 109.50 Exakta II, Blotar F:2, synch. used 49.50 Exakta VX, F:1.9 used 72.00	TDC Duo, 21/x21/4 & 2x2, blowerused	8mm MOVIE B&H Sportster, 134V, F:2.5, excellentueed 15.6
Canoniex Fil.5 auto., inst. mirror returnused \$72.000 Vanon VT deluxe, Fil.6, synchused \$8.50 Contax II or Contax III, Sonnar Fil. Rfdrused 48.95 Contax IIIa, Exp. meter, synch. Rfdr. bodyused 88.00	31/4×41/4 Graffex, F:4.5. used 36.00 Super D Graffex, Ektar 4.5 autom. used 98.00 5x7 Graffex Home Portrait, R.B. used 118.75 Auto Rolleiffex, Tessar 3.5. Compur_used 38.50	B&H 390, Electric Eye, F:1.9, fully sutomused 38.0 B&H 393E, Electric Eye, 3 lenesssed 58.0 B&H 44, Zoom Electric Eye F:18used 18.5
Contailex I Tess 2.8 MX	Auto Rolleifiex, Tessar 3.5, MX synchused 69.50 Auto Rolleifiex 'T,' LVSused 97.00 Auto Rollei 3.5 G, F;3.5 LVS, Exp. meterused 124.00 Auto Rollei 2.8C. Xenotar F;2.8. MX synch. used 99.50	Camex 8 with Pan-Cinor Zoom lens used 139.5 Canon Zoom 8, Reflex, Exp. Meter F:1.4 used 139.5 De-Jur Embassy, Mag., F:2.5, var. speed NEW 14.5
Contarex, latest, Exp. meter cold. used 24.50 Edixa Reflex, F:2.8, MX, synch. used 48.75 Exa Reflex, F:2.8, MX, synch. used 29.50	Rolleicord IV, Xenar 3.5, MX	Kodak Mag. 8, F:1.9 foc. mount used 18.0 Kodak Medallion, Mag. F:2.5 used 18.0 Konica Zoom, battery-drive used 94.0
Exa 11, intest, ress. 3.5 prism inder	Rolleimeter, for F:3.5	Revere CA-1, Electr. Eye. F:19 NEW 42.0 Revere CA-18, Electr. Eye. Zoom used 98.3 Revere CA-2 or CA-4, 3-lenses El. Eye
Konica HIM, F:1.8, latest used 68.50 Konica F, Reflex, Exp. Meter, Fi.8, MX used 198.50 Leica G, F:2 ctd. Rfdr. 1 sec. to 1/1000 used 45.00 Leica HIC. Rfdr. 1 sec. to 1/1000, body only used 32.00	Rollei Flash, B.C.   used 4.50   Rolleikin, 35mm attachm.   used 12.50   Kalart focusspot for Rollei   NEW 3.95   Broate 3.20   NEW 3.95   Report 3.20   NEW 3.95	Revere 44, mag. 1urret, 5.2.3 lenses used 34.9 Wittnauer Cine-Twin, camera & proj. used 68.7 Wollensak 23, Turret, Mag., 5 lenses NEW 46.0
Leica IIIF, Summitar F:2, Rfdr. synch. used 92.50 Leica M-2, Elmar F:3.5 used 182.00 Leica M-3, Summicron F:2 used 186.00 Leica IIIG, Summitar F:2, par. Rfdr. used 148.00	Kalimar Single-lens Reflex F:3.5used 42.50 Komänfex 15%15% single lens F:2.8. synch. NEW 52.50 Minolta Autocord, autom., F:3.5, MXused 44.50 Manivandex Pro C. F:2.8 missed 44.50	Wolfensag 72 mag. F:2.5, discontinued to the last Seiss Movikon F:2 to the last Seiss Movikon F:2 to the last Seiss Movikon F:2 to the last Seiss Mozik Sum Sound projector used 38.7
Mercury II, F:2.7, synch. single frame used 13.50 Minolta SR, Reflex, F:1.8 autom. used 108.00 Miranda D, Reflex, autom. F:1.9, ctd. used 89.00 Miranda Automex F:1.9, latest_ used 274.50	Optika Reflex F:3.5, synch NEW 16.50 Yashica 44, F:3.5 synch New 27.50 Rolleiflex 4x4, latest F:3.5, synch, used 27.50	Babit Sportsier: 34    11.0
Nikon S, Rfdr. synch, body only	Yashica Mat. F:3.5, synch. autom. used 36.95 Zeiss Ikoflex II, Tess. 3.5 synch. used 28.50 LENSES FOR NKON, CONTAX	6.5mm W.A., F:2.5 NEW 6.5mm Wollensak F:1.8 W.A. NEW 34.7 Ly" Wollensak F:2.5 NEW 3.9 112 "Telephoto, Wollensak F:2.5, foc. mt. NEW 12.9
Aipa GB Airto-Switzs 1,8  Telephoto & Wide Angle lennes for Alpa used 18,20  Telephoto & Wide Angle lennes for Alpa used Argus C4, F2.5, 8, proch. Ridr. used Argus C4, F2.5, 8, proch. used Argus C5, F2.5, 8, proch. used Argus C5, F2.5, 8, proch. used C5, Canonibes, F1.8 asynch. used Vanon V7 deluxe, F11.8, asynch. used Vanon V7 deluxe, F11.8, asynch. used C6, Contaffex, Sonnar F2, Exp. meter, self-timer-used C7, Valoribes, Val	Revere T204 Stereo Tape recorder	11/2" Hi-Speed F:1.1 teleNEW 16.5 Eigeet Zoom lens for 8mm MoviesNEW 36.5
Retina Reflex: S, F:2.S, LVS, Exp. Meter NEW 130.95 Retina Reflex: S, F:2.S, LVS, Exp. Meter LVS NEW 137.75 Retina Reflex: X, End. M.X, meter LVS NEW 137.75 Retina Reflex: Xenon F:2. M.X, meterused 80.50	30mm Zelas Biogon F1.5 W.A.   1986   42.06   30.00   30mm Zelas Sonnar F1.5   1986   39.50   30mm Nikkor F1.1 high-speed   1986   182.06	Smm cameras, F1.9 used 14.9 Vistascope Wide Screen lens NEW 12.9 16mm MOVIE
Robot Star, Action   1.1.0. Sylicit.   Used   98.00   Royal   24. Xenon   1.9. Rfdr.   Used   98.00   Royal   F.1.0. Rfdr.   Exp. Meter   NEW   39.50   Sept   35nm   Sequence camera   F.3.5.   Used   34.50	S5mm Zelsa Sonar F12, tele used 48.50 S5mm Xelsa Sonar F12, tele used 48.50 S5mm Nikkor F2.5, for Contax New 79.75 S5mm Nikkor F3.5 telephoto, for Contax New 76.75	Arrinex, Turret, electric motor used 28.0 B&H 70DE, Turret, F:1.9, 100' used 28.0 B&H 70DE, F:1.9, optical finder used 28.0
Super Security 11, 19, mA. St. Rfdr. used 48.30 Voigtil Brominent, Ultron F:2, MX, Rfdr. used 48.50 Voigtil Bessamatic, Reflex, F:2.8, Exp. meter used 119.50 Voigtil Vitessa, Skopar F:3.5, Rfdr. MX used 24.95	180mm Sonnar Fr.2.6 with Refi. hsg. used 145.00 250mm Nikor W. Refiex hsg. used 223.00 300mm Zeiss Tele for Contax. used 65.00	Arrifics, Turret, electric motor used 978.5 BaH 70. F: 27, 100 100 used 28.0 BaH 70DE, Turret, F: 1.9, 100 used 38.0 BaH 70DE, F: 1.9, 100 used 38.0 BaH Auto-Master, Turret Mag, F: 2, 7, used 38.0 BaH Auto-Master, Turret Mag, F: 2, 7, used 38.0 BaH 240EE, F: 11.9, Electric Eye, 100 used 128.0 Cine Special II, 100 Mag, used 138.0 Cine Special II, 100 Mag, used 372.8
Tele of W.A. lens for Prominent	Zelas Contax filters, all colors used 75 Zelas Panfex for Contax used 48.00 21 mm Biogon F: 4.5 W.A. f. Contarex used 38.50	Cine Special II, 100' Mag. used 27.2.8 Keystone A-7, F:2.7, 100' used 21.9 Kodak, Mag. 16, F:1.9 Kodak K100, F:1.9, 100' roll, used 128.0
LENSES FOR LEICA, CANON, Etc. 21mm Supper Angulon F:4.5 W.A	MISCELLANEOUS EYAKTA OWNEDS!	Vistascope Wide Serven Ions
28mm Nikkor F:3.5 W.A	135mm Auto Tele-Quinar F:3.5, Ultra- sharp telephoto lens with automatic dia- phragm————————————————————————————————————	Ampro, sound projector  ###################################
50mm Summitar F:2used 38.00 50mm Summit F:1.5, screw or bayonetused 48.00 50mm Summitux F:1.4used 418.00 50mm Serenar F:1.8used 41.95	Gammi 16, Subminiature, Ridr. used 148.95 Alpex clip-on Exposure Meter Norwood Super Director w/case. NEW 11.95 G.E. Golden Crown, Exp. Meter, listest. used 18.50	Victor 40, sound proj. 12" speakerseed \$5.0
85mm Steinheil F:2.8. coupled to RfdrNEW 24.95 85mm Nikkor F:2, telephotoused 48.00 85mm Summarex F:1.5used 118.00 90mm Summicron F:2. screw or bayused 128.95	EXAKTA OWNERS!  135mm Auto Tel-Quinar F13.5, Ultra-\$5950  phragm beauto tens and telegraph tele	13mm Eigeet F:1.5 W.A.   used   17mm Kodak F:2.7 W.A.   used   18mm Kodak F:2.8 W.A.   used   18mm Kodak F:2.7 W.A.   used   18mm Kodak F:2.8 W.A.   used
90mm Elmar F:4 collapsible for M2 & M3used 66.50 90mm Elmar F:4 rigid, screw or bayused 43.50 90mm Elmarit F:2.8, screw or bayused 59.50 135mm Komura F:2.8 telephoto	Kiifit Reflex housing for Lelca, Canon, Used Contax, C	1" Kodak Ektar F:1.9 hi-speed
21mm Super Angulon Fi.5. W.A.   used   177.50	Wollensak Stereo, Fiz.7, Rior, synch. Wile Wollensak Stereo camera. used 38.50 TDC Stereo projector, 500W, blower used 98.00	3" Bell & Howell F1.4 Ctd. used 39.5 Wistascope Wide Screen lens used 12.9
Solution	O.K.! Send on	FREE TRIAL
28mm Auto-Angenieux F:4 W.A. used 83.00 30mm Eurygen F:2.8 W.A. MEW 63.00 30mm Eurygen F:2.8 autom for Ex. MEW 76.50 35mm Auro-Quinaron F:2.8 W.A. used 34.50 35mm Auto-Quinaron F:2.8 W.A. used 34.50 40mm Makro-Kilar F:3.5 used 39.50	HAIRE	CAMERA & LENS CO., INC.
35mm Auto-Quinaron F.2.8 W.A		1265 Broadway at 32nd St. NEW YORK 1, NEW YORK
Somm Auto-Westanar F:2.8 for Ex.   NEW   32.50		Tel. MU 4-4285
135mm Juplen F:2.8 for Praktica	ALL CAMERAS SHIPPED 10-DA	
200mm Sonnar F:2.8, Olympic, pre-set	Please ship	SEND CATALOG
LENSES FOR SINGLE-LENS REFLEX  28 mm Auto-Angenieurs Fr 4 W. A	What's top allowance for my	Over 500 illustrations
Soomm Old Delft. Mirror tele	ADDRESS	CITYSTATE

Over 500 illustrations
onelous Bit M4
STATE

TODAY! NAME\_\_\_\_\_ADDRESS\_\_ MAIL COUPON

IC ID

50

IEW 50

79.50 99.50 99.50 85.50 129.50 129.50 139.50 225.00 148.00 116.00

0

7

50 NEW

95

### **NEW BOOKS**

(Continued from page 14)

However, I am at odds with his point of view on some matters. In discussing color he says: "Dramatic against-the-light pictures are not for the colour man." And further: "For colour, the contrasts should not be too great, whether they are the result of lighting or choice of subjects. . . ."

Maybe that's true for ordinary "record" color slides, but I have long followed exactly the opposite prescription when I wanted to produce a particularly striking result.

He advises (wisely) the use of medium fast black-and-white films for most sailing shots, and is against using fast films (such as Kodak Tri-X Pan) afloat. I have found that it is desirable to always have on board some fast film, for pictures of people on your own boat, in the cabin, for late afternoons, or for other dim light conditions in which good pictures may occur.

Aside from these points, this is a dandy book and a fine gift for anyone who likes boats and cameras.—J.W.

VANITY FAIR: A Cavalcade of the 1920s and 1930s, edited by Cleveland Amory and Frederic Bradlee, 327 pages, profusely illustrated. The Viking Press, \$10\*

In his introductory ode to Vanity Fair magazine, Cleveland Amory pre-

sents an excellent argument for publishing this book. "There never was, nor in all probability ever will be again, a magazine like her. She was born in 1914 and she died in 1936, and, unlike the legendary gentleman of the old school who was very good at wars but not very good between wars, the lady who was Vanity Fair was not very good at wars and depressions, but between them, in the golden days of the twenties, she was very good indeed. And today, as we look back at her from out of the shadowy sixties, she seems, all in all and all at once, behind her time, ahead of her time, and yet, unmistakably, of her time."

That Vanity Fair was one of the most exciting and influential magazines ever is indisputable. She looms large in conversations among the generation which was fortunate enough to enjoy her at the time of publication; she is constantly held up as an example of what a publication should-and could-be. Fashion and commercial photographers collect, keep, and constantly refer to old issues which they have begged, borrowed, saved or scavenged at some earlier time from shops specializing in secondhand periodicals. Now, these issues are collectors' items. rarely even obtainable on the public market. (Out of a total of ten backdate magazine stores which we called, we found one with issues of Vanity Fair. The price? \$3 and up. In 1935 it

sold for 35 cents on the newsstand.)

After reading the stories, essays and poems (by such writers as Colette, Cocteau, Robert Benchley, Dorothy Parker, Gertrude Stein, Max Beerbohm); after looking at the (regrettably few) color reproductions of art masterpieces and cartoons and the countless black-and-white reproductions of photographs by such timeless greats as Steichen, Beaton, Bruehl-Bourges, Genthe, Baron de Meyer, Hoyningen-Huene and Horst, one can understand the popularity and prestige of Vanity Fair. For us, of course, these photographs are of primary interest. A number of them, particularly the flawless Steichen portraits (Gloria Swanson, masked behind a delicate lace scrim; Paul Robeson, tense and powerful as he appeared in the O'Neill drama Emperor Jones; Carl Sandburg, contemplative and at peace as he leans against a stucco wall; Leslie Howard, urbane, top-hatted-the epitome of the cosmopolite), are familiar. A number of others are not.

Here you can see a kindly and shrewd Will Rogers, photographed by Steichen; the poignant and impish child that was Jackie Coogan, photographed by Abbe; a magnificent, swan-throated Greta Garbo, photographed by Genthe; a pale, delicate and enigmatic 1928 version of Tallulah Bankhead, photographed by Hoyningen-Huene. And, of course, there are many, many more.



# NEW KODAK provides two-way

Now you can take pictures with dramatic side or back lighting, yet never look at an f/stop, never worry about under- or overexposure.

The versatile automatic exposure control on the Kodak Retina Automatic III Camera handles these tricky exposure problems for you—instantly!

Aim, and hold. To expose for highlight or shadow, you simply take the camera close to your subject, aim, and press the shutter release halfway down. This holds the lens-aperture setting while you back away to shooting position.

Then press the release all the way down—and the picture is exposed at the close-up reading.

But when your subject is evenly lighted, you just aim, shoot. The electric eye automatically adjusts the lens aperture to fit your choice of Compurshutter speeds, from 1/30 to 1/500.

R

of a figure No. If I shu pear a di

35m Ful Kod pro

film

The

E

Unfortunately, the offset reproductions of these pictures resemble matte photostats of those which appeared in Vanity Fair. That magazine was, after all, as famous for its physical makeup as for its content. The engravings were the finest, and printing was carefully done by the top-notch Conde Nast press on the highest grade of paper. Regrettably, the impression of quality and of opulence has been lost. In addition, in the original magazines the layout was tasteful and well-paced. In excerpting from the periodicals, the editors have paid little attention to the actual appearance of the spreads, and, of course, practically none to the pacing of the book as a whole.

Despite this, Vanity Fair is fascinating, and particularly so to anyone interested in photographs or in magazine publishing.—P.C.

#### SALOON SOCIETY, text by Bill Manville, photographs by David Attle, design by Alexey Brodovitch, 124 pages. Duell, Sloan & Pearce, \$4.95

Of all the photographers whose work I know, David Attie is best qualified to present visual equivalents to Bill Manville's text about Greenwich Village eccentrics. Attie's haunting and poetic images (some of the techniques he uses in making them were described in the April 1960 MODERN) are always translations of the real into the fantastic; in them we see the world as

viewed through the scrimmed perceptions of the beats, the bums, the lost and the lonely whose lives, loves and adventures constitute the subject matter of this book.

Manville's text is sensitive, perceptive; after reading it we feel we know the characters he describes. Most of them appear as sympathetic—but not admirable. For it is obvious that his subjects are not finding what they so frenetically seek, and are motivated more by compulsion than by choice.

A highly readable and viewable book. Recommended as a particularly tasteful and successful marriage of photographs and text.—P.C.

#### ANIMATION ART IN THE COMMERCIAL FILM, by Eli L. Levitan, 128 pages, copiously illustrated. Reinhold Publishing Corp., \$6.95\*

This book makes a sound survey of the varied techniques of animation, which apply as much to entertainment films as to commercials. True, we did become somewhat tired of Mr. Wimple, the hero of the 60-second TV commercial upon which all the illustrations in the book are based; and since the animated part of this commercial consists of only the one character against two extremely simple backgrounds, we should stress that this book is no more than an introduction to the intricate field of animation. While the planning side is dealt with

in some detail, with illustrations showing how the exposure sheet is used to keep control of the many elements involved, in discussing the actual techniques of animation Mr. Levitan is hampered by his dull and limited examples.—W.H.J.

#### ROME, 83 black-and-white and color photographs by Herbert List, introduction by Derek Verschoyle. Hill and Wang, \$5.95\*

Excellent photographs, technically and aesthetically, of historic buildings, statues, and sites of interest. List has avoided the dullness and sterility of many travel photographs by including the inhabitants of the city in most pictures, and exercising the patience to wait for the exact moment to shoot when lighting, angle, and the placement of people produced the most impressive composition. As a travel book, most highly recommended.—P.C.

# CHILDREN OF MANY LANDS, 120 pages. Hill and Wang, \$5.95\*

Black-and-white photographs of children by many well-known photographers, placed one to a page and beautifully reproduced. Individually, the photographs are excellent; the collection as a whole is delightful. Most highly recommended.—P.C.

\*These and other books are available through AMPHOTO; see pages 114-115.

# RETINA AUTOMATIC III CAMERA

# automatic exposure control

With this two-way automatic exposure control, you can shoot in any kind of available light—and never have to figure an exposure.

No chance of an exposure mistake! If light is too dim or too bright, your shutter release locks, and STOP appears in the finder. It's your cue to try a different shutter speed or flash. And film-speed settings go up to 1300 ASA, so you can use the fastest of the fast 35mm films.

Full set of manual controls. The Kodak Retina Automatic III Camera provides all the precision manual controls you'd expect to find on a luxury 35.

You can set shutter and lens to any combination—to expose normally, or to

under- or overexpose deliberately. You can shoot with flash bulb or strobe.

And always, you frame precisely, inside a bright-frame finder. You focus to pinpoint sharpness with this camera's coupled rangefinder.

Amazingly, all this far-ranging versatility is built into a slim handful of a camera, masterfully finished in the Kodak Retina tradition. Enjoy handling the Kodak Retina Automatic III Camera, at your dealer's soon. Costa less than \$130.

Prices are subject to change without notice.

See your dealer for exact retail prices.

\* PICTURE IT NOW-enjoy it again and again



Kodak Motormatic 35 Camera lets you take 10 shots in 10 seconds. Power drive advances film, ready for each shot. Automatic daylight-exposure, automatic flash-exposure control. f/2.8 lens. Less than \$110.



Kodak Automatic 35 Camera makes every shot a great shot. Automatic exposure control, plus full manual controls. f/2.8 lens. Less than \$90.

The more you know about photography . . . the more you will count on Kodak

EASTMAN KODAK COMPANY, Rochester 4, N.Y.

# TECHNIQUES TOMORROW

by BENNETT SHERMAN

There's a limit to film speed—but with new devices it may be possible to dodge around it.



We've discussed the speed of shutters and lenses (December 1960). January 1961). Now we come to a third member of the photographic team: the film. What about speed in films? Most often a fast

film can be compared to a slower one by saying that with the same lens and shutter speeds, the fast film will give satisfactory pictures in less illumination. We can measure a film's speed by determining how little illumination is required to produce a certain density when the film is later developed according to the film manufacturer's recommendations. This roughly, is the way film makers specify their film ratings.

Just how fast are the best films today—and tomorrow? A look at the H & D curves usually supplied by the manufacturer will be a guide (for an explanation of H & D curves, see MODERN, June 1960). For example, Royal-X Pan, Eastman Kodak's highest speed commercial emulsion, will give a noticeable exposure above the base fog when the illumination of 1/1000 meter-candle hits it for one second. This means that with an f/2 lens of good transmission, and a shutter

speed of about 1/10 sec., a just noticeable exposure can be obtained when a photograph is taken of an object with an illumination of around 1/200 foot candle—the light from a single candle some 14 ft. away.

Dr. R. Clark Jones of the Polaroid Corp., in a series of articles which appeared in several major technical journals, showed that this kind of speed actually amounts to an absolute efficiency of about 1/200 or ½%. He also showed that many medium-speed films have the same absolute efficiency as high-speed films, because, in the latter, increased graininess offsets the increased speed. The graininess sets a "confusion limit" to the smallness of the increased density that can be detected. No matter how sensitive our photoelectric instrument, the graininess will give rise to "noise" or uncertainty in our measurements. (This "noise" in scientific measurement is one of Nature's fundamental limits imposed upon us in our efforts to get better results or measurements.) Thus, less grainy (and slower) films can have what amounts to the same efficiency, even though they may take more subject illumination to get a good exposure.

Astronomers get a little more sensitivity and response from their films and plates by giving them a slight exposure to light either before or after the photograph is taken in the tele-



scope. You might try this experiment: using Royal-X Pan or Isopan Record, take some pictures with the light of, say, one candle, at various exposure settings. Then try a series with a pre-exposure to a white card at a distance of about twice the subject distance from the candle. This pre-exposure has the effect of raising the background fog level of the film above the base fog, and usually gives a noticeable increase in film sensitivity in very low-light photography.


It is generally agreed among film chemists that there does not seem to be much hope for greatly increasing film speed in the near future. Some improvement will be made—e.g. in graininess—but that's about all.

### It isn't film, but . . .

If much higher sensitivity is not possible with photographic emulsions, it is possible with such photoelectric devices as the vacuum photocell, the cadmium sulphide photoconductive cell (this is currently finding great popularity) and the TV image orthicon. With the exception of the last, these devices do not produce pictures by themselves, but have to be "scanned" over the image of the subject formed by a lens. In a sense, the TV orthicon also does this required scanning, but internally. These devices can show efficiencies up to and beyond 10%, and can respond to subject illumination 10 or 100X lower than the best films in comparable exposure times. The big problem is how to produce the scanning (TV is a mighty complex electronic system) and get the response out of the device without running into the "noise" problem again.

Next month I shall describe a recent experiment in combining photography and the photoelectric light detector into one working, image-forming device. This new method was worked out by Dr. Lallemand of the Paris Institut d'Optique, in France. It has shown an equivalent ASA speed of some 30,000 or higher, particularly for very low-light levels.

Perhaps, in the near future, some enterprising electronic physicist will come up with a light amplifier made like a transistor, in a thin plate, having image-forming properties, which can be put just in front of the film and give an increase of five or ten times in effective film speed without introducing any background "fog" or "noise" of its own. This would make a handy film booster for extremely low-light levels.—THE END



# SALON Calendar

\*THIRD IDAHO INT. PHOTOGRAPHIC EX-HIBITION, Boise, Idaho

Closes: April 25
Exhibit: May 9-28
Fee: \$2 prints, \$1 slides
Sponsors: The Boise Photographic
Society, The Boise Camera Club
Entry Forms: Prints—Don E.
Haasch, 3005 Teton St., Boise,
Idaho; Slides—DeVoe Wheeler,
303 Daisy St., Boise, Idaho

\*1ST THAI INT. SALON OF PICTORIAL PHOTOGRAPHY, Bangkok, Thailand

Closes: April 30
Exhibit: July 15-25
Fee: \$1
Sponsor: The Photographic Society
of Thailand
Entry Forms: Mr. B. M. Podaka

Entry Forms: Mr. B. M. Podaka, P.O. Box 1258, Bangkok, Thailand

\*INT. EXHIBITION OF COLOUR PHOTOGRAPHY, Hamilton, Ontario

Closes: May 20
Exhibition: June 9-11
Fee: \$1.25
Sponsor: Color Photographic Assoc.
of Canada, Inc.
Entry Forms: John B. Giles, 383
Main St. East, Hamilton, Ont.

\*Uses standard PSA practices

# between showing slides and showmanship

Showmanship is more than arranging slides in a tray.

It's a smooth performance that puts an audience at ease. It's control of pace and timing that keeps interest high. It's just-right picture size, clarity, and brightness. And it's equipment that exactly fits the job at hand.

These all add up to showmanship the kind of performance that comes naturally with Kodak Cavalcade Projector Systems.

With Kodak Cavalcade equipment you can easily custom-assemble a system to fit your needs. You can fill big, medium, or small screens, in big or small rooms. You can control remotely from any distance. You can handle any 2x2 slide. You can even create perfectly synchronized slide-with-sound shows. And you can adapt to each new need as it arises.

You start with a basic projector, add the extras as your needs change or your sense of theater grows. And at every stage your Kodak Cavalcade Projector provides every aid to showmanship. Image control. On the Model 510 you start with 500-watt power, enjoy top brilliance with a 5-inch f/2.8 lens. You can show through a universal or high-efficiency 35mm condenser. Switch to hi or lo brilliance at will. You may add a zoom lens for flexibility. Choose 3-, 4-, or 7-inch lenses to fit big and small screens at long and short projection throws.

Tempo control. On automatic, your Cavalcade Projector changes slides at 4-, 8-, or 16-second intervals. Change is quick, with no lag or drag. Even dog-eared slides can't jam. At will, you skip ahead, reverse, repeat, override the automatic to hold a slide on the screen. You control pace at the projector—or plug in a remote cord, and control from your easy chair or lecture stand. Or, you can add as many 25-foot extensions to your remote-control cord as you need.

Smooth efficiency. You edit instantly, right a wrong-side-up slide in a moment. You point out details on the screen with a built-in shadow arrow.

Slides don't "pop" out of focus they're automatically preconditioned by warm air. Each slide is protected in its own steel carrier. You choose trays that handle any type of slide mount you prefer.

Add sound. When you want to add the final touch of showmanship—synchronized sound—your Kodak Cavalcade Projector is ready. Plug in a Kodak Cavalcade Programmer, hook up a tape recorder—and you're ready to record and play back. In playback, signals on your voice-and-music tape change each slide at the correct moment on the screen.

See the complete and unique Kodak Cavalcade Projector System at your dealer's. Let him help you custom-assemble the components that best suit. your needs.

Model 510 with hi-lo control, remote-control cord, universal and 35mm condensers. With 5-inch f/2.8 lens, less than \$140. With Zoom Lens, less than \$160. Model \$20 with 5-inch f/3.5 lens, less than \$110. Prices subject to change without notice.

See your dealer for exact retail prices.

The more you know about photography... the more you will count on Kodak

# MOVIE VIEWER

A recently published book raises a simple but tricky question: What exactly is a film?



People who really like movies often feel uneasy when they see certain works that, on the face of it, bring distinction to the medium. First, there are the movies derived from important plays and

novels, like Mankiewicz's Hollywood version of Julius Caesar or Lean's adaptation of Dickens' Great Expectations, which lead some spectators to say, "There, movies aren't just trash, vehicles for stars who can't act, fomenters of juvenile delinquency, etc." Unfortunately, although we're glad to

find the movies getting a kind word from usually indifferent or hostile quarters, we don't feel that the film is at its best when leaning on other media.

A similar uneasiness arises when experimenters who may be vehemently opposed to photographing plays or novels produce films with artistic sets, abstract patterns, superimpositions and a wealth of symbols, which lead some spectators to say, "There, the film is an art after all!" Unfortunately, these experimenters are also making the film lean on another medium, painting this time.

One movie-lover has explored and analyzed his feeling of uneasiness about such films. In *Theory of Film* (Oxford University Press, \$10), Siegfried Kracauer sets out to define the elements that a truly cinematic film is made of, and the kinds of subject matter that it is best fitted to deal with. In summary, he believes that the truest elements of the film (equivalent to the words of a book or the pigments

of a painting) are shots of reality—of movement, particularly fleeting movement; of inanimate objects, particularly those that are smaller or bigger than the human scale; of familiar objects; and of events that arouse violent emotions. Each shot should as far as possible appear unstaged and fortuitous; it should not be made to convey a precise meaning.

Kracauer's arguments in support of this thesis are not always convincing, since he is trying to account logically for a matter of feeling (like the uneasiness mentioned above). But in crystallizing and analyzing these feelings he is thoroughly successful. What first makes us uneasy when we see an uncinematic film is the physical setting. An extreme case, which makes it easier to understand the subtler ones, is the dream sequence of Salvador Dali's paintings in Hitchcock's Spellbound. Though these paintings might in themselves give a convincing impression of a psychotic dream, they lose their immediacy when filmed. I can still remember the letdown I experienced on seeing this sequence, how flat and artificial it seemed after the scenes of three-dimensional reality that Hitchcock had used so effectively-like the view of criss-crossing railroad tracks that aroused the hero's psychosis.

Many adaptations of stage plays have settings that are too consciously, too lifelessly arranged. On the stage



we accept the convention of painted flats, partly because the actors are there in the flesh to give all necessary life to the production; but on the screen, which does not have this kind of immediacy, the settings must appear as real as the actors. While it is not too difficult to fabricate a convincing interior, the difficulty becomes acute with exteriors. Two out of many examples that smell of airless artificiality are the approach to the hotel in Separate Tables and the painted city backdrops in General Della Rovere, both of which tend to weaken our involvement in the action. Oddly enough, the former is less disturbing because the whole movie is studio-made, while the artificial exteriors in General Della Rovere are shown up badly by other, real exteriors. A director cannot automatically give an artificial movie the semblance of reality by inserting a few live exteriors: the mixture demands skill. In Sons and Lovers, for example, Jack Cardiff offsets much of the uncinematic nature of his material by a good selection of real exteriors, a careful attention to detail in the studio interiors, and vigilance in lighting both.

### Take the play from screenplay

So far, in discussing Kracauer's thesis, I have been dealing only with the elements of the film, the raw material from which it is constructed. In the second and even more important

part of his book, Kracauer turns to the film as a whole, setting out to define the types of themes and stories that are best suited to cinematic treatment. He does not, as you half expect, limit the film to documentary fact; far from it. Despite his frequently abstract style of writing, Kracauer keeps his theories tethered close to his filmgoing experience, which tells him that fictional films can be more satisfying than certain documentaries.

Roughly speaking, he defines an uncinematic story as one that is selfcontained and neatly constructed, and in which the emphasis is entirely on personal relationships. You'll see that this applies particularly to stage plays, and that Kracauer goes beyond the stock objection that stage plays are too talky for the screen. It's not so much the amount of talking that is uncinematic, but the fact that the talking is concerned with abstract ideas and emotions, and the stage provides for no integral use of objects, places or even physical movements except those broad enough to be seen at the back of the orchestra. The camera cannot help recording objects and minor movements, giving them more importance than the spoken word, so that a satisfying film must use these physical elements to convey what is left almost entirely to the dialogue on the stage.

Kracauer rules out the self-contained and neatly constructed story because it is at odds with the true elements of the film-shots of reality. The shot of a real street, or even of a studio-fabricated living room, must always contain a number of objects which suggest events outside the wellrounded plot. In a drawing room comedy, for example, any close-up will show details of skin texture, hair style, involuntary physical movements such as blinking, and so on, all of which undermine the artificial, idealized world in which drawing room comedies take place. So Kracauer defines the truly cinematic story as one that partakes of the "flow of life," as an episode in the larger reality outside rather than a story that has a definitive beginning and end. It is this quality that strengthens the appeal of such films as Tati's Monsieur Hulot's Holiday and Zinnemann's The Sundowners.

#### Where's the borderline?

Kracauer is honest enough not to avoid the problem posed by certain satisfying films that seem to be uncinematic. There's the awkward case of Hitchcock, for example: his plots tend to be neatly constructed and his sets are often entirely artificial (as in Rope and Rear Window), and yet his films are for the most part uncannily well suited to the medium. Kracauer explains this, reasonably enough, by saying that the detective mystery relies on

(Continued on page 26)

# With Kodak Polycontrast Papers

# the right contrast is simply a filter change away



All the contrast grades you need are built into every sheet of Kodak Polycontrast, Polycontrast Rapid, and Poly-Lure Papers. Seven contrast steps in every sheet!

You always have the right contrast paper on hand for each negative you enlarge—and that's the secret of producing good prints consistently.

Suit any negative. Normal contrast negatives print beautifully on Kodak Polycontrast Paper without the need for a Kodak Polycontrast Filter. Under white light this paper works like a regular No. 2 paper. But when your negatives are on the hard or soft side of normal, you reach for a Polycontrast Filter—instead of going out to buy another grade of paper.

ing out to buy another grade of paper. Slip Filter No. 1, 2, 3, or 4 under your enlarger lent, and you get the contrast you'd expect from paper grade No. 1, 2, 3, or 4. Simple.

What's more, Kodak Polycontrast Filters 1½, 2½, 3½ let you work with contrast grades you can't even buy in conventional papers.

These seven filters provide finger-tip control of contrast grades. End hunting for the right grade of paper. Keep you from wishing for a paper grade you're fresh out of.

Creative printing control. Using several Kodak Polycontrast Filters in sequence, with selective dodging, you can make good prints from "problem" negatives.

You can print a contrasty area of the negative through a No. 1 filter, a soft area through one of the higher contrast filters, bringing both to normal contrast. Or you can print your main subject

normal contrast, then switch to another filter to alter the foreground or background effect.


Your reward, along with fewer darkroom problems: better looking prints. With rich, dense blacks. Bright highlights. Clean spacing of tones throughout the shadow range.

Paper economy. For all their convenience and versatility, Kodak Polycontrast Papers cost less to use than ordinary papers. For you can buy in moneysaving large quantities. And you save the waste of odd grades of paper going stale.

The cost of the Kodak Polycontrast Filters is a one-time investment in darkroom convenience and economy. Make it soon at your dealer's.

Buying guide: Kodak Polycontrast Paper and Polycontrast Rapid (for twice the speed) come in all usual sizes, surfaces, single or double weight. Both have warm black tone similar to Kodak Medalist Paper. Kodak PolyLure Paper has warm brown tone, perfect for portraits.

The more you know about photography... the more you will count on Kodak



Small Size \$2.75

Large Size \$2.95

rge Size

Aim
 Carry
 Pan

**Endorsed by Professionals** 

At Sears, Montgomery Ward, and leading camera stores.



Creators of the Flexon Wristrap and Flexon Neck-Strap

Hold Steady

· Level

Order from your dealer or write for his name.

#### MOVIE VIEWER

(Continued from page 25)

a search for visual and physical clues which keeps the camera's nose close to reality. Sometimes, however, his explanations are far-fetched, as when he accounts for the suitability to the screen of the "little man" theme (as in Chaplin's films and De Sica's Umberto D) by comparing it to the close-up. And elsewhere he finds somewhat devious reasons for defending films which seem to me to be uncinematic—Rene Clement's Gervaise, for example, a skillful but rigid imitation of real-life squalor.

These weaknesses are the small price that Kracauer pays for avoiding rigidity in his theory, and they enhance rather than detract from the persuasiveness of his conclusions. He is so persuasive, indeed, that I'm afraid some film makers may be tempted to work in accordance with his theoryand Kracauer makes it clear that he would not approve of that. He knows that no good work of art is ever made by strictly observing aesthetic theory, and also that the film could not develop without such exciting failures as the Bunuel-Dali Un Chien Andalou or Orson Welles' Othello.

#### Around the releases

The Misfits (dir., John Huston; phot., Russell Metty; screenplay, Arthur Miller) is an outstanding Hollywood movie that needs more space for review than is left here. I will discuss it next month, together with The Bridge (dir., Bernhard Wicki; phot., Gerd von Bonin), an anti-war film from Germany.

Cimarron (dir., Anthony Mann; phot., Robert L. Surtees) opens with a violent land-claiming rush and then trails off into routine domesticity, with Glenn Ford and Maria Schell both charming but miscast. The camera is well used in recurring scenes that show the growth of a pioneer city.

Two new British films are concerned with criminals. Two Way Stretch (dir., Robert Day; phot., Geoffrey Faithfull) is yet another vehicle for Peter Sellers, who is amusing enough as a wily Cockney convict. But the plot is too contrived to bring easy laughter, the humor verbal rather than visual.

The League of Gentlemen (dir., Basil Dearden; phot., Arthur Ibbetson) can be enjoyed simply as a crackling comedy-thriller, but it also has strong ironic overtones that you can take or leave. Scripted by Bryan Forbes (of The Angry Silence-see this column, February 1961), it brings many variations to the familiar plot of a gang of crooks planning and executing a "perfect" robbery. The crooks here are all ex-army officers, and the robbery is planned with strict military organization, in the course of which these thoroughly nasty individuals become a strangely sympathetic team. Dearden's direction probably reaches its height in a brilliantly intricate sequence where the crooks raid an army camp for weapons. Arthur Ibbetson (also of The Angry Silence) does fine low-key interiors, and his misty London exteriors enhance the final, taut advance into "battle."—THE END

# Contests

The Photography Department of Wisconsin State College announces the 6th Annual National Intercollegiate Photo Contest. Individual college students may enter prints in each of four classes: action, scenery, portraits and human interest. College newspapers and year books may enter 10 prints representative of the work of their publications. There are individual and school prizes. Last day for entries is March 15. Write: Photo Contest, Wisconsin State College, Eau Claire, Wisc.

A trip to Bermuda for two, including hotel, meals and sightseeing expenses, is first prize in a 35mm slide contest conducted by Meston's Travels, Inc. Anyone may enter any number of 35mm color slides of tourist interest. The contest closes March 15. Rules can be obtained from any Meston color slide dealer, or from Meston's Travels, Inc., 3801 N. Piedras St., El Paso, Texas.

Photographers have until March 20 to enter the 3rd Annual Religious Arts Festival Photography Competition. A maximum of four prints and/or slides which express a religious idea or record a religious activity or event may be entered. Prizes of \$15, \$10 and \$5 will be awarded in each division. Write to Photography Section, Religious Arts Festival, 50 Plymouth Ave. North, Rochester 14, N. Y.

Students in grades 9 through 12 in any high school in the United States or its territorial possessions are invited to enter their color or black-and-white pictures in the 1961 Kodak High School Photo Awards contest. Prizes totaling \$11,750 will be awarded. The closing date is March 31, 1961. For further information and entry forms, write to Kodak High School Photo Awards, Rochester 4, N. Y.

The publishers of New Photograms invite photographers to submit pictures for the next edition of this annual. A fee of £5 (\$14) for black-and-white and £10 (\$28) for color will be paid for each photo used. Prints should be 10 x 12; transparencies larger than 35mm. Entries must reach the Editor, New Photograms, Dorset House, Stamford St., London S.E. 1., England by April 7.

There are more Yashica twin-lens reflex cameras sold today than any other make—to beginners, advanced amateurs and seasoned pros, alike. You'll know why when you discover the tremendous variety of Yashica twin-lens models, how much quality Yashica puts into these cameras, and how incredibly little they cost. There's a Yashica twin-lens reflex exactly suited to your needs—including the versatile '44's' for breath-taking super-size color slides. Take a look yourself. Prices range from under \$30. to below \$80.

YASHICA A 24 square reflex — f3.5 Yashikor; flash shutter to 1/300th; magnifier; sports finder.

YASHICA D 2¼ square reflex – f3.5 Yashikor; M-X synchro shutter; speeds: 1 sec. to 1/500th; auto-stop film wind; thumb-wheel selectors for speed and aperture; bayonet lens mount; fresnel type viewing screen; magnifier; sports finder.

YASHICA 635 2¼ square reflex with complete kit for 35mm conversion - [3.5 Yashikor; other features same as model D.

YASHICA-MAT 2¼ square reflex – fully automatic crank advances film and sets shutter; f3.5 Yashinon; f3.2 viewing lens; M-X synchro shutter; speeds: 1 sec. to 1/500th; thumb wheel selectors for speed and aperture; bayonet lens mount; fresnel type viewing screen; magnifier; sportsfinder.

YASHICA-MAT-LM 2¼ square reflex – fully automatic; same as Yashica-Mat plus built-in exposure meter.

YASHICA 44A small size reflex – f3.5 Yashikor; flash shutter to 1/300th; magnifier; sportsfinder; takes super-size color slides.

<u>YASHICA 44LM small size reflex</u> — built-in exposure meter; 18.5 Yashinon; M-X shutter; speeds: 1 sec. to 1/500th; auto-stop film wind; thumb-wheel speed and aperture selectors; bayonet lens mounts; fresnel-type viewing screens; magnifier; sports-finder; ideal for super-size color slides.

See your photo dealer and be astounded at the low, low price for the Yashica twin-lens of your choice.

# 7 reasons why most people choose YASHICA

twin-lens reflex cameras



# DIRECT by MAIL PROCESSING ... KODACHROME

ALSO EKTACHROME and

# 3 MONEY-SAVING PLANS

# PLAN "A" "PAY AS YOU GO"

THE "ORIGINAL" DIRECT-BY-MAIL PROCESSING SERVICE USED BY HUNDREDS OF THOUSANDS OF SATISFIED SOLAR CUSTOMERS FOR MANY YEARS...

# KODACHROME 8mm & 16mm

8mm	S	po	ol.							. 4		00
8mm	M	lag	azır	ie (W	itn n	nag.						./3
8mm	1	00	ft.	Bole	x rol	1						3.50
16mm												
16mm	1	100	) ft	. roll								2.75
	(A	ns	COC	hrome	and	Bla	ick	2	W	hit	te	
	64.			neign	-			41	**		-	

## KODACHROME • EKTACHROME & ANSCOCHROME 35mm ANY: 20 avg slide mtd \$100

ANY:	20	exp	sli	de		m	rte	4.					٩	71	100
36 ex	0 8	lide	mte	1.	•			-		•					1.75
15 pa	r s	terec	m	td		:				•					1.75
28 pa	ir s	tere	0 1	nti	d.						 				2.50
828 5	lide	mt	d.								 				.80
127 s	lide	mtd							 						. 1.00

## KODACOLOR SNAP SHOT FILM

7-8 exp. dev. & print					
11-12 exp. dev. & print					3.19
35mm-19-20 exp.  Dev. & 2x (2½x3½) prints  Dev. & 3x (3½x5) prints .					

Enclose Cash, Check or M.O. in Film Container... Do Not Send Separately! (No stamps or C.O.D.'s.) WRITE FOR FREE MAILERS — SPECIFY KIND OF FILM UISFO

### PLAN "B" PREPAID MAILERS

The NEW SOLAR time-saving, money saving Processing Service . . . More convenient to use . . . faster service thru our plant!

### **5%** QUANTITY DISCOUNT!

Select any 10 listed above under Plan "A" (may be assorted) and deduct the special 5% quantity discount! No discount on less than 10 mailers . . . minimum order 3 . . remit with order . . no stamps or C.O.D.'s . .

# Plan "C" FACTORY PACKED Color Film with Solar Processing Included!

You can now buy your favorite brand and size of color film in original factory packages, fresh dated and with SOLAR processing included at lowest prices! (may be assorted)

KODACHROME processing included	any 3-5	any 6-9	any 10 or More
8mm Roll	3.25 ea.	3.15 ea.	3.00 ea.
8mm Magazine	4.15 ea.	4.05 ea.	3.95 ea.
16mm Magazine	6.50 ea.	6.40 ea.	6.25 ea.
16mm 100 ft. roll	9.25 ea.	9.15 ea.	8.99 ea.
35mm 20 exp. mtd.	2.70 ea.	2.60 ea.	2.50 ea.
35mm 36 exp. mtd.	4.10 ea.	4.00 ea.	3.90 ea.
SPECIFY DAYLIGHT	TYPE A o	rF-ILL	NOIS CUS-

SPECIFY DAYLIGHT, TYPE A or F — ILLINOIS CUSTOMERS ADD SALES TAX.

No gimmicks . . . no extras . . . no hidden charges . . . we do NOT handle repackaged, reperforated, "so-called" factory-fresh, short length, out-dade or otherwise sub-standard film . . . PRICES INCLUDE ALL SHIPPING CHARGES AND RETURN OF PROCESSED FILM ANYWHERE IN THE U.S.A.!

# 8mm SOUND STRIPING Lowest Prices • Fast Service

Sorry, space limits complete listing of all types and sizes of film available at our low, money-saving prices. . You can't afford to be without our complete list of 8mm and 16mm Color and Black & White film as well as all other side and still film available now at lowest prices with SOLAR Processing Included Write Today!

# SOLAR 4247 S. Kedzie CINE PRODUCTS, Inc. Chicago 32, III.

"Direct by Mail" Film and Processing DEPT. MP.

Specialists for almost a quarter century"

# modern COLOR

by NORMAN ROTHSCHILD

Good transparencies need a good screen. Here are some pointers on the best types to buy.



After you've made every effort to get sharp, properly composed slides with good color rendition, it just doesn't make sense to project them on a folded bedsheet or off-color wall. But just what makes

a good screen? Should you buy a matte, metallic, beaded or lenticular type? How big should it be, and how about setting up and storage?

If it's your aim to show as much detail as possible in your projected slides, you'll need a screen with as smooth a surface as possible. Both matte and metallic screens fit this category. Matte screens have the lowest reflectivity of all the various screen types, and are not too suitable for images larger than about  $30 \times 30$  in. unless you have a projector with at least a 500-watt lamp and a lens faster than f/3.5.

The chief advantage of matte screens is that viewers will see about the same image brightness from a variety of viewing angles. This is important if (as is often the case) many in your audience have to sit to one side of the screen. Metallic screens have the highest reflectivity, but the image must be viewed from an angle as close to the lens axis as possible. Viewers sitting even slightly to one side will see a much darkened image. Any wave or fold in a metallic screen will deflect the light away from the viewer and make that area appear as a dark mar in the image. Since metallic surface screens do not depolarize the light, they are used for stereo with polarized light.

The beaded screen, as the name implies, has a surface covered with a myriad of tiny beads, and gives an image which is far more brilliant than a matte but less than a metallic screen. Viewing angles are better than with a metallic screen but it's still best not to seat viewers too far to one side. The beaded screen surface obscures the finest detail of sharp transparencies. This is particularly disturbing to viewers seated up close. For best results, use as large a screen as possible and fill it to the edges with the image. Seat the nearest member of the

audience about three or four feet from the screen.

Probably the greatest advance in screen surfaces is the lenticular screen. It offers very high reflectivity, plus a very wide viewing angle. In its constructon, a series of cylindrical or lenticular lenses is molded right into the screen surface. These lenses reflect the light in all directions. In earlier versions of this screen type the lenticulations ran up and down the length of the screen only. This tended to give images which, when seen at close range, seemed to be distorted or striated in one direction. In the latest type of lenticular screen, such as the Uniglow and Optiglow variety made by Radiant Manufacturing Corp., P.O. Box 5640, Chicago 80, Ill., there is a horizontal as well as a vertical pattern. The horizontal pattern assures that viewers sitting either lower or higher than the screen will also benefit from maximum image brightness.

### Two lenticular models

The Uniglow screen has its lenticular pattern in a white lustrous surface. Brightness is comparable to a good beaded screen. It reflects light at angles up to about 180 degrees (90 degrees to either side of the lens axis). It's intended for general viewing in darkened rooms. In the Optiglow screen, the lenticles are molded into a metallic surface. Illumination is much brighter than with the Uniglow so bright in fact, that you can show slides successfully in normally lighted rooms. This feature is possible only with lenticulated metallic screens since they resist "ambient" light-that is, any light coming from sources other than the projection lens. The viewing angle recommended by Radiant for Optiglow is up to 100 degrees (50 degrees to either side of the lens axis). The lenticular pattern in Radiant screens is very fine, being just about invisible at normal viewing distances.

Now let's go on to screen shape and size. First of all, you'll want a square screen, since you'll be showing both vertical and horizontal images. With a narrow, rectangular screen, such as the kind used to show movies, you'll find yourself limited in image size to the screen's narrowest dimension. (And of course, a square screen can be utilized for movies too. Many makes have a mark on the back of the fabric indicating how far they should be pulled out for this purpose.)

In small rooms you'll probably find (Continued on page 32)

# **NEW EXAKTA BREAKTHROUGH**

NEW ELECTRIC-EYE LENSES FURTHER EXAKTA'S LEADERSHIP IN THE 35mm CAMERA FIELD!



Every major hospital in the United States uses the Exakta because of its performance and reliability.

rtant: Every "Brand New" Exakta camera comes with

Since its inception over 25 years ago, Exakta has pioneered and produced the finest 35mm single lens reflex camera. After having seen over 300,000 Exaktas soid, today, almost every major manufacturer adopted the Exakta principle.

Exakta has never changed for the sake of change alone. In the past 25 years, Exakta developed and introduced over 20 basic new features. Today more than ever Exakta represents one of the best, most reliable photographic instruments. This is based on Exaktas 25 years of experience you cannot find in any other camera of its type.

Optically, too, Exakta has no peers, for the world's greatest lens manufacturers constantly strive to surpass each other in creating new, better and sharper lenses always to the unquestionable benefit of the Exakta owner.

The latest optical achievement is Isco's Electric-Eye Isco-Mat Iens system which we are proud to present to the family of Exakta photographers. Realizing the problems with exposure meters built into the camera body, the Isco engineers put the Electric-Eye In the Iens, an anatomical part of the Iens, yet it is easily detachable and interchangeable. You can now buy the Exakta VXIIa camera with the new Electric-Eye Isco-Mat F1.9 standard Iens, and you can also get the new Electric-Eye Isco-Mat F2.8, 35mm wide angle Iens and Electric-Eye Isco-Mat F3.5, 135mm telephoto Iens, with or without exposure meter. These Ienses are of the highest caliber and are completely color-matched If you want to know more about the Exakta and the wonderful, new Isco Electric-Eye Ienses, see your Exakta franchised dealer or write for our colorful brochure.

AUTOMATIC EXAKTA VXIIa with Penta Prism Viewfinder and split image Rangefinder with 50mm, F1.9 Isco-Mat LM Electric-Eye lens with fully automatic diaphragm and Exposure Meter. \$369.50

ISCO-MAT LM lenses are available alone, as follows:

50mm, Isco-Mat LM F1.9 standard lens with automatic diaphragm and Exposure Meter.

35mm, Isco-Mat LM F2.8 wide angle lens with automatic diaphragm. \$149.50

135mm, Isco-Mat LM F3.5 telephoto lens with automatic diaphragm. \$148.50



Important: Every "Brand New" Exakta camera comes with an original Exakta Guarantee Certificate, Import Certificate and Registration Card. American Tourists going abroad and Military Personnel are invited to ask for our Information Pamphiet.

EXAKTA CAMERA COMPANY. 705 BRONX RIVER ROAD, BRONXVILLE, N. Y.

In Canada: Exakta Camera Company, 579 Richmond Street West, Toronto, Ontario



• Combines exposure meter, view-finder, and parallax corrector in single eyepiece viewer. • 6-element 25mm f/1.9 Galileo lens, click stops to f/11. • Speeds ½ sec. to 1/1000 & B, X Synch. • 3 sequence shots on single winding. • 17 x 12mm negatives on standard 16mm film. • Daylight loading 30 exp. — reusable black and white or color cartridges. • All metal, satin finish body. • The most complete line of accessories in the subminiature field.

See this masterpiece at better dealers every where or write for literature:

GAMI CORPORATION 452 Fifth Ave., New York 18, N. Y.

# ULTRA

by JOSEPH D. COOPER

Developing and Printing, Part IX: Don't overlook the psychological factors when making quality prints.



The major problem in making prints from your ultraminiature negatives stems from the obvious fact that you are working with a tiny rectangle which must be enlarged many times more than its

35mm and larger size brothers to produce the same size print. You must keep in mind that although you can obtain excellent results with some of the slower films, your prints will not be quite as good as those from the same film shot in a larger format, either in graininess or in sharpness.

For this reason you must rely to some extent upon psychological impact to heighten the viewer's impression of sharpness and depth when looking at the finished print. To this end, I suggest that you always make your prints on a lustrous, brilliant paper, and that you produce prints which are slightly on the contrasty side.

While there are a great many different enlarging papers made by different manufacturers, I suggest that you standardize and work with one or two. For tonal brilliance as well as flexibility in use I prefer Agfa Brovira, Kodak Medalist and Kodak Polycontrast. The first two are available in individual paper grades while Polycontrast is a variable contrast paper. (For a full rundown on papers and processing solutions, see MODERN, November 1960.)

Generally speaking, a wider contrast range is to be had with the individual contrast grades of paper than with variable contrast papers. If you use a variable contrast paper, you may want to keep an additional supply of single contrast grades 1 and 5 on hand, since these contrasts can only rarely be achieved with the variable contrast papers.

The paper surface as well as its type is important in contributing to the impression of quality. I suggest a fine-grain luster, fine-grain high luster or silk luster—whichever is available in the particular type of paper you select. Glossy paper is generally not desirable, because it reveals the most minor defects in the negative. If you do use glossy paper, dry it to a matte finish by using a blotter roll or by putting the print's back rather than face in contact with the ferrotyped surface of your dryer.

For making black-and-white prints from color negatives, I suggest Kodak Panalure, which has panchromatic sensitivity and is specifically made for this purpose.

For any particular paper use one of the developers recommended by the manufacturer. I use Neutol for the Agfa papers mentioned, and Dektol for the Kodak papers.

### For that peppy look

To get a little extra contrast in your prints, underexpose slightly in the enlarger and overdevelop, using a developer of standard dilution. For a more vigorous effect, yielding greater contrast, decrease the developer dilution, underexpose a little more, and increase developing time.

There is some risk that in pushing development in this way you may fog the paper. To prevent this, you can use an anti-fog preparation, such as a 10% solution of potassium bromide. While this helps retain the whiteness


# IN NEXT MONTH'S MODERN

MODERN tests the hottest new item since the introduction of Kodachrome.

of highlights, it may do so at the expense of the blacks, which can lose some of their depth.

Many commercial darkrooms use ferricyanide for contrast control. Potassium ferricyanide is a reducing agent which can be used either for local or overall reduction. A commercially available product is Kodak Farmer's Reducer. The print is immersed in a weak solution if the purpose is to clear highlights and to improve shadow detail slightly. If you desire only to clean specific areas, apply the solution with a brush or cotton swab.—THE END

APRI



America's Oldest and

QUICK AS A WINK you can shortcut your way to spare-time earnings, top-paying jobs, freelance assignments, or your own studio. Right from the start you learn true professional techniques and all the "tricks of the trade" from top-flight instructors. These experts give you down-to-earth training, constructive advice and personalized coaching.

EARN WHILE YOU LEARN-in your spare time, right at home. No need to give up a single day from your present job while you prepare for a bright new future. The NYI Home Study Course is as close to you as your mailbox.

SEE FOR YOURSELF what the NYI Learn-by-Doing method can do for you. Send today for the illustrated 51st Anniversary Photo Book giving complete details on the finest course that money can buy. It's yours FREE! There's no obligation and no salesman will call.

**Largest Photography School** 

Leadership since 1910

Approved by the New York State Dept. of Education

All NYI instructors are licensed by the New York State Dept. of Education.



ENROLL ANYTIME -NO ENTRANCE REQUIREMENTS **No Previous Training Needed** 

**NEW YORK INSTITUTE OF PHOTOGRAPHY** 

Dept.117,10 West 33 St., N. Y. 1, N. Y.

The FIRST Photography School ACCREDITED by the N.H.S.C.



MAIL COUPON TODAY FOR YOUR FREE BOOK

### RESIDENT TRAINING COURSES

RESIDENT TRAINING COURSES

Viait, write or phone our Resident School if you prefer On-the-Spot-training. Your choice of five regular courses or special short-term courses, tailored to your individual requirements. Complete facilities include 14 studios, 18 streamlined labs, glamorous models, all types of cameras and the finest up-to-date Speedlight and Color equipment. Day and cight sessions.

Co-ed.

Easy Payment Plan




NEW	YORK	INSTITUTE	OF	PHOTOGRAPHY
Dept.	117,	10 West 33	St.,	N. Y. 1, N. Y.

Please send me FREE information on NYI. (No obligation, no salesman will call.)

☐ Home Study Course

Resident Training

# TURN IT...



# See Why More Moviemakers Choose This "Best Buy" Kalart Than Any Other Editor

The best way to judge an action editor is to see how well it shows your movies—in action or a frame at a time. That's why we invite you to turn the handle of a KALART EDITOR-VIEWER 8. You'll see the brightest, sharpest, steadiest picture possible to obtain with any editor, regardless of price. Nothing is blurred or dim. You really see what you are doing.

Look For "Dual-Purpose" Splicing Feature—A Kalart Exclusive



Make perfect splices with easy-to-use tape.



Same splicer can be used with film cement

You have everything you need for editing right at your fingertips. There is only one handle to turn for forward and reverse. Study single frames indefinitely without overheating film. Use 400-foot reels. Splice with either tape or cement.

Ask your photo dealer for a demonstration, and see for yourself why the KALART is today's "best buy" editor at only \$29.95.

KALART Editor-Viewer 8

ONLY \$29.95 COMPLETE

Other Kalart and Craig Models from \$4.95 to \$119.50 for Professional Equipment.

### EDITING BOOKLET-ONLY 10¢

Packed with tips on how to improve movies by editing. Illustrated. Regularly 50¢ per copy. Yours for only 10¢ by sending now to KALART, Plainville, Conn., Dept. 41

#### MODERN COLOR

(Continued from page 28)

a 40 x 40-in. screen quite sufficient. If you occasionally have to lecture to groups of 30 to 50 people, such as at a camera club, you may find it desirable to have a  $50 \times 50$ - or  $60 \times 60$ -in. screen on hand. Larger screens are not generally used by amateurs, unless they own a projector with a powerful light or a wide aperture lens, or both.

The actual image size you can get on any screen will of course depend on the size of the slides, the focal length of the projector lens and the projection distance. A good chart giving these figures for various slide sizes and 8. 16mm movies is available from Radiant. So is an excellent booklet called The Secrets of Fine Showmanship. This booklet contains data on both taking and showing slides, including data on seating arrangements and audience capacity for various screen widths and room areas. I suggest you send 25¢ in coin to Radiant to defray handling and mailing costs.

#### Stand or hang?

Now let's take up screen construction and care. Most slide makers live in homes where a screen can't be set up permanently. For these, a folding tripod screen which can be set up quickly, and stored in the corner of a closet when collapsed, is best. A carrying handle is generally provided on the better makes for easy portability. There are also so-called table screens. With these, however, you must depend on the height of the table being correct for your purpose. Tripod screens are adjustable in height. For more permanent installations, such as in a play room, basement or special projection room, you'll want to investigate wall screens. There are inexpensive types which can be hung from a hook or the moulding, or more complicated types which are operated like a window shade, by rope, pulley or even by electric motor.

You should treat your screen with the same respect as you would a good ontical instrument. Keep it away from damp and heat. If you live in a tropical or subtropical area, particularly one in which there is much danger from fungus, make sure the screen you buy is anti-fungus treated. Dust can ruin screen surfaces. The best place to keep a screen is in a case specially designed by its maker for it. In general, matte, metallic and lenticular screens can be cleaned by dusting off, and then wiping with a slightly damp cloth. Limit treatment of beaded screens to light dusting, since rubbing these surfaces can dislodge the beads. If your screen gets very dirty, consult the manufacturer about cleaning it. If the paint of a white screen has become badly yellowed there's little you can do except replace the screen. In the case of small inexpensive screens it's best to buy an

(Continued on page 44)

# FULL REMOTE CONTROL

Show your color slides with pushbutton ease from anywhere in the room. Remote focus, advance and reverse give you the touch of a professional



Prices are U.S. maximum retail

det e

y n ll

W

al ne m iy

ep ed e, be ig titan ets er a elpt

# HEILAND PENTAX H-1

single lens reflex camera



Now you can own a Heiland Pentax for under \$150! Although modestly priced, the new Model H-1 carries on in the Heiland Pentax tradition of superb quality and remarkable performance. The H-1 contains all the features you want in a fine camera, and its workmanship and attention to detail can't be matched by cameras costing far more.

When you own the Heiland Pentax H-1, you own the lightest, most compact camera in the 35mm single lens reflex field . . . a camera whose classic styling and functional design will never be outdated. You get a razor sharp 55mm Auto-Takumar f/2.2 lens coupled to a diaphragm which stops down automatically when the shutter is released. You get a superior viewing system incorporating a brilliant pentaprism finder with fresnel lens and an instant-return mirror of advanced design.

The H-1's focal plane shutter has speeds of from 1 to 1/500 sec., plus Time and Bulb (check on how many SLR's in any price range have provision for time ex-

# The Deluxe Heiland Pentax H-3



The same compact size and light weight as the H-1, but with these additional features: fully automatic diaphragm; f/1.8 lens; 1/1000 second shutter; depth of field preview lever. No more than \$199.50.

posures) on a single, non-rotating speed dial. You get all these features, plus a short-throw film advance lever which automatically cocks the shutter and advances the film counter; a smooth rapid wind crank; FP and X flash synchronization; a threaded lens mount which accepts a wide range of interchangeable lenses; a "cocked" indicator; a color-coded film speed reminder dial, and positive double exposure prevention.

Does this sound like a lot of camera? We think it is, and so do the experts who call it the outstanding camera value in the

If you're looking for a truly fine camera at a reasonable price, take a look—a really critical look—at the Heiland Pentax H-1. Try its smooth-operating controls . . . compare it with other 35mm single lens reflexes . . . then see the full line of Heiland Pentax accessories which will adapt the H-1 to any photographic situation. Your authorized Heiland Pentax dealer will be happy to demonstrate this exceptionally fine new camera to you, so make it a point to visit him soon!

For folder giving complete details on Pentax cameras, write: HEILAND DIV. MINNEAPOLIS HONEYWELL, 5212 EAST EVANS AVE., DENVER 22, COLORADO.

# Honeywell



# BEHIND the SCENES

Lightening the darkroom burden, or Where did all the earnest black-and-white workers go?

It will come as no surprise to hardworking darkroom addicts that many of our former brethren have defected completely to the ranks of the color photographers wherein photographs are shot, films sent to the processor and the resulting transparencies projected to captivated or not-so-captivated captive audiences.

Actually, the great challenge in photography, technically and aesthetically, is producing the great blackand-white print—and there remains a hard core of black-and-whiters who know it and work at making them.

Darkroom equipment today is excellent and far superior in ease of operation and flexibility to the products available before World War II, when darkroom zealots were at their height numerically. The lack of continuing or heightening interest is sometimes attributed to the inroads of color photography, or TV viewing. Since Kodachrome dates back to 1936, the existence of good color material can't be blamed, and the great number of avid color shooters knocks out the TV argument.

The actual process of making blackand-whites may be at fault. We must face the truth that producing a good print requires a darkroom either permanent or impermanent, a number of messy chemicals which must be mixed, stored and poured, and time. Although monobath printing solutions have all proved somewhat less than adequate, the Cormac Unikit for negative processing has certainly shown that the time, effort and chemicals for film development can be reduced to a minimum, but print making is still a rather expansive operation despite claims as to compactness from various home-processing do-it-yourself lab manufacturers.

Is this situation about to get a muchneeded kick? The indications are that it might. The first whiff of what is to come, possibly, is called Rollaprint.

Actually it's the product which we reported on in January as seen at the Photokina in Cologne, Germany, under the name Autoprint. Here's the basic idea. For \$19.95 you can buy a hand-somely designed plastic combination printer and processor which can turn out very acceptable damp dry contact prints in about ten seconds and can be used in ordinary roomlight.

#### Just press and roll

Anyone who has worked an office copying machine which uses chemicals will find the shape and form of the Rollaprint similar but smaller. On the left is a 3¼ x 4¼ contact printer with a single light source and diffusing glass and a hinged platen to hold the negative and contact paper together. On the right underneath the plastic cover is a shallow double tray with developing solution in one section and a stabilizing and drying solution in the other. By feeding the exposed paper through a roller system, the paper passes from one solution into the other and finally out into your hands. Voila, a developed print!

Rollaprint paper, now made in France, is a single contrast grade, slow emulsion which will not fog measurably if exposed to moderate roomlight. Part of the developing chemicals is contained right in the paper; the rest is in the solution. What the exclusive U.S. importers, U.S. Photo Supply Corp. of Washington, D.C., are most interested in selling, of course, is the paper which will work with the unit. The cost of each  $3\frac{1}{4} \times 4\frac{1}{4}$  sheet works out to about  $3\frac{1}{6}$ .

The lack of various paper grades isn't the great problem it seems. Contrast changes equal to between two and three paper grades can be affected by changes in printing time and by prefogging the paper. Exposing the en-

(Continued on page 36)



1. Fill tray with two solutions.



from the HEILAND PENTAX system of photography


A complete selection of accessories and interchangeable lenses greatly extends the scope of your Heiland Pentax camera. Accessories range from macro attachments to a prescription eyepiece for those who wear glasses. Eleven superb Takumar lenses—among the finest in the world today—range in focal length from 35mm wide angle to 1000mm extreme telephoto.

Shown above are:

- A. 85mm Auto-Takumar f/1.8
- B. 135mm Takumar f/3.5
- C. 200mm Takumar f/3.5
- D. 1000mm Takumar f/8.0
- E. Right angle finder and bellows unit.
- F. On hand: 35mm Auto-Takumar f/2.3

For complete information, see your Heiland Pentax dealer or write:
HEILAND DIV. MINNEAPOLIS HONEYWELL 5212 E. EVANS AVE., DENVER 22, COLO.

# Honeywell







LOWEST FARES of any scheduled airline ANY TIME OF YEAR

### BEHIND THE SCENES

(Continued from page 35)


tire surface to white light cuts the contrast when you're printing contrasty negatives.

A brief examination of the process indicates that there's nothing really "new" in any part of it. Many of the better office copying machines can make contact prints (called in office parlance continuous-tone reproductions) but the cost of these machines is often 100 times that of the Rollaprint unit or more.


Besides the paper, the importer intends to sell the processing chemicals. Two color-coded plastic bottles, looking much like catsup and mustard containers, will handle 100 prints. The pair will self-for \$1.95. Although the developing agent, according to (Continued on page 38)




2. Place paper over negative.



3. Make contact print.



4. Run paper through rollers.



5. Lift out finished, dried print.

... from the world's most experienced manufacturer of magnetic tapes



# Tips on tape handling and storing

For a perfect performance every time you play a tape recording, use two kinds of care—care in selecting tape and equipment . . . and care in handling and storing tape.

You get true stereo quality sound reproduction, at an economical price—a tape that rates high in "keeping" qualities, too—in "Scotch" BRAND Tartan® Series Magnetic Tapes! Microscopic uniformity, both in high potency oxide coatings and backing materials, assures a crisp, clear frequency response play after play. Then, take these few simple handling and storage precautions:

STORE IN THE ORIGINAL BOX to protect against dirt and damage. Place containers "on edge," or if you lay them flat, avoid weight that might distort reels or injure tape edges. And keep tape away from magnets or strong magnetic fields that might cause accidental erasure.

**AVOID LONG EXPOSURE** to extreme temperatures and humidity. If humidity varies, store in sealed containers. If tape is exposed to extreme heat or cold, allow it to return to normal room temperature before playing.

CLEAN RECORDER HEADS and guides periodically following recorder manufacturer's instructions, and avoid excessive winding tension that might stretch or distort tape. To protect your recorder head, use "Scotch" BRAND Tartan Tapes. Exclusive lifetime Silicone lubrication reduces head wear, eliminates squeal and extends tape life.

Ask for all-purpose Tartan Tapes in any of four different series: No. 141-plastic, standard play, 600' and 1200'; No. 140-plastic, 50% extra play and No. 142-50% extra play on super-strong polyester backing . . . both in 900' and 1800' lengths; No. 144-double length, double strength on tensilized polyester backing, 1200' and 2400' with twice the recording time of standard tapes. From \$1.75 at retail dealers.

FREE IN EACH BOX: End-of-reel tape clip prevents tape spillage in handling, mailing or storage.



MINRISOTA MINING AND MANUFACTURING COMPANY ... WHERE DESIGNED HE THE REV TO FORDOROW



"SCOTCH", "Tartan" and the Plaid Design are registered trademarks of the 3M Company, St. Paul 6, Minnesota. Export: 99 Park Avenue, New York. Canada: London, Ontario.



# **NEW! Self-threading Zoom Movie Projector!**

Here's a top quality compact 8mm projector that makes the showing of home movies so easy it's a positive delight. Film feeds automatically through the projector. Zoom lens adjusts picture to screen-filling size without your moving projector or screen. Includes such other features as reverse projection, brilliant stills, dual brightness control, automatic loop adjuster and film removal at any time. Handsome self-contained carrying case and 400 foot reel included.

evere "AZ-718"

REVERE CAMERA CO., CHICAGO 16 . LOS ANGELES 7

PRECISION EXPOSURE METER Exclusive built-in Diffuser • READS INCIDENT AND REFLECTED LIGHT!

Get better color shots...sparkling black-andwhite! The shock-resistant (jeweled-movement)
Gossen PILOT matches higher priced "heavies"
in accuracy, versatility, handling speed. ASA 6 to 6400...1 min. to 1/1000 sec.... f/1.4 to f/22
...EV 1 to 18...plus movie-setting! Fast...just thumb the knurled ring to match the needle ...there's your setting for perfect exposures!

AT BETTER CAMERA STORES... only \$1595 ANOTHER EXCLUSIVE WEST GERMAN IMPORT OF

KLING PHOTO CORPORATION 257 PARK AVENUE SOUTH, NEW YORK 10, N. Y



STILL THE FINEST OF THE FINE GRAIN DEVELOPERS



Qt. Developer .. 

AT YOUR DEALER'S

re information write Dept. M

BEST PHOTO INDUSTRIES INC.

# BEHIND THE SCENES

(Continued from page 36)

MODERN's investigation, does not oxidize when exposed to air, it does contain a great amount of ammonia, which may decompose if the solution is left in the machine for over 24 hours. The importer recommends throwing the solution out when finished. And this may be the happiest solution to the solution since the interior tray containing the chemicals has no provision for pouring, and the tray, even when filled to the minimum shallow mark, has all the carrying qualities of a full saucer of milk.

However, undaunted, MODERN bought a bottle of household ammonia, used it for the processing solution. Guess what? A 26¢ quart bottle developed Rollaprints fairly well. It should be quite a simple matter to add the other developing ingredients and mix your own stabilizer without recourse to the Rollaprint chemical set.

## There's more to come

Our enthusiasm for this very clever budget-minded printmaker may leave many print makers less enthusiastic. If you have 35mm negatives, what good are 1 x 11/2-in. contacts? Right now, the present Rollaprint should warm the hearts of all 21/4 x 21/4 and up camera owners, in need of record prints or hard pressed by relatives for wallet-sized snapshots. In the offing, however, is an inexpensive (\$40) fixedfocus enlarger. You feed the 35mm film in the carrier, project on the paper, probably 31/4 x 41/4, and you'll have your own jumbo prints. A paper slightly faster than the present Rollaprint material is rumored. Since it will be more sensitive to light, it might require a slightly darker room in which to work. But it's still vastly superior to gasping in a super-light-tight closet.

The possibilities once this has been achieved (an early 1961 date has been talked of) are vast. Why not regular full-sized enlargements using presentday enlargers? You could exercise all the present enlarging techniquesdodging, burning-in, double printingand have your print 10 seconds later. And this ought to bring people to blackand-white photography in droves.

There are indications that the Rollaprint emulsion may soon appear on a film base. Expose your picture on 35mm, 21/4 x 21/4 or larger film at E.I. 50 or 100 and process it in 10 seconds after it's removed from the camera. Of course this material would be more light-sensitive than the paper and would require absolute darkness for unloading. But we do have daylight loading tanks already.

Because of the film base, which is slower in drying than a paper base, a 10-minute drying time for film is thought to be the shortest practical time at present. An informed technical source familiar with Rollaprint ma-

(Continued on page 46)

If your camera...

of sheet, roll, pack, choice and all polaroid emulsions.

can't

give you critical ground glass focusing and composing—direct, accurate, and full size.

isn't

oxiconleft The the this

on-

ion hen

rk,

ght dit ess ped be her our the

ver ive tic. nat ght uld ind ord for ng. ednm er, ve er larill tht ch ior et. en en ar ntise

er.

on

I.I.

Of

nd or ht

ch se, is

al

a-

capable of lens tilts, swings, and shifts for controlling distortion—plus bellows extension for 1:1 copying.

doesn't

give you a negative large enough for retouching and cropping, with enough scale for critical reproduction.

GRAFLEX

Graflex, Inc., Rochester 3, N. Y. In Canada: Graflex of Canada Limited, 47 Simcoe St., Toronto 1, Ontario Get the camera that does...a GRAPHIC\*

\*Trade Mari



Finest Color Photo Finishing Money Can Buy ... New Low Prices!

# COLOR ENLARGEMENTS

from KODACHROME, EKTACHROME and ANSCOCHROME

5" x 7"......\$ .90 ea. 5 or more..\$ .75 ea. 8" x 10".....\$2.00 ea. 5 or more . \$ 1.85 ea.

## KODACHROME, EKTACHROME & ANSCOCHROME PROCESSING-

These prices include a fresh roll of film.

120 or 620 Processed & Mounted, plus Fresh Roll of Film ..... \$2.20 828 Processed & Mounted, plus Fresh Roll of Film .......\$1.70 35mm (20 Exp.) Processed & Mounted plus Fresh Roll of Film

# KODACHROME MOVIE FILM ... 8MM and 16MM

8mm-25 ft. roll-plus a fresh roll of 8mm-25 ft. Mag.—plus a fresh roll 16mm-50 ft. roll—plus a fresh roll of film. 16mm-50 ft. Mag.—plus a fresh roll 16mm-100 ft. roll-plus a fresh roll

# KODACOLOR -

Processing & Printing, plus Fresh Roll of Film

8 exp/printed 31/2 x 5 plus film . . . . \$3.50 12 exp/printed 31/2 x 31/2 plus film . 4.50 16 exp/printed 31/2 x 31/2 plus film. . 5.50 20 exp/printed 21/2 x 31/2 plus film. . 5.50 20 exp/printed 31/2 x 5 plus film . . . 6.50 Processing only all sizes .....\$ .90

> SERVICE TIME ONLY 3 DAYS IN LAB

WRITE TODAY for our complete price list and free mailing package. Free First Class Return Service

ACME COLOR PHOTO LAB.

BOX 6025-X MINNEAPOLIS, MINN.

# 35 M N

# by JOHN WOLBARST

How to choose a 35mm camera, Part 5: Problems common to all types of single-lens reflexes.

The description "35mm single-lens reflex" covers so many cameras of such wide variety in type, construction, and picture taking ability that it has meaning in regard to only one essential characteristic.

That is: With all these cameras a mirror system lets you view the subject through the taking lens up to the moment you press the shutter release, at which time the mirror flies out of the way, the shutter opens and closes, and the film records substantially the same scene you were viewing through

Despite their dissimilarities, which would need a fair sized book to describe fully, all 35mm SLR cameras have in common certain principles and problems of design, construction and, most important, use. Since I propose to devote a series of columns to SLR matters, in this one I shall present some ideas which, I believe, relate to all 35mm SLR cameras.

First I would like to deal with the widespread but nevertheless incorrect impression that when you look through the viewfinder of a SLR you always see exactly what will be on the film.

# How correct is your view?

In order to focus sharply on a ground-glass screen, such as is found in most SLR cameras, it is desirable to focus with the lens at widest aperture. This not only permits the greatest amount of light to enter, but also takes advantage of the shallow zone of sharp focus (also called depth of field) at wide apertures which makes subjects pop into and out of focus quickly as the lens is moved in and out. Then the lens is closed to the proper opening for correct exposure (nowadays mostly automatically as the shutter is released) and the picture is made with an entirely different subject/depth-of-field relationship than that which was visible on the viewing screen. The only exception to this is when shooting at widest aperture.

Some cameras have a "preview button" that lets you close the iris diaphragm manually so you can judge what will and won't be in focus. However, even those who have such a device on their cameras don't use it consistently, and if they do press the button there's some doubt in my mind as to just how accurately they can see the sharpness at small lens openings.

act

255

tel he

thr

po

12

to

ac

you

au

ca

lig

fle

dr

th

at

ce

di

Quite a different situation occurs with cameras such as the Contaflex, in which the main area of the viewing screen acts merely as a brilliant finder, and has no focusing function at all. In the center of the finder is a small ground-glass ring surrounding a special type of prismatic rangefinder; either can be used to focus.

With such a system virtually everything on the main viewing screen appears to be in focus at all times. While this may correspond to the picture results when using fast film in bright daylight, it is completely incorrect when compared to what the film records in a dim-light wide-aperture situation.

I mention these discrepancies between what we see on the viewing screen and in the finished picture because lack of information on this point may lead to confusion and disappointment for SLR users. This is no criticism of the SLR systems; it's simply a fact to be aware of.

# How accurate is the focusing?

In a SLR the image of the subject formed by the lens must travel two paths-first, via a mirror to the viewing screen (which you ordinarily observe through a pentaprism), and later to the film plane, after the mirror moves out of the way and the shutter mechanism operates.

If the camera is well made, the light path distances from lens to viewing screen and lens to film plane will be so closely matched that when an image is sharply focused on the viewing screen it will also be sharply focused on the film. Unfortunately, this is not always the case. In fact, noticeable inaccuracy in these two measurements is fairly common.

In such cases it may become impossible to get a really sharply focused picture except by accident, or when the lens is used at such small apertures that the depth of focus makes up for the error inherent in the system.

Such a camera may be suitable for a snapshooter's bright daylight color slides, but its inadequacies will show up quickly in a big print. I have encountered this fault in some very fancy, expensive cameras.

It is my belief that such inaccuracies are often to blame for what seems to be poor lens performance. The best

(Continued on page 46)



Thru Konica's viewfinder, you see exactly what the film sees, parallax-free. You see the actual depth-of-field, plus the assuring needle indicator that tells you exposure is "on-the-head". You sight and focus through the f2 V-Hexanon lens, just as your film does; no possible error! Zoom range, 12mm—32mm, converts down to 6mm, or up to 50mm, with accessory convertors...and you see results as you shoot.



At your fingertips, you have control of exposure at all times. Simply turn the dial, center the indicator needle seen in the viewfinder! This is automation you control, you can compensate for unusual lighting conditions, high reflections, deep shadows. You have all the advantages, none of the limitations of ordinary electric-eye automation! The camera with a control center!



Uninterrupted shooting, inexpensive penlite cells run your camera! No more handwinding, "run-down" motor, missed action or broken scene continuity. Penlites load into a drop-in cassette, pull the film through its smooth film path at constant speed, let you concentrate on the subject, not on the camera. Professional lap-dissolves, animation and titles are possible with the built-in backwind and its own frame-counter mechanism.

When Konica introduced built-in z-o-o-m to home movies, the camera world sat up and wondered how they did it! Battery operation, a zoom lens that was the very heart around which the camera was built, electric eye . . . all in a compact handful of precision camera. Now once again, Konica takes the "giant step" forward, combining the best of yesterday with



This Is
The New
KONICA
Zoom II.



It Begins Where All Others Leave Off!

the most startling new additions to movie camera design, the industry has seen in a decade!

To fully appreciate Zoom II, see it, hold it, look through it, run it. Write for new "Lens Test Report" and latest issue of Koni-flashes. You, too, will insist upon only this camera among cameras. Only at finest camera shops, \$229.95.

# ...because "THE LENS ALONE IS WORTH THE PRICE"

KONICA CAMERA COMPANY, 76 WEST CHELTEN AVE., PHILADELPHIA 44, PA.
IN CANADA: MCQUEEN SALES CO., 1643 W. 4 AVE., VANCOUVER 9. B.C., IN VENEZUELA: SELJIRO YAZAWA. APARTADO 3179. CARACAS
MPG. BY KONISHIROKU PHOTO IND. CO., LTD., TOKYP-FOUNDED 1876

# "I'LL NEVER SMILE AGAIN" Says JERRY LEWIS



SEE JERRY LEWIS IN "CINDERFELLA"

(A JERRY LEWIS PRODUCTION FOR PARAMOUNT PICTURES)

# ...UNTIL You Shoot Me With A Snazzy

# New RICOH AUTO 35

"Honest fellers, I'm sick of posing for those crazy cameras with dials and gears, that keep a photographer busy figurin'. I want that man to fuss over the picture, not the camera!"

Yes, you don't need an engineering degree to get perfect 35mm pictures, everytime. Ricoh's "Automatic Brain" electric eye measures available light, tells you exactly when you're ready to shoot—no adjustments needed! Vivid color prints or slides; ideal for flash!

(Manual shutter, diaphragm settings) Price: only



ALLIED IMPEX CORP., 300 PARK AVE. SOUTH, N.Y. 19 CHICAGO 10 • DALLAS 7 • LOS ANGELES 36

# the LARGE CAMERA

by ANDREAS FEININGER

Staff Photographer for Life Magazine

Enlarging your negatives, Part II: Some important milestones on the road to perfection.



However many precautions you take in your enlarging, they'll be wasted unless you start with the right lens. Contrary to the opinion of many photographers, there's quite a difference between a

good camera lens and a good enlarger lens. This difference is caused by several factors:

 A camera lens is normally used to produce images in reduced scale, whereas an enlarger lens is nearly always used to produce images in enlarged scale.

 A camera lens is corrected for its best performance when focused at infinity, whereas an enlarger lens is corrected for close-up performance.

3. It does not matter if a camera lens has a slightly curved field since it is very seldom focused on a flat subject; and when focused on a three-dimensional subject involving depth and stopped down accordingly, a slight degree of curvature of field is no disadvantage. In contrast, an enlarger lens must always produce a flat image (on paper) of a flat subject (the negative) and hence has to have as flat a field as possible.

Because of all this, if prints of highest quality in regard to sharpness and definition are required, the enlargements must be made with a specially computed enlarger lens and not with "any old lens" that happens to be sharp. Personally, I highly recommend the following lenses which are specifically computed for use in large-negative enlargers:

Kodak Enlarging Ektar Lens 90mm f/4.5,  $2\frac{1}{3}$  x  $3\frac{1}{3}$ , \$75 Kodak Enlarging Ektanon Lenses  $5\frac{1}{3}$ -in. f/4.5,  $3\frac{1}{4}$  x  $4\frac{1}{4}$ , \$65

6%-in. f/4.5, 4 x 5, \$75 7½-in. f/4.5, 5 x 7, \$105 10-in. f/4.5, 8 x 10, \$170

10-in. f/8, 8 x 10, \$150 Schneider Componon Enlarging Lenses

105mm f/5.6, 2¼ x 3¼, \$69.50 135mm f/5.6, 4 x 5, \$74.50

150mm f/5.6, 4 x 5, \$89.50

180mm f/5.6, 5 x 7, \$109.50 210mm f/5.6, 5 x 7, \$134.50

240mm f/5.6, 8 x 10, \$169.50 300mm f/5.6, 8 x 10, \$269.50

In the course of darkroom practice, every photographer acquires certain habits, likes, and dislikes—experiences which can be useful to others. Here are some points from my own experience.

One of the advantages of the large format is that it permits a photographer to make enlargements of only part of a negative, without reaching enlargement scales that in a smaller negative would bring out the film grain and decrease definition beyond the point of acceptability. However, in such cases, good results can only be expected if the negative is properly masked, i.e. if the areas that should not appear in the print are covered with an opaque paper mask. Otherwise, light transmitted by these areas might cause halation and decrease of contrast in the print. Personally, I cut my masks from the black paper that interleaves 4 x 5 color sheet films and hence fits exactly my 4 x 5 negative glass pressure plates.

# Record your darkroom data

Every time I make a print, immediately after finishing the exposure and before submerging it in the developer, I write with a soft pencil on its back technical data pertaining to paper grade, enlarger lens opening, and exposure time. For example: 2-f/16-4 sec. I also note in detail any dodging or holding back involved. This is a big help if I later wish to make another print, either duplicating or improving the first one. Otherwise, I might forget some of this data, particularly if a lot of dodging was involved, and have to start anew every time I print this negative. One thing to beware of is to press so hard on the pencil that the writing prints through and cracks the surface of the paper emulsion. Putting the sensitized paper face down on a hard, perfectly smooth surface (a sheet of glass is ideal) minimizes this danger.

Two devices which I have always found extremely useful are a high-low switch and a tilting lens mount. The high-low switch permits a photographer temporarily to double the light output of his enlarger lamp, thus shortening the exposure time in cases where negatives are unusually dense or the scale of enlargement is particularly

(Continued on page 44)

# cash-in on the BIG MONEY REWARDS



Photos by SMP Graduates

gr neh

d

of

ιt

d

d

k

1

į.

4

g

1

0

1.


g

e 1-

e

g-

18



Learn to be a MONEY-MAKER faster, easier . . . with SMP Home Training

Right from the start—even before you finish the short, easy SMP Course—your camera can begin to pay off in spare time earnings. And before you know it, you'll be fully trained...an SMP pro. The whole photographic world will then be open to you . . . you'll be able to choose from an array of glamorous, profitable opportunities. The really big money of the multi-billion dollar photographic field can be yours.

The choice is so big . . . the opportunities so great, that we wrote a whole book about them . . . the FREE SMP BOOK, "A Successful Career for You in Photography." In its fully illustrated 28 pages you'll discover the many, many worlds of photography waiting for you. You'll see how the amazing SMP special training methods, techniques and exclusive modern training devices speed you along to camera mastery of every field from portraiture and spot news picture taking . . to advertising, high fashion and even creative industrial photography.

You'll discover the exclusive study methods, the special mock-ups and 3 dimensional forms that teach the secrets of lighting and composition (many say just this one small part is well worth the price of the entire

course). You'll learn about the free undeveloped (but exposed) negatives that you'll use for your darkroom experiments. You'll read about all the other practice devices and materials you'll get...including additional negatives, positives, toe... the special charts and easy diagrams, the fully illustrated and crystal clear lessen texts and mere.

Your success is further insured by the most important people in your new world, the expert SMP photographer-teachers . . . the instructors who will take the full time needed to carefully go over each of your assignments. Their helpful comments and suggestions are valuable parts of the course. You can't duplicate this anywhere, any place, at any price!

And there's more to your SMP Course. There's the Phote-Marketing Service... The New Product Evaluation Clinic... The Master Photographers Portfolio (a wonderful guide filled with perfect examples to follow) and the free aid, even after graduation, of the Pictorial Service... and lots, lots more.

GET THE WHOLE SMP STORY. FILL OUT THE COUPON NOW. MAIL IT TODAY AND YOU'LL BE ON YOUR WAY TO FAME AND FORTUNE.



# of modern photography



FREE! MAIL COUPON TODAY!

SMP colorful 28 page book, "A Successful Career For You In Photography" answers all your questions—tells you where, when and how to capture the opportunities awaiting you in photography; pinpoints the highlights of the home study course. YOUR FREE COPY IS YOURS FOR THE ASKING. NO OBLIGATION. NO SALESMAN WILL CALL. DON'T DELAY—WRITE TODAY!!



The School of Modern Photography, Dept. M-41 P. O. Box 102, Cooper Station, New York 3, N. Y.

Please send me full information regarding SMP's famous Home Study Course. And send me your big free super-illustrated book that tells about SMP's methods and teaching systems, and gives me the picture of the opportunities I can find in photography. No salesman will call.

Name			
Address			
City	Zone	State	

PREDICTION:

IN THE YEAR 2020 A.D.

THE MONOJET YOU BUY TODAY WILL STILL BE PERFORMING!

Remarkable new flash — so advanced we believe 'Monojet' will represent design leadership not only today, not only tomorrow, but for countless years.

Now, the all-new 'Monojet II'l new

Now, the all-new 'Monojet II'! Incorporating a completely new Transistorized Monotorizing Circuit that guarantees consistent light output and flash intervals every single shot!

Plus these other advanced features, Automatic Cut-Off Switch . . . Nickel Cadmium Batteries permanently sealed-in (AC too) . . .

permanently sealed-in (AC too) ... Automatic Built-in Recharger-operates off household currentl And, 'Monojet II' is feather-weight (less than 2 lbs.), compact - smallest unit of its kind ... powerful more than enough light for any color (Guide No. 32 for Kodachrome) or black & white (Guide No. 140) photograph! still enly



ULTRABLITZ MONQET II

ALLIED IMPEX CORPORATION 300 PARK AVE. SO., N.Y. 10, N.Y. . DALLAS 7 . CHICAGO 10 . LOS ANGELES 36

AN EDUCATION IN LARGE FORMAT PHOTOGRAPHY...



120 PAGE Linkof

PRODUCTS HANDBOOI
Over 400 illustrations, lens diagrams, and ex-

Over 400 illustrations, lens diagrams, and exploded views of the most exciting NEW line in Linhof history! Cameras, tripods, and accessories for photomicrography and macrophotography. Informative articles on the advantages, principles, and problems of large format photography...for the professional or advanced amateur.

See your Linhof Dealer . . . or send coupon to:

EXING-PHOTO CORPORATION 257-A Park Ave. So., New York 10, N. Y.

Here's	50¢	for	my	сору	of	the	
LINHO	FP	ROI	DU	CTS I	HA	NDB	00K

name	 										• •	 						,
address.	 	 			 							 				•		
city	 					 	.1	st	a	ıŧ								

BEST RESULTS
...EVERY TIME!

55

50

50

10

45

45

AB ALL PURPOSE
DARKROOM TIMER

SYNCHROHOUS ACCURACY IN SECONDS for automatic enlarger switching control... IN MINUTES for film processing.

PLUS ALL THESE FEATURES IN ONE TIMER!

Range from 1 second to 60 minutes in seconds
. . . Giant 8" luminous dial . . . Automatic
buzzer alarm . . . Bependable electric motor
. . . Ideal for color film.

SEE IT AT YOUR PHOTO DEALER TODAY!

DIMCO-GRAY COMPANY
D A Y T O N , O H I O

*ያዋዋና አተናካ***ታ**ናተራት የአካር

# **MODERN COLOR**

(Continued from page 32)

entirely new one. In the larger sizes it might be more economical to equip the screen with new fabric. The maker of your screen will be glad to quote prices. Remember to tell him the name and model number.

The following screen makers will be glad to send literature and data on the products they make: Aurora Industries, Inc., P.O. Box 6905, Chicago 80. Ill.; Bodde Screen and Projector Co., P.O. Box 711, San Fernando, Calif.; Brumberger Sales Corp., 34-34th St., Brooklyn 32, N.Y.; Da-Lite Screen Co., Inc., Box 192, Warsaw, Ind.; Knox Mfg. Co., 9715 Soreng Ave., Schiller Park, Ill.; Raven Screen Corp., 124 E. 124 St., New York 35, N.Y.; Radiant Mfg. Corp., 8220 N. Austin Ave., Morton Grove, Ill.; Schultz Mfg. Co., 262-272 Johnston Ave., Jersey City 4, N.J.

Highly recommended reading is Mounting, Projecting and Storing Slides by Norman Rothschild and George Wright. This Universal Photo Book is available for \$1.95 from your dealer or from Amphoto, 33 W. 60 St., New York 23. N.Y.—THE END.

# THE LARGE CAMERA

(Continued from page 42)

high. And a tilting lens mount makes it possible to correct in the print perspective distortion of the negative without stopping down too far.

Another useful thing to have around is a small jar of Vaseline. It is handy in case a negative is scratched on the film base side. Just rub a small amount of Vaseline into the scratches and they will not show up in the print; otherwise, they would register in the form of white lines. To remove the Vaseline after printing (to keep your negative files clean, not because the Vaseline would hurt the negative) rub the negative lightly with a cotton swab moistened with film cleaner.

Two more gadgets I wouldn't like to be without are a foot switch that works on both safelight and enlarger light in such a way that when one is on, the other one is off; and a focusing magnifier which, by focusing on the negative grain, enables me to make sure that every one of my prints is really sharp.—THE END



for the finer PHOTOGRAPHIC **FILM & PAPER** 

# BROMIDE

EXCLUSIVE CLOSE-OUT VALUE



**F2.8 PRE-SET** CARL ZEISS TESSAR

**CASE 12.85** 2.50 POST.



SAME MODEL BRAND-NEW With Import Certificate and Registration 177 177.50

> 12.95 DOWN-TRADES



AMOUS FOLLO-FOCUS LENS

77.50

ENLARGING PAPER SINGLE WEIGHTIDOUBLE WEIGHT LUMINOS in type F is a high speed glossy enlarging paper for both professional and amateur use.

It is a fine premium quality paper that yields good rendition of detail and density range. Beautiful blue-black prints can be easily obtained. And an unusual high gloss, not surpassed by any other paper any price, is one of its characteristics.

8x10 100 sheets 500 sheets 19.50

5x7 100 sheets 2.29 11x14 50 sheets 4.25 500 sheets 9.50 Estimate and ADD postage Minimum Order \$5.00

LUMINOS in double weight is a fast BROMIDE enlarging paper which yields blue-black print for all types of enlarging work.

The property of the

8x10 100 sheets 500 sheets 23.25

100 sheets 2.59 | 11x14 50 sheets 5.35 500 sheets 11.50 | 500 sheets 44.00 ate and ADD postage Minimum Order \$5.00

# PORTRAIT ENLARGING PAPER

LUMINOS PRETRAIT is a double weight lustre high-speed portrait paper. And, features the most desirable fine grain surfaces. Choose type P for Golden Ivory; type G for Cream-white; E is PURE-WHITE and type G is an off-white silk.

If is a contract is a contract of the second of the se

3.95\* 7.25\* 2.74 12.00 S00 sheets 24.80 MINIMUM ORDER \$5.00 \* Available in 8 E75

8x10 100 sheets

MULTI-CONTRAST PACK

Perfect prints from every type negative. Scientifically packed BROMIDE enlarging. Each box contains 10 sheets contrast 1; 45 sheets contrast 2; 35 sheets contrast 2; and 10 of 4. Packed separately.

ALL LUMINOS

FRESH 1962 DATE

ESTIMATE AND ADD POSTAGE
MADE IN EUROPE

# DARKROOM

duty model. Made of ated waterproofed woods. ete with brass drain. res 25" wide and is 67 iong: 8 inches deep, iong: 8 inches deep, ir legs. With work shelf -0- FOB, MOBILE ALA no COD's. No Rapid-Credit

e

n

e

e





SURPLUS STAINLESS STEEL PAKOLUX WASHER

Triple action washing (mech anically, hydraulically and pneu matically). For 150 8x10's Complete with 110 V AC motor No COD's. Crating charge 8.56 USED



SAFELIGHT **BRAND-NEW Japanese-Made** 

All metal unit, with baseboard AND hanging chains. Sold only with Genuine Kodak Wratten filters only (series 0, 1, 11) Add 2.00 1.75 pest.

12x17 DRYER

Safety-lok bar Heavy canvas Broad surface For 110V AC/DC

1.45 post & handling



120 or 620 ROLL SIZE

120 or 620 ROLL SIZE

RESH 1962 DATING

regean imported—Panchromatic Black or white file

ver before was this high quality film offered at

a price! Never before were negatives so "clean," if

brighter white, more vibrant blacks and, an ove

brilliance never seen before! Extremely fine gra

duces beautivil onlargements. Avail
of size or ASA. Serry no intermix
of size or ASA. Serry no intermix
a 200.—100 rolis 23.50 100 rolls ASA 200....200 rolls 23.50 100 rolls 85¢ post & handling Sample Pack—4 rolls 1.85 Misimu

Presh 1992 dated PANCHROMATIC FILM
100. Fine-grain, arti-halation, derman mi
100. Fine-grain, derman mi
100. Fi

ADD POSTAGE

FAMOUS GERMAN SINGLE-LENS REFLEX ASTRAFLEX "1000"® 12.8 CASSAR LENS 12.9 CASSAR LENS FRAND-NEW 6995



# 21/4x31/4 MAGNALUX **DOUBLE PENTA-GLASS CONDENSER ENLARGER**

- · Heavy Duty, all-metal
- · Rack n' pinion focusing · Parabolic Hi-flex reflector
- Full bellows-extra masks

With 31/2" 14.8 coated Amitar LENS, 39.75
For COLORHEAD, Add 4.95
Buib 59¢
FOR COLORHEAD, Add 4.95
FOR N. Y.



STERLING-HOWARD DEPT. MS-4, 561 E. TREMONT AVE.,

ASK FOR

RAPID-CREDIT

USE THIS HANDY ORDER BLANK

□ CHECK	□ CASH	MONEY ORDE
****************************	***************************************	TOTAL
,	□ CHECK	CHECK CASH

\_\_\_\_\_\_

# STERLING-HOWARD

DeptMS-4 561 E. Tremont Ave

New York 57, N. Y.



Skeptics end up as the most avid MAMIYA 16 enthusiasts. First they reel off reasons why such a tiny camera shouldn't produce. Then they see what makes it tick.

For example: All controls operate at eye-level shooting position. One quick flick of the film advance wheel automatically winds the shutter and counts exposures. The ultra sharp f/2.8 lens is coupled with the built-in viewfinder. Focus down to 12" with automatic parallax correction. Speeds from 1/5th to 1/200th take care of practically every light or action situation. Built-in flash Sync. And you have 6 different film choices, all pre-packed in "drop-in" cartridges.

These are just a few of the MAMIYA 16 fine camera features that give you sharp black and whites... wallet size or larger... and glorious color slides that burst onto the screen as big as life.

See how much fun you can have with the little precision camera that hides in the palm of your hand, yet is always ready for the big picture.

See the New MAMIYA 16 De Luxe Subminiature \$3995

and the MAMIYA Auto-16 with built-in light meter \$6995
At your favorite camera store or write for FREE brochure.

MAMIYA DIVISION-CAPROD LTD., 111 Fifth Avenue, New York 3, New York In Canada: Precision Cameras of Canada Ltd., 5385 Pare St., Montreal 9, P.Q.



Interchangeable reels available for 8, 16, 35, 46, 70, 3½" and 105 mm. Easy, quick loading. Reels and nesting processing tanks of life-time stainless steel. Motor attachment (illustrated) available for rapid, even drying. Also, automatic roto-wash tank for quick, uniform washing. Literature available.

# BURLEIGH BROOKS, INC.

420 Grand Ave., Englewood, New Jersey ATLANTA : CHICAGO : DALLAS : HOLLYWOOD



Pinpoint readings with fixed cell aperture of pinhead size permit precise lens setting, which is instantly signaled by bright neon indicator. Determines proper paper grade and exposure. Eliminates irritating and wasteful test prints.



# BEHIND THE SCENES

(Continued from page 38)

terial replied to Modern's query that they thought coating film with the emulsion was possible but difficult.

Once the film appears, other applications will be possible—among them, making negatives from color transparencies and from Polaroid prints.

Will Rollaprint have any competitors? This depends on whether or not the process and materials are patentable and to what extent. Since the office copying machines made by other concerns do make contact prints and use somewhat the same system, it seems reasonable that the field will indeed offer some hot competition.

Come to think of it, doesn't it seem odd that in this atomic age with all its electronic, transistorized conveniences we must still slop through three trays and an extended water bath in virtual darkness in order to get a print? And just think of the nonsense to turn out a color enlargement!

Come now gentlemen of Rollaprint, Kodak, Ansco, Dupont, let's spend a little of that automatic, electric eye time devising needed short cuts on the creative end of photography.—H.K.

# **35MM**

(Continued from page 40)

lens cannot function properly in such circumstances. Fortunately, this type of focusing error is not difficult to isolate and can be corrected by a good repairman.

# And the rangefinder, too

A more serious situation is an inaccurate prismatic rangefinder. The commonest from of this device consists of two small plastic prisms molded into or otherwise attached to the central portion of the viewing screen.

Such rangefinders can be extremely accurate and useful. However, they also can be inaccurately made and placed, in which event they become as misleading as an improperly located ground glass. This is also the type of defect which may be masked in ordinary snapshooting, but will become apparent when you need exact focus. Such a malfunction can be detected and the offending viewing-screen/rangefinder assembly can be replaced.

NE'

In previous columns I have stressed the importance of having some idea of what are to be your photographic goals, and to be guided mainly by these in choosing a camera. This is a vital necessity for the SLR buyer.

The potentialities of the SLR type are enormous. But the range of picture taking abilities of sub-types varies widely. And when you get down to picking individual camera designs it is easy to buy an expensive, beautiful, well-made instrument that is totally unsuited to the type of picture taking you want to do.—THE END

46

**BASS** Photo

Post WE CIVE

CREEN

STAMPS

# Cameras by BA

TIME PAYMENTS. LOWEST PRICES . . . S&H GREEN STAMPS ON EVERY PURCHASE.



**Yashica Pentamatic** 35mm Reflex F:1.8

PLUS 1,099 SAH 10995 Green Stamps Sold with Case SI-80 S1-95

NEW YASHICA CAMERASI BASS PRICE BASS Yashicamat 21/4x21/4 RePRICE fex. 13.5 Ctd. Lens. Auto 61.95
Film Advance. With Case. 61.95
PLUS 619 SAM Green Stamps
BASS PRICE nangeable f1.8 ens. Coupled lange/Viewfinder. fith Case\_\_\_\_\_

OJ.JJ

Smm 'EE-L' Fully MASS PRICE matic Exposure Setting F1.4 49 97 Lens. Spool Film Loading 40.97 PLUS 499 SAM Green Stamps PLUS 499 SAM Green Stamps 14.50 Lens. Electric-Styles 14.50 Lens. Electr PLUS 899 S&H Green Stamps

KODAK

340 S&H Green Stamps New from KODAK matic Push-Button Power

KODAK



Reflex Camera
Automatic fl.9
BASS PRICE . \$14400

Zoom 8

Reflex

S&H Green Stamps

Green Stamps

Toom movies with

push-button ease!

a button down

a starts to operate, and the

a-o-cree automatically from

close-ups. Frees up, and the

zooms back. Manual zoom

ol, too. You view through the

you're getting. Electric eye

des fully automatic expound

ol, signals when light is too

(sold w (zase only)

Sheg. Chp. 33.50

BASS 58ys: 10%

pww-12 Mits. to Pay

Signet 80



BASS PRICE \$6475 SEH Stamps

Signet 80 CASE....\$11.95 90mm F/4 Signet Tele. Lens.....\$41.50 35mm F/3.5 Signet W/A Lens.....\$39.50

Shp. Chg. \$2.00

AUTOMATIC SLIDE PROJECTOR
KODAK CAVALCADE Model 520



Changes slides at selected intervals.
Also changes slides by remote control . manually advance and reverse. Even edit. In Case with 'preview' screen, 500-watt tamp.

BASS PRICE PLUS 825
SEH Green Stamps

NOW! Kodak 300 with 101 with 101

KODAK RETINA IIIC



KODAK Retina IIIC CAMERA

uper-fast f/2 lens, built-n light meter, plus mique interchange lens ystem for wide-angle and telephoto effects. tangefinder, self-timer.

BASS PRICE PLUS 920 S&H Green Stamps ... 9250 

**EXAKTA SALE** 



**EXAKTA IIA** Body With Waist Level Finder

BASS \$10800
PRICE . 1080 S&H
Green Stamps
Latest Model Exakta IIA
includes: waist level finder.
27 shutter speeds. Ragin
film wind, fully synprism rangefinder. \$20.00
Shpg. Chg. \$1.50

**ONLY 10%** DOWN



# **Brand New! Fotolargers**

- For all negatives 35m to 24/4×31/4 Exclusive distortion control
- Cool Aluminum Lamphouse
- Lamphouse

  Rotating glassless neg.
  carrier

  360° Tilt for horizontal
  Projection & distortion
  control
- 2" Forward extension for extreme cropping

KODAK

Retina

Reflex S Camera

10% DOWN . 12 MONTHS TO PAY CAMERA CROSSROADS OF THE WORLD!

# ENLARGER SALE!

Model E w/Diffusion Glass 

ACCESSORIES FOR MODEL E FOTOLARGERS	
41/2" Dbie Condensors 21/4x31/4	6.39
52mm Dble Condensors for 35mm	4.39
31/2" Dble Condensors for 21/4x21/4	4.95
Copy Back (Converts enlarger for Copying)	7.19
Negative Carriers all sizes to 21/4x31/4	2.95
Copying Lights	11.50
Copy Arm	1.25
Varigam Filter Holder w/filter	1.75
Film Cups per pair	2.20
Table Top stand for 35mm copy work	12.95
Enlargers Shipping Price \$3.00	12.99

PRICE CUT! For Exaktas or Prakticas

Astronar 400mm

f/7.5 TELEPHOTO LENS FOR MOST 35mm SINGLE LENS CAMERAS

A fifth the weight of ordinary lenses For \$2495
Hand Held Use, 8X Magnification High
Resolving Power, 1400 lines/in......

(Specify Camera) Add \$1.00 Shpg. Chg. 6X Photo Monocular for Contafiex.....

# 4x5 CROWN GRAPHIC (Latest Model)



Acclaimed by Newspapermen, Pre-fessionals and Amateurs, Alike!

Includes Crown Graphic 45 with Graphic Rangefinder, Grafelite Flash Bracket and 135mm Schneider Xenar F/4.7 Lens with flash Synchro Com-pur Shutter; Graffick Back has Ektalite Field Lens.

EASY TERMS UP TO 24 MONTHS TO PAY

\$2000

TRADE UP YOUR CAMERA

	The Later of the l
NEW & USED	SPECIALS
NEW & USED	
35mm CA	MERAS
35mm C	BASS PRICE
t-slatt	0
Asfaflex II F/2.8 (Used)	69.50 59.50 98.00 209.50
APRUS BLOODING (NAW)	
Argus Chamatic W/1.9	
Canon P (Body)	98.00 209.80 174.95
Canon Flex F/1 Sonnar	209.50 174.95 199.95 139.95 219.30
Contailex Super F/2.8	139.95 219.50 219.50 48.50 29.95 h (New) 64.75 16.95
Exakta IIA F 2 MIL.	29.33
Fujica F Z. 40 W/Bas	h (New) 64.75 16.95 189.00 29.95
Kodak Signet 80 New	189.00
Leica M-3 (Bott)	345.60
Minolta 35 Nikon SP (Body) * Nikor Let	s (Used) 56.00
with F/1.1 Nikoi Set*	345.60 56.00 62.50
Olympus Managide	
Konica S F/1.8 (new)	15 (Used) 345.50 56.00 82.50 259.00 96.50 22.80
Konica F Reflex (hew)	62.50
Retina IIIS Vitomatic	96.50 62.50 139.50 (Sold with case only)
Voigtlander Vitomatic Voigtlander Bessamati	(Sold with case only)

# 10 Sec. POLAROID CAMERA SALE!

10 Sec. POLAROID

#808 Camera w/Case & Winklite
#955 Camera w/Case & Winklite
#955 Camera w/Case & Winklite
#950 Camera w/Case & Winklite Got S & N Green Stamps on these tool

# MINOX B



Sub-Miniature (Latest Model) F/3.5 Lens, focuses from 8" to in-finity, speeds from 1/2 to 1/1000 second, Built in exposure meter in

BASS PRICE PLUS 980 S&H \$9800 Green Stamps ... 9800

Green Stamps ... U Used
Case & chain \$4.95
Shog. Chg. \$1.50
10% Down 12 months to pay
(Sold only w/case & chain)

MANSFIELD Reporter Smi

BASS PRICE
PLUS 168 S&H
GREEN STAMP

BASS PRICE PLUS 1225 S&H \$12250 Green Stomps 



tion with III. 60" open, 18" closed, 14" elevator Shpg. Chg. SI

ARGUS M750 ZOOM LENS 8mm MOVIE PROJECTOR



Argus Spiloor.
BASS PRICE PLUS \$7450
740 S&H STAMPS
\$100. \$2.00

# TRIPOD SALE

Get 80 S&H Stamps NOW ONLY

CAMERA CO. 179 W. MADISON ST. CHICAGO 2, ILL.

ONLY 10% DOWN

SEND	ME
AMOL	INT.
NAME	
ADDRE	SS_

CITY

ZONE STATE

• Trade-ins • Imports • Easy Time Payments · Guaranteed Quality

New Catalog—Send 25c C.O.D. Orders Send 10% Deposit

रा राष्ट्र राष्ट्र राष्ट्र राष्ट्र राष्ट्र राष्ट्र राष्ट्र राष्ट्र राष्ट्र राष्ट्र

THE GENERAL SAYS ...

# PAY CASH...PAY LESS

GUARANTEED SATISFACTION OR YOUR MONEY BACK!





# MINIFON **POCKET-SIZE** RECORDER

(discontinued model for-

playback microphone, 5' **70**50 feather-weight stetoset, full set of batteries). Used.



lere's the one wide angle lens that will meet all requirements

Famous West German wide angle lens for all Exacta models. 35mm f/4.5 Preset. Brand new

Original \$59.50 value, only \$1095 Fully guaranteed.

Push-Button Zoom on Keystone

U. S. PHOTO SUPPLY CO. 6478 SLIGO MILL RD., WASHINGTON 12, D. C.

**NEW PRODUCTS** (Continued from page 16)

include framing adjustment, frame-punching marker, and frame-by-frame punching marker, and frame-by-frame setting. A dry splicer and supply of splicing tapes is included with the Edipet. Price of the Edipet is under \$30. Write:



On the Keystone K-10 electric eye K-10 electric eye 8mm movie camera, you push a button to zoom the f/18. Ilens automatically from 9 to 27mm. A separate viewfinder is geared to zoom with the lens. The

camera has optional manual exposure control, as well as an alternate manual zoom control, which allows each scene to be framed before shooting. Focusing on the K-10 is man-ual. An exposure indicator in the viewual. An exposure indicator in the view-inder warns when light is insufficient. Other features are: focuses down to 6 ft.; built-in Type A filter; film speed settings from E.I. 10 to 40; automatic footage indicator; 3-way trigger—reg-ular, lock, and single-frame run; fold-ing crank wind. The Keystone K-10 sells for \$179.95. Write: EYSTONE CAMERA CO., INC.

151 HALLET SQUARE, BOSTON 24, MASS.



2-hour Pocket Recorder merly 289.50, complete with

While quantities last

# **MOVIE FANS! 8MM ZOOM LENS**

Lowest priced Zoom lens ever offered. Direct import. Fully guar-anteed. Fits all 8mm cameras with "D" mount. f/2.8. Zooms from 12.5mm to 37.5-mm. Complete with

Reg. \$69.95 \$7095 value, only hment w/case rach Zoom lens.



# ELECTRONIC FLASH!

Famous German Electronic flash

lightweight. Uses 3 "D" Batteries. Builtin ready light. Guaranteed for thousands of flashes. Full year guaranteed. Brand new. Complete with: PC Shutter cord, Shoulder \$7095 strap, set of batteries. Reg. \$49.95 only



FREE CABLE RELEASE WITH EACH ORDER

CAMERA THE GENERA CO.

Cash orders shipped prepaid-10% down if shipped C.O.D.

MAIL DIVISION: 6424 N. Western Chicago 45, Illinois

THAT'S ALL

it takes to make every

picture



**AUTOMATICALLY PERFECT with** 

# **PUSHBUTTON** DACORAMATIC 4D

Portraits? Figures? Groups? Landscapes? Just push ONE button! Nothing else to do! Exposure and Focusing are set automatically. There's nothing like it!

It's simple! It's unique!

SEE it at your dealer or write for literature

VOSS PHOTO Corp., Yonkers, N. Y.

# THE WORLD'S FIRST AND ONLY SUPER-SLIDE SINGLE-LENS REFLEX CAMERA



FOR THE FIRST TIME, you can shoot large Super-FOR THE FIRST TIME, you can shoot large Super-Slide Transparencies with Single-Lens Reflex Ac-curacy. • Automatic Pre-Set Diaphragm • "Big picture" slides • Thru-the-lens focusing • 1 sec. to 1/500 sec., B, built-in self-timer • Fully syn-chronized at all speeds • Cross-coupled for EVS • Between-lens Seikosha shutter • 65mm Prominar 1/2.8 lens • Uses size 127 film. Only \$69.95

(leather case packed with camera, \$10.00) Telephoto and wide angle auxiliary lenses available, For more information, see your dealer or write Dept. 4A

NEW PRODUCTS Tradition U.S. Agents

deaxcore 150 Fifth Ave., New York 11, N. Y.

# IN NEXT MONTH'S MODERN

An agonizing reappraisal of how to test a lens.

## **One-Piece Electronic Flash**



The one-piece Bogen-Classic electronic flash unit is 6¼ in. high and weighs 20 oz. (including bat-tories). Powered teries). Powered by a sealed-in life-time nickel-cad-mium betters it time nickel-cadmium battery, it has a transistorized monitor circuit providing a 40-watt-second output. The unit also operates on Additional features include: 65°

angle of coverage, 1/1000-sec. flash duration, 8- to 10-sec. recycling time, 6000K color temperature, automatic battery recharger, removable PC cord, and direct-reading exposure calculator dial on the back of the lamp head housing. Recommended guide number for Koda-chrome is 28 to 32. Bogen-Classic costs \$59.95. Write:

VOSS PHOTO CORP. 28 SCHOOL ST., YONKERS, N. Y.

# **AZ-718 Has Automatic Threading**



Revere's AZ-718 zoom movie pro-jector features automatic threading from feed sprocket

25mm. A device on the projector (Continued on page 118)

# TOO HOT TO HANDLE

I've become interested in darkroom work. After looking over available enlargers I find that the Testrite enlargers are priced very reasonably. Since price is a determining factor with me, would the Testrite be a good buy?—S. Duncan, East Lansing, Mich.

ne of ne io.

yea, na.8 ly A er meal naher naher of the dic galance of the dic galan

\*\*\*

echhatted edit raditions

y li-

0u-

et con, on, el,

n . 15

IY

We have found the Testrite enlargers to be sturdy and reliable, although lacking some features found on more expensive units. We think you would be pleased with the enlargements made on the unit. However, the strongest, and the weakest, part of any enlarger is its lens. Get a good one. The best made machine will produce bad prints if used in conjunction with a bad lens.

I am shopping for a versatile camera that can be used for wildlife, documentary and portraiture. I believe the Optika IIa might be a good choice. Are the Luminon and Actinar lenses available for this camera of first quality? Is there vibration in the operation of the camera during exposure that could blur the image?—R. Van Hanson, Raleigh, N.C.

Our tests of the 105mm f/3.5 Musashino Koki Luminant lens in preset mount for the Optika indicated that it is sharp from corner to corner wide open. Other lenses were not tested. We have found very little vibration in the camera mechanism which might blur the image.

Are the lenses for the Nikon single-lens reflex camera made with rare-earth lens elements?—P. G. Meredith, Auckland, New Zealand.

With the constant talk about rare-earth lens elements one almost believes that the first good lens came only with their discovery. Not so. Good lenses have been made with and without rare-earth elements. Usually, however, rare-earth glass does make it possible to use a less abrupt curvature in some of the lens elements—making it easier to design a good lens. Yes, Nikkor lenses for the Nikon reflex do use rare-earth glass.

I recently saw an Aires Viscount on sale for \$41. After reading Mr. Wolbarst's column ("35mm") for December 1960, I came to the conclusion that this was a good buy. But numerous dealers have told me the camera is second rate. What is the true story on the Viscount?—R. W. Meals, Jacksonville. Ark.

Mr. Wolbarst didn't actually specify any particular camera in his column—rather he laid down some sound rules for buying a 35mm. However, we still think the Aires Viscount is a good buy. Incidentally, a testing organization that we often disagree with agrees with us about the Viscount and lists it as a best buy. But no matter what camera you purchase, we suggest testing it according to the methods outlined in the December 1960 issue ("Where and How You Should Check a Used Camera").

How does the old 50mm f/2 Summar lens compare with the Xenon f/2 of the same period? Also, how would the Summar compare with the Elmar f/3.5 if both were stopped down to f/8?—Capt. E. R. Eckerle, Riverside, Calif.

At large apertures, an average 50mm f/2 Summar is inferior to an average Xenon f/2 of the same vintage. At f/A, however, the Elmar and the Summar will deliver about the same results.

I would like your opinion of the Komura wide-angle lenses for the Exakta VX. Also, are there any other lenses you would recommend for this camera?—C. A. Murdock, Brockville, Ontario.

You get what you pay for. While the Komura wide-angle lens for the Exakta VX will provide adequate results at small apertures for snapshot-sized prints, it's not, in our opinion, good enough for serious photography. The 35mm f/2.8 automatic Schneider Curtagon, the 35mm f/2.8 Steinheil Auto Quinaron, or the 35mm f/2.8 automatic Zeiss Flektagon would be better.

I've narrowed my choice of a 35mm single-lens reflex camera down to the Yashica Pentamatic, Minolta SR-1, or the Praktina FX with 58mm Biotar lens. Regardless of speed, which camera offers the best lens?—Capt. O. D. Steffey, Jr., New York, N. Y.

Simple question, but not so simple an answer. Given the Yashica Penta-

matic with the 55mm f/1.8 automatic Yashinon, the Minolta SR-1 with the 55mm f/2 Auto-Rokkor, and the Praktina FX with the 58mm f/2 Biotar, we would pick the Yashica with the automatic Yashinon. But if you could get the Minolta with the 55mm f/1.8 Auto-Rokkor or the Praktina with the 55mm f/1.9 Auto-Quinon you would have a lens in the same class as the automatic Yashinon.

My work requires that I use odd amounts of solution for developing Ektachrome 35mm film. Since the solutions made with the regular Kodak E-2 (improved type) usually go to waste because of oxidation, I'd like to prepare my own chemicals. I believe I have the required facilities. Could you give me the formulas?—R. T. Ofsen, Jamaica, N. Y.

Kodak isn't telling anyone the formulas for the chemicals used in Ektachrome developing kits. However, the "British Journal Photographic Almanac" has published substitute formulas. We have no personal experience with the formulas so can't tell you if results will be identical to those with the regular Ektachrome developing kit. But if you like to experiment, the Almanac is available from Amphoto, 33 W. 60 St., New York 23, N. Y.

# IN NEXT MONTH'S MODERN


Ken Josephson, a young photographer who takes outstanding pictures with all kinds of cameras.

Kodak's developing kit for 35mm Ektachrome specifies only the number of 20-exposure rolls which can be developed—six, to be exact. Would it be incorrect to assume that only four 36-exposure rolls can be developed in the same quantity of solution? Also, it is possible to process more film than specified?—D. J. Maxwell, Baltimore, Md.

The figure of four 36-exposure rolls is approximately correct. Personal experience on the part of staff members indicates that two additional 20-exposure rolls can be processed in the chemicals furnished with the kit. But we feel the extra two rolls represent penny-wise, pound-foolish thinking. Solutions must not have been stored for any length of time and some loss of color saturation and a shift toward the warm end of the spectrum usually can be expected. We don't think the small savings gained by processing those two extra rolls are worth the risk of poor color slides.

Your July 1960 issue describes the Miranda Automex as having a split-image rangefinder. In the December

(Continued on page 112)




BRONICA: Interchangeable lenses, each containing a simple diaphragm control lever, are inserted in focusing tube (A). Focusing is accomplished by a gear drive (B) coupled to master control knob (C). When knob is pulled out slightly, focus drive is uncoupled and shutter mechanism (D) can be wound for next exposure. Special mirror drive (E) moves mirror (F) down to bottom of camera when exposure button (G) is pressed. Automatic diaphragm is controlled by simple lever (not shown) which moves diaphragm control lever on the lens.

Winding of shutter mechanism also drives film spool mechanism (H) and moves film to next exposure position. Special tensioning device in film chamber pulls film very flat when film winding is finished. Entire film chamber is removable at the parting line of camera back (I). Although the focal-plane shutter limits the speeds at which the camera can be synchronized for electronic flash and makes bulb synchronization more complicated than does a leaf shutter, the construction allows instant-return mirror, instant-reopening diaphragm,

INSIDE STORY:
THE 2½ SINGLELENS REFLEXES

The peculiar saga of the camera beloved by serious advanced amateur and professional photographers, yet somewhat ignored by the photo public in general. Here, Bennett Sherman and Herbert Keppler analyze the reasons and dissect the cameras.



HASSELBLAD 500C: Interchangeable lenses complete with Synchro-Compur shutters (A) are inserted directly into the front of the camera body. Shutter is wound by rotary coupling (B) driven from the master control knob (C). Film blind (D) and mirror release (not shown) are also wound and set from the knob. Lens focusing is contained within lens shutter assembly and controlled by main focusing ring (E). When exposure button (F) is pressed, mirror moves upward, shutter closes, blind opens, and the shutter reopens and closes

for the actual exposure. Turning the shutter winding knob also moves the film to the next exposure position by means of a gear train (G) within the roll film chamber (H). Camera back can be removed by pushing catch at back top and separating from camera body at (I), thus permitting the use of interchangeable film backs. The leaf shutter within lens offers complete synchronization but limits types of lenses that can be fitted and complicates development of rapid-return mirror, instant-reopening diaphragm.

THE EBB AND FLOW of camera popularity holds as many mysteries as the sea. We are currently and have been for several years riding the 35mm waves in which the tiny (?) miniature (?) reigns supreme. The arguments in its favor—ease of handling, wide availability of color, inexpensive film, advanced camera features as against larger sized cameras—do not stand scrutiny. Today there are more and better larger sized color films. Film costs average out to be about equal with 35mm. And camera advances came after the popularity of 35mm cameras were established, not before.

What then has happened to a camera type which, prior to World War II, was fast rising to challenge the popularity of the  $2\frac{1}{4} \times 2\frac{1}{4}$  twin-lens reflex? We are of course speaking of the  $2\frac{1}{4} \times 2\frac{1}{4}$  single-lens reflex. Almost every argument put forward today for the opti-

cal and mechanical advantages of the 35mm single-lens reflex can be repeated for the 2½ single-lens reflex, only more so—focal-plane shutter, complete interchangeability of lenses without additional viewfinders, full-sized ground-glass focusing image. The concept of making an eye-level rather than a waist-level camera is purely a technicality which can be overcome with a snap from a production engineer's fingers.

Most important, the 2½ x 2½ single-lens reflex holds out the promise of a relatively compact (about half the size of a twin-lens camera) box plus a good size negative whose sharpness capabilities far exceed those of 35mm. Moreover, the square format eliminates the necessity for deciding whether the camera should be held vertically or horizontally.

Prior to World War II, the foremost 21/4 x 21/4 single-

lens reflex contender, the German-made Reflex Korelle with speeds from 1 to 1/500 sec. and lenses from 45 to 1000mm (including an 85mm f/1.8), was extremely popular among amateurs and professionals. During the war, of course, the camera was not available. Its loss caused so much anguish among the allies that an English company copied the camera almost part for part and put it into production for the British Navy. Following the War the camera re-emerged as the civilian Agiflex. The Reflex Korelle manufacturers, now part of the East German Dresden group of camera makers, introduced the Master Korelle, an improved version of the pre-war Korelle. The public by and large turned up their noses at both of them. The third prewar 21/4 x 21/4 single-lens reflex—the Exakta 66, which reappeared in an interesting design (as we'll see)met the same unkind reception.

# From neglect to respect

While it is true that these post-war 2½ x 2½ reflexes lacked some of the recent advances seen in 35mm reflexes—such as automatic diaphragms and eye-level prisms—these would have followed if the public had shown an interest. But the public at large didn't and these cameras died or are dying for want of attention.


Strangely enough, the professional photographer today uses the  $2\frac{1}{4}$  x  $2\frac{1}{4}$  single-lens reflex far more than ever. It's hard to find one advertising photographer who doesn't own a Hasselblad (which has been available for some time) or isn't seriously discussing the purchase of it or a Bronica (a relative newcomer). These two truly fantastic instruments occupy the super luxury class designed primarily for advanced amateurs and professionals. Below, in the capable, less costly and not so automatic class, are the Optika IIa, which is a  $2\frac{1}{4}$  x  $3\frac{1}{4}$  reflex of unusual features, and the Kalimar Reflex, a  $2\frac{1}{4}$  x  $2\frac{1}{4}$  reflex whose features closely parallel those of the fine old pre-World War II reflexes.

Since we're going to be talking at length about these four single-lens reflexes, what they offer and how they work, it might be advisable to list briefly the features and prices of each:

Bronica: 2¼ x 2¼ on 120, 75mm f/2.8 automatic instant-return diaphragm with rapid-return mirror; 10 to 1/1250 sec., FPX sync.; combined film and shutter wind with automatic film stop; focusing by turning knob on side of camera; interchangeable film magazines; depth-of-field preview button. \$489.50.

Hasselblad: 2½ square, or 15% x 2½, or 15% square format with proper magazine; 80mm f/2.8 automatic diaphragm lens, reopens to full aperture when film is wound; between-lens leaf shutter, 1-1/500 sec., MX sync.; combined automatic film advance and shutter wind with automatic film stop; focusing by turning ring around lens mount. Each interchangeable lens has its own Compur Rapid MX shutter, automatic depth-of-field indicator. Interchangeable magazine roll film backs; interchangeable wind knobs, interchangeable viewing hoods. \$550.00.

Kalimar: 21/4 x 21/4 on 120, 80mm f/3.5 lens with pre-




TRADITIONAL APPROACH: The "flip-up" mirror is standard in most reflexes. Light from normal lens (A) is reflected by mirror (B) to ground glass (C). When exposure button is pressed, mirror moves up (D) and light reaches film plane (E). Mirror swing limits distance of lens from film.


set diaphragm;  $\frac{1}{5}$  to  $\frac{1}{500}$  sec.; combined film advance and shutter wind with automatic film stop; focusing by turning ring around lens mount. \$119.50.

Optika IIa:  $1\frac{5}{8}$  x  $2\frac{1}{4}$  to  $2\frac{1}{4}$  x  $3\frac{1}{4}$  on 120 using various masks with interchangeable roll film backs; 135mm f/3.5 preset; 1/20 to 1/400 sec., MX sync.; separate film advance and shutter wind; focuses using  $2\frac{1}{2}$  in. bellows and knob on side of camera. \$229.50.

Let's first mark the many desirable items we would like to have in the modern automatic reflex camera. The following list is not necessarily in any order of importance. This depends upon the preferences of a particular camera user. Here is the list: 1. Full range of interchangeable or zoom lenses. 2. Interchangeable film chamber or back which can be removed and replaced at any time even though the roll is not finished. 3. A standard size film with sufficient number of exposures. 4. A quick-return mirror. 5. Swift, automatic film advance and shutter reset with one lever or knob. 6. Separate focusing. 7. Automatic diaphragm with a preview button or knob to help judge the depth of field. 8. Accurate focusing aid or magnifier. 9. Full flash synchronization. 10. Changeable film format permitting a smaller size picture with more shots on the same film. 11. A pentaprism or mirror arrangement for eye-level viewing. 12. A sportsfinder permitting observation of the subject action outside the camera field. 13. Compact and rugged construction.

There may be others, but these cover most of the popular requirements. How do today's contenders stack





ANOTHER IDEA: Exakta 66 has flip-up mirror (A) shortened to clear the back of the standard and wide-angle lenses. Small secondary mirror (B) under main mirror reflects edge rays from long lenses to forward edge of ground glass. When release is pressed, little mirror moves out of way.

up? A study of the list of features of the Hasselblad, the Zenza Bronica, the Exakta 66, the Kalimar Reflex and the Optika reveals that in a varying degree all have some of the desirable items in our list. It would serve no purpose here to wade into the usual arguments of one camera's possible superiority over another. Instead let's examine the engineering and optical problems and see how well each overcomes them.

Constructional problems of the 21/4 x 21/4 single-lens reflex can be divided into two areas, optical and mcchanical. Let's deal with the optical first. We won't go over the well-trodden ground concerning automatic, semi-automatic and preset diaphragms for the singlelens reflex. This information has been amply covered previously for 35mm cameras (see the February 1960 MODERN), and there is no practical difference between the problems here and in 35mm. However, the difficulties concerning focusing, mirror swing and lens design are most definitely more complicated in 21/4 x 21/4. The reason is quite obvious. The format of the picture is square instead of rectangular. The interior mirror must be longer in relation to its width, and the lenses therefore must all sit farther from the film plane. In order to gain as much depth as possible in the interior of the camera, especially for the fitting of wide-angle lenses, various unusual mirror actions have been devised. If the mirror is slightly short the upper edge of the ground glass may darken, particularly when used with telephoto or long focal-length lenses. The Bronica and the Exakta 66 have adopted the most novel approaches (see drawings above and on opposite page).

In the Exakta 66 a short second mirror strip is hinged from the bottom of the camera body to reflect light to the upper edge of the ground glass (drawing, above right). When the shutter release is pressed, this mirror swings out of the way, as well as the main part of the mirror. Perfect alignment between this stripmirror and the main mirror is difficult if not impossible. This misalignment causes a slight but not serious image doubling in the upper part of the ground-glass view.

The Bronica mirror is extremely ingenious and represents a complete departure from the traditional upswing thinking (drawing, above left). It is a complete mirror as large as is optically necessary. When the shutter release is pressed, the mirror is moved and guided down and forward to the bottom of the camera under the rear elements of the lens. The back or top edge of the mirror has pins which travel in an almost vertical track while the front or lower edge has pins which are guided forward and down. One might view with some scepticism the ability of this mechanism to return the mirror to viewing position immediately following exposure, but the mirror travel does seem to provide consistently sharp focusing. The advantage of such a system is immediately obvious. A 50mm wideangle lens will fit this camera.

The Hasselblad, although quite radical in its mechanical operation, has a traditional spring-loaded rising mirror of one-piece construction which remains in the up position until the (Continued on page 88)

EXAMINE THE PHOTOGRAPH opposite and those on the following pages. Can you tell how they were made? How many are straight shots? Was the fiery, overall red opposite achieved by shooting through a filter? Did the photographer set up batteries of studio lights to illuminate Beads and Purple Glass (page 56)? Is the liquid, sharp-etched rendition of the edges of the leaves and petals in Vase Reflections (page 58) the result of retouching or of some darkroom trick? Though New York fashion and still life photographer Leonard Balish is thoroughly conversant with all artificial lighting techniques and with cameras from 35mm to 8 X 10, he actually took the photographs shown here by available light, on weekends at home or on vacation, with  $2\frac{1}{4}$ Rolleiflexes and Hasselblads. Only one—the double print Bird and Sun (opposite)involved a complicated technique; each of the others could have been taken on any transparency or negative color film using standard close-up devices and the simple shooting controls of selective focus and deliberate overexposure. If you examine Balish's photographs you will notice a painterly concept of lighting, a graphic concept of space and

form. This is no accident, for he has painted since the age of 12 and worked commercially in both advertising and editorial art. Unlike many painters-turned-photographers, Balish does not misuse the photo process just to produce graphic designs. There are no extreme distortions of color through filters or developing; no destruction of line or form by throwing the image completely out of focus or by shooting through trick mirrors; no interference with the quality of the emulsion by shooting or printing through screens or acetate sheets. Although he uses technical controls to interpret or dramatize his subject, most of his pictures appear to be the result of straight photography. For example, Bird and Sun on the opposite page is first of all

# 2¼ COLOR

# CLOSE-UP DOUBLE PRINTING OVER EXPOSURE SELECTIVE FOCUS

a double print, made from . different negatives taken at different times in different places. But we all have seen the gulls wheeling at the That one shore near sunset. should fly between camera and sun is not impossible, or even improbable. In addition, Balish altered the color balance in the sunset photograph. print made as recommended for "normal" results contained much more blue, which he removed in his later prints by subtracting the yellow filter. But the resulting photograph seems true enough to life, for such fiery sunsets do occur in nature. Now, examine the picture Vase Reflections on page 58. Here too the effectiveness of the photograph was heightened by printing, for Balish gave less exposure than was indicated by the density of the Kodacolor negative, to increase high key. But if he had been working with a straight transparency film using the exposure technique described in the caption, page 59, he would have achieved the same high-key rendition of his subject. In the course of his work, Balish uses all of the available 21/4 color films: Anscochrome, Super Anscochrome, and Ektachrome in both Daylight and Tungsten Types, as well as

Kodacolor. But since he prefers to make prints, over which he can exercise more control than when working with reversal materials, he often has internegatives made from his transparencies (this service is available through Eastman Kodak and most custom color processors) and prints from these. To expand the scope of your own 2½ shooting, study his photographs and read the captions on page 59 for the techniques and processes which made them.—P.C.

Bird and Sun: double print, sunset shot with Hasselblad 500C, 250mm f/5.6 Sonnar, Kodacolor exposed at 1/60, f/4; gull shot with Hasselblad 500C, 150mm f/4 Sonnar, Kodacolor film, 1/125 second at an aperture of f/8.





Beads and Purple Glass: Rolleiflex E, f/3.5 Planar, Rolleinar 2 and Rolleipar, Daylight Anscochrome exposed at f/4 and 1/125 second.

Christmas Bird: Hasselblad 500C, 80mm f/2.8 Planar lens, 120 Kodacolor film exposed for 3 sec. at an aperture of f/2.8.





Vase Reflections (left): Early one morning Balish saw vases of flowers stationed around the railing of the dining veranda of his Grenada hotel, remained after breakfast to photograph them. He exposed intentionally for this high-key effect, which he further exaggerated in printing. You must keep in mind when shooting back light that contrast is extreme and you cannot record both highlight and shadow detail on the film. You may expose for the background to silhouette your subject; you may expose for subject detail and burn out the background; and there are, of course, an infinite number of compromise choices between these extremes. Here, Balish metered light falling on flowers with a Norwood Brockway incident light meter. He bracketed exposure, shooting one stop under and one stop over that indicated by the meter. Of the three, shot at f/5.6 and 1/30, 1/15 and  $\frac{1}{8}$  sec. respectively, Balish chose the negative made at 1/15 sec. to make the final print. Rolleiflex II E, Rolleinar 2 and Rolleipar.

Bird and Sun: The technique for making multiple prints from two or more negatives is similar in color and black-and-white. First, Balish made a print of the sunset alone with the standard basic filter pack in order to decide which adjustments were needed. Then he made another print, subtracting the yellow filter to remove some of the blue and thus intensify the orange. When satisfied with the results, he put a plain sheet of 11 x 14 paper in the easel on which he traced the projected image of the sun and the horizon line. The second negative actually contained several birds, and required much more extreme enlargement. Leaving the tracing in the easel, Balish switched negatives, racked up the enlarger head and focused, using the tracing as a guide to the size and position of the bird. Once he made a satisfactory print, he was ready to start on the final superimposition. Balish replaced the bird negative with that of the sunset; placed the tracing back in the easel; racked down the enlarger and refocused until the sun and horizon appeared as on the tracing. Then, he exposed three sheets of Ektacolor paper, using the same filtration and exposure as he had in making the final single print of the sun. After exposing each sheet, Balish tore off a tiny piece of the upper right corner to insure replacing the paper right end up in the easel for the second exposure. He then proceeded as he had in making the tests: he replaced the tracing of the sunset in the easel, switched negatives, racked up the enlarger, refocused. Then he made the second exposure for the bird on each of the three sheets of the pre-exposed paper, and commenced development.

Beads and Purple Glass: This still life was set up at home on a table placed in front of a west window. To diffuse the direct light from the Sunday afternoon sun, Balish covered the window with a sheet of translucent acetate (available from a photographic dealer). After arranging and rearranging his props—glass, beads and plant—Balish used his standard technique to calculate exposure: holding a Norwood Brockway incident light meter at subject position, and pointing the cell at the camera. Then, placing the Rolleinar 2 and Rolleipar on the camera, he shot several rolls, bracketing exposure and changing angle. The only special problem you can encounter when shooting close-ups with a twinlens camera is that of parallax: the difference in viewpoint between viewing and taking lenses. The close-up system for the Rolleiflex compensates for this neatly. Just attach one of the Rolleinars to the viewing and one to the taking lens. Then, bayonet the Rolleipar in place over the viewing lens, making sure the red dot is up. For a complete guide to shooting close-ups with twin-lens cameras, see the story on macrophotography, page 68.

Christmas Bird: There are two basic systems for making close-ups. One, to use a plus or magnifying lens in front of the camera's objective; the other, to use extension tubes or bellows to increase the lens-to-film distance. In making this photograph, Balish combined both methods, shooting with a plus 1 close-up lens as well as a 21mm extension tube. This approach is standard for Hasselblad users, but could be practiced equally successfully with most interchangeable lens cameras. For a complete coverage of this subject, and for a listing of close-up devices available for your camera, see the article on macrophotography which appears on page 68.

# LIKUP & SOMETIMES TILT

THINK FOR A MINUTE-just why is the twin-lens format square? Because that's the best shape for pictures? Or is it because of the viewing and focusing system? If the size were 21/4 x 11/2, say, all of your photographs would be horizontals—unless, of course, you held the camera at a right angle to your body, an awkward operation indeed. Let's face it. There is no argument against cropping; the questions are only when and how much. These five examples represent five kinds of situations which demanded cropping. Before starting to crop your own 21/4 pictures, study these and read the captions. One further suggestion: since it is difficult to visualize the best cropping, cut two L-shaped pieces of white paper and maneuver them over the contact. The variable sized rectangles they form enable you to compare the effect of different croppings.






SO NEAR, AND YET... One of the best reasons for standing back and cropping later is the possible danger to life and limb when shooting such subjects as Felis Leo. Jerry White planned cropping when he made this shot, had sufficient experience with pre-planned cropping to be able to see the picture above within the confused and cluttered scene he framed at left. In making the final print, White tilted the enlarging easel to straighten the converging lines of the top and bottom of the bars. This technique is particularly useful when enlarging negatives of buildings or interiors, where the camera may have tilted up or down and the walls appear to be leaning backward or forward. White made this photograph while shooting a story on the circus which he greeted when it was unloaded at the depot and stayed with from setting up, through performances, to the final departure. He worked with a Rolleiflex and old Plus-X film. Exposure here: 1/50, f/3.5.



WHEN THE TWAIN DON'T MEET: On examining his contacts after an afternoon's shooting in New York's Central Park, Ernest Satow realized that the problem with this picture was that the top and bottom areas were in conflict; each attracted the viewer's eye, and killed the effect of the other. Satow's solution? Both simple and effective. He made separate prints from the separate sections, printing the tree at left on high-contrast paper to retain the white sky and darken detail in trunk and branches for silhouette, and making a dark, low-key print of the boys sliding on the hill. Satow dodged and used potassium ferricyanide on the hill as well to emphasize the sweeping line. Rolleiflex with f/3.5 Tessar, Plus-X Pan film rated at E.I. 200 and developed normally in D-76 diluted 1:1; 1/30 sec. and f/5.6.







THE SQUARE WITHIN: No rule says cropping must be extreme. Here, Ed Clerk stood back in shooting to avoid the apparent distortion resulting from a too-close vantage point, cropped out a small close-to-square portion of the negative when making his final print. Rolleiflex, f/2.8 Xenotar, Verichrome Pan film, 1/250 sec. at f/2.8.









FOLLOW THE LINE: The subject itself in many scenes will dictate its own cropping. In general, whenever your picture contains a dominant line-vertical, horizontal, or at an angle-your best bet will be to use it as the basis for the shape of the print. Jerry White took this photograph while working on a story in a Mexican lumber camp. In making the print, he cropped close, and rotated the easel to straighten the line of the board. Slight convergence of sides of the board leads the viewer's eye to the lumberman at top. White's apparent overexposure of f/5.6 and 1/100 on old Plus-X film was calculated to compensate for the extremely dark shadows encountered in the mountains. Rolleiflex.





PHONY FISHEYE: Although the cropping of the highway scene above is actually no more extreme than that of the lumberman opposite page or the snow landscape on page 61, the wide-angle effect is considerably more pronounced. Why? A combination of factors: The extreme convergence of the lines of the road and telephone poles simulates the wide-angle perspective; the minute size of the oncoming car-which was actually some distance from the camera—is reminiscent of the tiny images recorded by wide-angle objectives. Angelo Lomeo made this photograph in Nebraska while on a cross-country trip. When he spotted the car approaching across the prairie, he pulled over to the side, and stationed himself and his Rolleiflex dead center in the highway. Exposure on Plus-X Pan was 1/30 sec. at f/3.5.



# LOOK MA-NO FACE!

WHO SAYS you have to show the face when photographing children? Not, of course, that we're against the studio portrait or the Christmas card snapshot, for every picture has its purpose and must be judged accordingly. The photographs on these four pages were taken not for the mantel or for kind old Uncle Herbert or loving Auntie Pat, but for fun, for art, or for profit. The men who made them—Van Deren Coke, Kosti Ruohomaa, and S. C. Wilson—are all expert and professional twin-lens reflex users whose working techniques when shooting children are simple and based on the obvious. For the complete story of how each of these photographs was made, see the captions below and on the following pages.

ARTFUL DODGE: An adult can rarely contrive a pose a child will strike naturally. Although this photograph looks studied, it is actually as candid as the grab shot on the *opposite page*. While making valentines one winter afternoon, Van Deren Coke's daughter invented a game, began to peer around the room through holes cut in the paper doilies. Coke, ready and waiting with Rolleiflex in hand, shot Tri-X film at 1/25 sec. and f/11. The illumination: direct sunlight coming through a large window.

ACCIDENTAL ECLIPSÉ: Shoot lots of film and shoot it fast when working with children out-of-doors. Their actions and movements are abrupt; the best picture taking moment unpredictable. Van Deren Coke made a number of photographs of children and model airplanes, here exposed Tri-X at 1/250 sec. and f/11 in a Rolleiflex to capture the accidental—and momentary—eclipse of the girl's face by the plane just after she launched it.



LOOK MA (cont.)

ADDED ATTRACTION: Intrigued by the play of light and shade on this cast iron gate, Van Deren Coke moved in, framed it and the child behind, and focused. Only then did he notice the cause of the boy's intense concentration: a grasshopper, effectively camouflaged by the intricate grillwork. At a distance of about 4 ft., Coke shot with a Rolleiflex, Tri-X Pan film rated at E.I. 200 and exposed at 1/50 second and f/11. In making this photograph and those on the preceding pages, Coke did not take a light reading; instead he estimated exposure on the basis of his long experience of shooting by the light of the Florida sun.








HIDDEN MOOD: Kosti Ruohomaa spent the better part of a day photographing this child's first trip to the country for Look magazine. His shooting technique: not to pose, but to place the little girl in a variety of situations with photogenic potential. As she strolled across this meadow, Ruohomaa noticed the cow approaching her from behind, had exposure set at 1/100 sec. and f/16 and Rolleiflex pre-focused to capture the instant when country cow and city child contacted. Verichrome Pan film.

BACKLIT STRETCH: As part of an essay on childhood, S. C. Wilson directed his three-year-old son to climb a ladder while he stood below to photograph. Angling his Rolleiflex upwards, Wilson exposed for the bright overcast sky, intentionally underexposing the child to make a silhouette. Rolleiflex, Tri-X film, 1/250 sec. at f/11.



# TWIN LENS MACRO

THE PROBLEM concerning close-ups with twin lens reflexes hasn't changed much over the years. Basically it's as follows: Because of the mechanical limitations of the focusing mechanisms, and the lack of lens interchangeability, you can't focus closer than 3 or 31/2 ft. (except with the Mamiyaflex Professional C, of course, which has a long integral bellows). To creep closer to subjects, close-up lenses are necessary. Unfortunately, the twin-lens reflex's main feature, identical focallength lenses for viewing and focusing, turns this efficient camera design into a distinct problem child when fitted with close-up lenses. The taking lens of the camera is generally situated 1 11/16 in, below the viewing lens (measured between lens centers). Thus the viewing lens sees a slightly different picture area from the taking lens. The discrepancy is the well-known parallax error of the twin-lens reflex. At normal focusing distances, between 10 ft. and infinity, the viewpoints are virtually identical. As the subject comes closer, however, you begin to see things you don't get and get things you don't see in the top and bottom edges of the picture area. In the best 21/4 x 21/4 cameras, special mechanical devices take care of this parallax error, shifting the ground-glass image to match the taking lens picture area as you focus. But these cameras are not designed to operate more closely. Simply putting a close-up lens over the taking and viewing lenses will not ready your camera completely. Simple parallaxcompensating prisms must be either added to or incorporated into the viewing lens close-up attachment (see set on camera, opposite). These prisms bend the angle of view of the viewing lens downward so that at a given close distance the viewing lens will see the same picture area as the taking lens. While this situation works admirably for close-up lenses up to a +3, there are at present no parallax-correcting (Continued on page 70)

Camera sports close-up lenses with parallax-correcting prism over viewing lens (A). Parallax adjuster (B) raises camera proper distance for close-ups with +4 or stronger lenses. In array of lenses (C) note thickness of correcting prism.

# CLOSE-UPS ..MICRO


WE WERE GOING to begin: "Anyone can take pictures through a microscope using a twin-lens camera" but felt it was too trite though true. If you have a twin-lens reflex of any brand having a standard bayonet lens mount and own or plan to buy a microscope, photomicrography is quite feasible, relatively simple and rather inexpensive once you get past the purchase of the two pieces of extra material we feel are essential for operational ease—the Rolleiflex Micro-Prism and Micro-Tube. These two units cost (hold on to your hats) \$74.90. Is photomicrography worth it? Read on and make your own decision.

By photomicrography we mean taking pictures through a microscope. Just what you take—bacteria, onion skin or a millipede's toenails—depends on what you can focus through your microscope. If you see it, you can shoot it.

Let's start with the basic component, the microscope. All good microscope adapters for cameras are designed for a top quality, expensive microscope with standard size fittings. Most of the microscopes in use, however, range from \$5 toys through the \$10, \$15, \$25 range to \$100 or so. The fittings are smaller and the adapters won't fit these microscopes. Few of us have the expensive microscopes, so Modern adapted the Rollei units to a \$22.95 (full list price) Selsi microscope, gave it to Morris H. Jaffe who had never owned a microscope before and told him how to use it. He came back not only with good black-and-white pictures but color as well. True, the overall sharpness of the microphotographs was below those made by a first-class instrument (sharpness in photomicrography depends largely on the microscope eyepiece and objective quality), but the pictures were certainly acceptable.

Here's how you take pictures through a microscope in the simplest manner possible using the Rollei equipment. The (Continued on page 71)

Camera bayonets to Rollei Micro-Prism (A) which has beam-splitting prism directing viewing and focusing image to eyepiece. Prism unit bayonets to Micro-Tube (B) which holds microscope barrel. Microscope is of "within your means" variety.




		WHICH CLOSE-UP LENS							
NORMAL	Camera	Subject	Area						
	Focusing	Distance	Covered						
	Scale	in Inches	in Inches						
+1	Inf. 50 25 15 10 8 6 5 4 3 ½	38 % 37 34 % 32 % 29 % 27 % 25 1/2 23 % 21 % 20 %	30 × 30 28 × 28 26 % × 26 % 24 % × 22 % 22 × 20 % 18 % × 18 % 17 % × 17 % 15 % × 15 % 14 % × 14 %						
+2	inf. 50 25 15 10 8 6 5 4 3 <sup>1</sup> / <sub>2</sub>	19 ½ 19 ½ 18 ½ 16 ½ 16 ½ 15 ½ 14 ¼ 13 ¾	14% × 14% 14% × 14% 13% × 13% 13% × 13% 12½ × 12½ 11¼ × 11¼ 10% × 10% 10 × 10 8% × 8%						
+3	Inf. 50 25 15 10 8 6 5 4 3 <sup>1</sup> / <sub>2</sub>	13 12½ 12½ 12½ 11½ 11½ 11½ 10¾ 10¾	9% x 9% 9% x 9% 9% x 9% 9% x 9% 8% x 8% 8% x 8% 8 x 8 7% x 7% 7 x 7						
+4	Int.	9%	7% x 7%						
	3½	8	5½ x 5½						
+5	Inf.	7%	5% x 5%						
	3½	6½	4½ x 4½						
+6	Inf.	61/ <sub>2</sub>	4% x 4%						
	3½	5%	3% x 3%						
+10	inf.	4"	2¾ × 2¾						
	4'	3%	2% × 2%						

prisms for lenses beyond that strength. The table at left indicates precisely how close you can approach with +3 lenses and what area will be covered by them with the standard 75mm lenses used on most 21/4 x 21/4 cameras. However, you can make closer pictures with the aid of stronger close-up lenses and a parallax corrector such as the Accura Parallax Adjuster (photograph on page 68). You will, unfortunately, be limited to static subjects since you focus with the closeup lens over the viewing lens, then extend the adjuster to bring the taking lens into the same position, then transfer the close-up lens to the taking lens for the actual shot. With an adjuster and the +10 lens you can produce an image 8/10 life-size on the film.

Close-up lenses are not all beer and skittles, however. They are undeniably inferior to extension tubes and bellows in terms of definition and they do alter the focal length of your camera lens. As you increase the strength of the close-up lens, definition definitely does deteriorate. However, if you have a good lens on your camera, and stop down to its approximate critical point of definition (about f/5.6), you should be able to get quite satisfactory results (the equivalent of a good 14 x 14 print) even when using a +10 lens.

How much focal length will your lens lose? With a +1 on a 75mm lens the length decreases to about 70mm, which isn't much of a drop. With a +2 the length becomes 65mm; with a +3 it's 61mm, and with a +10 about 43mm. At close distances, these effectively shorter focal-length lenses may produce apparent perspective distortion in three-dimensional objects-the closest part of a subject will appear far too large in relation to the parts farther from the lens. For copying flat-surface subjects, of course, this problem does not exist. But with the stronger close-up lenses edge sharpness may fall-off intolerably.-H.K.

Editor's note: Table at left is reprinted partly from Facts and Data about Closeups. For a copy, send 5¢ in stamps to Spiratone Inc., 135-06 Northern Blvd., Flushing 54, N. Y.







Here are actual size prints made on Panatomic-X with Rolleiflex, Micro-Prism, Micro-Tube and inexpensive microscope. Exposure for 100X magnification was 1/30 sec. Photographs are tissue-thin sections of a corn stem and a hamster.



Rollei Micro-Tube needs plastic collar to tighten on non-standard microscope. Cut to size with blade.



Sylvania R-32 flood provides good light, is balanced for Tungsten Super Anscochrome. Setup is just this simple.

Micro-Tube which holds the Micro-Prism on the microscope has too large a diameter for most inexpensive microscopes. To alter it, cut a small internal collar from plastic tubing available at many hardware stores (see picture left) and inset within the tube. You can then tighten the tube's set screw and fasten the tube on the microscope. Once the tube is in place, you bayonet the Micro-Prism to it. The Micro-Prism is a partially silvered mirror beam-splitter which reflects light from the microscope to a separate eyepiece. By looking through the eyepiece, you can study the focus and composition of your subject even when you have the camera mounted on the unit.

Once the microscope adapter is in place as shown on page 69, keep the microscope stand vertical or the weight of the camera, acting as a lever, will cause the unit to tumble over. Now work the focusing control of the microscope and check whether the added weight doesn't cause focus slippage. If this occurs, find the

small screw which tightens the focusing mechanism and adjust it.

Set up your lighting as shown below left, using an R-32 Sylvania 3200K, 375-watt flood 3 ft. from the substage microscope mirror. Your camera lens must be kept wide open and focused on infinity. With 10X eyepiece and 10X objective (total magnification 100X), Morris Jaffe made a series of bracketed exposures on Kodak Panatomic-X film. After developing the film normally, according to manufacturer's directions, he found an exposure of 1/30 sec. was correct. The R-32 3200K Sylvania flood with built-in reflector is ideal for Super Anscochrome, Tungsten Type. Bracketed exposures of 1/30, 1/60 and 1/125 sec. were all acceptable though different in density. Until you are familiar with your own equipment, bracketed exposures are almost a necessity.

For more complicated but less expensive photomicrography techniques, read Kodak's *Photography through the Microscope*, 75c from most photo dealers.—H.K.

# TITLING: LEARN THE BASIC STEPS

A LARGE GROUP of amateurs who take infinite pains with exposure and shooting keep their processed movie footage on unedited and untitled 50-ft. projection reels.

There may be as many as 10 or 15 reels that relate to each other—but usually they get scattered amongst a lot of other miscellaneous little reels. A home showing usually involves starting with one reel on a particular subject, projecting another that has nothing to do with it, and much later accidentally getting back to a reel shot at the same place as the first.

It's more satisfying for both the amateur and his audience if he edits all that footage into a movie that fits on one reel, and adds a title.

You may have steered clear of titling because the equipment appears deceptively intricate. You can make simple, straightforward titles with a camera, tripod, some letters, a plain background, and two separate photoflood units or even a barlight.

A regular titling stand which can produce elaborate titles quite easily is really an uncomplicated piece of equipment that holds camera and title in a fixed relationship. Once focusing and framing are set, you need not readjust them during the working period.

An examination of a few titling outfits at your photo store will reveal the way a titler works and which one will fit into your budget. A titling set can be as inexpensive as \$5 or \$10 or run into hundreds of dollars.

Even the costliest set won't assure you of good titles unless you understand framing, focusing, lighting, and exposure. These are basic to all titling. For more elaborate titles you'll want to add knowledge of animation, zooming, and superimposition of titles on a photographic background. We'll discuss these later.

Framing: Basically, the problem is to center the lens so that it covers only the area of the title background—not miscellaneous objects at the sides or top. If you have a through-the-lens focusing camera there's no problem. But with cameras that have separate view-finders, at short camera-to-subject distances there is a





difference in the area covered by the lens and what you see in the finder. Here's what to do if you shoot titles with the camera mounted on a tripod as shown in photo top rt., page 74. If your camera has parallax correction marks in the finder, use them. If not, you may want to acquire an Elgeet Cine-Flex. The Cine-Flex mounts on the front of your lens and provides an image of the exact area covered by the lens.

On a regular titler, the camera may be aligned as shown in photo top left, page 74. A clear plastic sheet scored with the outline of the title area and a circle in its center is placed in the titler frame. Then, the camera is moved forward until the lens barrel touches the sheet. When the circle and the lens are aligned, your camera is centered. Other titlers employ a light that projects a rectangular beam of the same area as the titler. Some use pointers. Another type employs a rackover. First, the title is lined up in the viewfinder. Then, the rackover is moved to place the lens in exactly the same position previously occupied by the finder.

Focusing: With your camera mounted on a tripod, use a tape measure to determine the exact distance from title. Check your lens barrel to see if the distance must be measured from the lens front or the film plane.

Many 8 and 16mm cameras will focus as close as one foot or less from the cameras. If your lens will not focus as close as that or if it is a fixed-focus type, close-up lenses in various strengths mounted on your camera lens will do the trick. Your dealer can supply you.

The same techniques apply to focusing when your camera is mounted on a regular titler. However, most titlers are equipped with close-up lenses.

Lighting: Flat, even lighting is most commonly used for titling. With tripods, lights can be positioned one on each side of the camera. Set them behind the camera and slightly above it. A barlight can be mounted on the tripod, with the arms adjusted to throw light evenly from either side and above the camera.

Most titlers have their own lighting units. But no matter what equipment you use to make titles, lighting can be varied. For example, using only one light from the side of the camera will cast shadows alongside the title letters, providing a three-dimensional effect.

Exposure: There's no substitute for determining exposure with a meter. Either a reflected type or incident meter will provide accurate information.

If you use a reflected meter, hold a gray card (your camera shop has them) in front of the title and read exposure from it. With an incident meter, hold the

TITLING GRAB BAG: All the devices in the illustration at the center of these two pages can be used for titling. They include Color-Titles (1), a letter set with re-usable adhesive backs that comes with various backgrounds; Chart Pak (2) and Art Type (3), rub-on lettering kits; Hernand letters (4), a three-dimensional set with special adhesive for re-use; Premier Mark II 8 and 16mm titler (5); Bolex 16mm titler (6); Eigeet 8mm titler (7); Sylvania Sun-Gun (8); Lowel-Lights (9); Bell & Howell slide projector (10); Quick-Set elevator tripod (11), and Elgeet Cine-Flex viewer (12).

meter close to the title with the light-gathering sphere aimed at the direction of the lights.

Exposure readings must be repeated for every title you shoot—even if camera and title are always at the same focusing distance. Photofloods lose intensity as they grow older so readings may vary.

If your title is a simple-worded sentence on a plain background there's no reason to shoot at 16 or 24 fps. Use a slower frame rate with a slower shutter speed —8 fps for example. Then you'll be able to use the smallest possible f-number for greater depth of field.

So far we've discussed the straightforward title consisting of letters affixed to a contrasting background. Audience interest can be increased by various devices:


Animation: In the commonest type, the letters appear to jump into place one at a time. Here's how it's done:

First, select all the letters you need for your title.

Second, set your camera for single-frame shooting. If your camera has a cable release socket, use it. The result will be sharper because of less camera movement.

Third, light the background as described above. Fourth, shoot either 16 single frames (if you use silent speeds for your films) or 24 single frames (sound speed) for 1 sec. of empty background on the screen.


Fifth, place the first letter of the title in place and shoot four single frames. Shooting that many frames gives your audience time to absorb the letter before the next one appears. Add another letter and shoot four more frames. Continue until the title is completely spelled out. As you can see in the illustration, top right, opposite page, we made no attempt to line up the letters. An odd layout is easier—and more interesting.



FRAMING WITH TITLER: Line up lens barrel with scored circle on clear plastic sheet in Bolex title frame. Rectangles are marked with focusing distances for various titling sizes. Once lens is centered, move camera back to focusing distance indicated for correct field of view.



FRAMING WITH TRIPOD: Use viewfinder parallax marks to correct for difference in area lens covers and what you actually see in the finder. Or, Elgeet Cine-Flex mounted on front of lens, as above, provides reflex image of exact area that's covered by lens.



ZOOMING WITH TITLER: After minimum and maximum zoom positions are determined as outlined in text, start zoom by moving camera slightly and making single frame. Ruler acts as guide for frame-to-frame shift. Continue until zoom is completed. Adjust focus as you zoom.



ZOOMING WITH TRIPOD: Same procedure is followed as with titler. However, invert elevator and place title on floor. Lower elevator and lock in place before shooting single frame. Plant tripod legs solidly on non-skid surface and use a cable release for each single frame.

Zoom-titles: If you have a zoom lens on your camera, zoom titles are relatively simple. Shoot them as you would almost any other subject. However, zoom as slowly as you can. If your lens won't focus close enough, see the February 1961 MODERN ("Ultra-close Zooms").

But you can even do a zoom title with a single focallength lens that can be focused down to 1 ft. or less. It can be done with the least trouble on a titler that has a movable platform as in photo below left, opp. page. But you can make zoom titles with an elevator tripod.

With a titler, first position the platform with the camera mounted on it as far back as it will go. The title background should be big enough to dominate the viewfinder image. The title itself should take up only a small area in the center of the background.


Now, move the platform forward, until the title looks

large enough in the viewfinder to be easily read. Mark the position of the camera platform.


Move the platform back. Place a ruler, as shown in photo below left, opp. page, under the titler. Set exposure and focusing distance. Shoot about 1 sec. worth of single frames. Then, move the platform forward about ½ in. and shoot another single frame. Continue until you reach the minimum focusing distance. During the zoom, make slight adjustments in the focus as you move the camera. It takes practice to make the adjustments precise, but it's not difficult after a time.

The same single-frame technique is employed with an elevator tripod. Remove the elevator section from its collar and reinsert it upside down. Mount the camera on the panhead. Determine distances as above.


Crank the camera up to (Continued on page 106)




LIGHTING: Adjust titler lights, as above, to give flat lighting. Best position for lights is slightly behind and above camera. However, smaller f-number is possible if you move lights in close to title. Make sure that they do not encroach upon the lens field of view.



**ANIMATION:** After shooting enough single frames for about 1 sec. of screen time for empty background, position first letter and expose 4 frames. Continue shooting single letters until title is spelled out. Title appears to spell itself out on screen when projected.



ROLL TITLE: Mount title and credits on roll and rotate titler, using degree marks as a guide. Each move must be the same as the previous one for smooth roll effect on the screen. Don't attempt to crowd too much into title since audience may have difficulty reading it.



SUPERIMPOSITION: You can shoot titles on color slide backgrounds by back projection. For best results, choose slides with little shadow area. Reverse slide so that image will be correct on side of ground-glass screen facing movie camera. Use slow fps.



by MYRON A. MATZKIN

ALL MOVIE MAKERS dream of making an impressive, interesting, professional quality motion picture. Few ever get around to starting it. Often, they feel that a top-flight movie is beyond their ability, or that it requires special equipment.

If you have a good camera—8 or 16mm—in proper working condition and with a lens capable of delivering an acceptably sharp image, you shouldn't hesitate to try shooting a real movie. It can be more fun than casual snapshooting, and definitely more interesting—and it can take less time to shoot than you

think. The professional must stick to a tight shooting schedule. You don't have to. You can spread shooting out over a day, a month, a year, or five years—as long as you like.

You may produce an award-winning film—or at least you can make a movie that will fascinate your living-room audiences.

Ernst Wildi's prize-winning film Water's Edge proves our point that an amateur can create a film to equal professional films. Wildi is an amateur whose film budget and equipment are similar to what you may have. On these six pages we trace the making of Wildi's film and show you how you can use his techniques.

### You have the equipment

As far as equipment goes, there's no doubt that an assortment of lenses can help make cinematography easier. But you don't actually need them. Wildi used a telephoto and normal lens for most of his shooting. Only six percent of the scenes in his 40 ft. film were made with a wide-angle lens. The only extras you really require to shoot a top-flight film are a tripod and an exposure meter. And you should be using these anyway.

A workable, interesting theme for a movie is essential. For many years a professional film was synonymous with the story or theatrical movie. That's no longer true. Even neighborhood theater audiences are accustomed to seeing documentary, mood, expressionistic, and outright experimental films. Such pictures are well within your scope. The theatrical film is too ambitious, requiring sets, costumes, a trained group of actors, and a director.

Wildi, for example, chose a subject close and common to all of us—water. He showed it in its many forms—from a tiny drop to a pounding ocean surf.

A similar simple theme capable of elaboration can be found in or near your own home. Your movie might trace the creation of a finger painting, or the growth, blossoming, and wilting of the flowers in your garden during an entire yearly cycle.

Some ideas may take you further afield—the thousand angles and convolutions of a roller coaster at an amusement park, the patterns, the puddles, the streaked windows, the

colorations of rain in a city or in the nearby countryside.

While it's true that Wildi traveled several thousand miles to shoot his film, his travels merely coincided with his vacations. Time and place have nothing to do with his film. It might well have been shot within 100 miles of his home.

### You don't need a script

For such a movie, scripting is often unnecessary. Wildi made none. He had no intention of doing a realistic movie on water. Rather, it was to be a film where one image would relate to another and most of the work of developing the actual form of the movie would be done in the editing. Therefore Wildi went looking for the images that would best suit his ideas, not really knowing when and where he would find them.

How much film will you have to shoot? Some truly exciting, complete ideas can be expressed in 30 sec. of screen time. Others take hundreds of feet or more.

Sound—voice or music—can be important to a film. Do you really need it? And if so, how do you add it? We'll talk about that more fully in the section on sound, page 79.

### Awards won by Wildi

The success of Wildi's movie-making technique is attested to by the fact that Water's Edge has won awards on three continents. It won the Grand Prix over all entries at the Amateur Film Festival of Cannes. Later Wildi was presented with the Governor of Tokyo Award at the Japanese International Film Festival. The audience award of the Vancouver International Film Festival followed. Finally, Water's Edge won an award at the Louisville Photographic Salon.

And now Wildi is about to take on the professional film makers. His movie is to be entered in the American Film Festival, an event sponsored by the Educational Film Library Association in New York City.

While your plans may not be quite as ambitious, you'll find from reading this story that making a good movie is a combination of technique and imagination. But technique only serves to help put your ideas on film. It's not an end in itself.

### A TRIPOD IS A MUST, EXCEPT...

ed

is

ed

ce

It

in

is

ie.

al-

as

ld he

he

k.

est

ng

m.

to

n-

30

n-

be

ly

dd

ly

on

on

es

of

ed

rd

m

he

ti-

ge

lle

ke

lis

ri.

n

j.

y.

ite

d.

od

ne

ly

The suggestion to movie makers that they use a tripod is so frequent and persistent that reiteration seems unnecessary. However, the view-finder on a light, compact 8mm movie camera can lull you into a false sense of tripodless security. When using wide-angle or normal lenses the image appears almost rock steady—with not enough shake to

worry about. Even with a tele lens in position, shake may be so mild as to seem unimportant. But no matter what lens you use, camera shake will be there. You'll see it once you project your film—even on a small home screen.

Wildi, insists, however, that despite the practicality of the tripod, there are times when it's impossible to use one. When shooting a sequence from a boat, he found that engine vibration transmitted through the deck to the tripod seriously affected camera steadiness. So he hand-held the camera, and allowed

his body to cushion the vibration.

The time factor must be considered, too. The fountains at Versailles are turned on only at brief, infrequent periods. Wildi wanted many different shots from varying angles. It wasn't practical to set up the tripod, shoot, fold the tripod, and race to a new location. He could get mobility only by hand-holding.

Wildi also feels that, under certain conditions, you can make a smoother pan with a hand-held camera than by mounting it on a tripod. He prefers to hand-hold for panning fast

action, for example.



Collapse perspective.



Shoot close-ups.



Make impossible shots.



Eliminate the background.

### USE YOUR TELE FOR CLOSE-UPS

Look at the winning entries in any film contest and you'll see that they are packed with strong, hard-hitting close-ups. The images are sharp, and quickly grasped by the audience. If anything is typical of *Water's Edge*, it's the many close-ups that follow each other in quick succession on the screen. In fact, the movie is almost 75 percent close-ups.

While any lens that will focus near enough to the subject to fill the frame can be used for close-ups, Wildi favors the telephoto. He agrees with many still photographers who find close-up images with a telephoto have a more pleasing perspective than those photographed with a normal or wide-angle lens. More important, the telephoto lens is flexible—it can be used extremely close to the subject or many feet away, depending on the situation.

A normal lens for the frog, second from top, left, would have meant placing the camera within inches of the subject. The chances of the frog's staying around long enough to have his picture taken would have been slim. With the tele mounted on a 5mm extension tube, Wildi shot from 3 ft. away from the subject—far enough not to frighten the frog, but close enough to fill the frame.

The best close-up shots sometimes can be had only by placing the camera at what would be an impossible angle for a normal lens. The ice photo, second from bottom, left, was taken from a bridge 10 ft. above the stream in order to show the movement of water under the ice.

Also, a telephoto lens can appear to collapse perspective—bring foreground and background closer together than they appear to the eye.

In the photo of the birds, top left, the sea appears to loom up over the birds and dominate them. The tele established a strong relationship.

Everyone knows that the depth of field of a telephoto lens is narrower than that of a normal or wide-angle lens at a given f-number and focusing distance. In most circumstances, this means that the subject will stand out sharply against a thoroughly out-of-focus background. Wildi emphasized icicles, bottom left, this way.

Wildi had no focusing or framing problems with his tele shots since his camera offers through-the-lens focusing and viewing. But even if your camera has a separate viewfinder system, for near subjects—6 ft. or under—a tape measure or a pocket rangefinder will help you get accurate distance settings. If your camera finder has parallax correction marks, use them. If it doesn't have them, you might want a device such as the Elgeet Cine-Flex (see page 72).

Wildi used 2-, 3-, and 6-in. lenses for his close-ups. However, if you have a zoom lens, you already have an infinite number of focal lengths between maximum and minimum settings. But even one tele—a 1½-in. on an 8mm camera, for instance—can be used for many scenes. Wildi depended on the 3-in. tele for most of his close-ups, using the other tele lenses only occasionally.



Expose for highlights.



Bracket exposures.



Adjust for highlights.

### **GOOD EXPOSURE REQUIRES CARE**

The technical perfection required of a movie such as Wildi's—or the one you are thinking about—necessitates careful exposure control. Electric eye cameras without manual control provide only general overall readings from camera position—allowing no adjustment for a specific lighting or subject. The automatic or semi-automatic cameras which permit manual settings are ideal.

Wildi, using a separate meter, often based his exposure on average overall readings altered slightly to fit the conditions. But in some cases he was able to use readings on specific parts of the scene which he wished to emphasize. For example, the ice formation, top left, has predominantly strong highlights and only a small shadow area. Wildi's approach to this type of situation is direct. Since ice represents water—the theme of his film—it's the most important element in the scene. He took his reading from the ice.

However, because he often could not approach his subject directly, Wildi relied on general readings and variations to suit the situation in much of his footage. For instance, in the second photo, left, you see a large expanse of backlit water with a boatman off center. An exposure based on a reading for the water alone would have been unpredictable for the rest of the scene. The boatman could be underexposed. Also, the shadow area at the upper right edge of the frame might turn out dark if the water itself were adequately exposed. Wildi's first exposed footage was based on the overall reading. He then shot the same scene again one stop under the indicated reading and additional footage one stop over it. After processing, he selected the best.

Reflection shots can be difficult, as in photo at lower left. Even though water is the most important element in the scene, exposure for it could have easily resulted in overexposing the white hull of the boat. Wildi took his reading for the water, and then closed his lens slightly to compensate for the strong highlight represented by the boat. It worked.

### SPECIAL EFFECTS-RIGHT OR WRONG?

Amateurs who add an overabundance of lap dissolves, fades, double exposures, slow motion sequences, and other forms of trick photography are quietly screaming for attention—which is all right if you want your technical proficiency to be the chief attraction.

Some tricks and special effects have a rightful place in a movie. Lap dissolves—where one scene fades out while the following one fades in on top of it—can be a great help when a cut would make an awkward jump.

You can make dissolves in many different cameras. You shoot a scene and slowly fade it out. Then you rewind the film to the beginning of the fade and start a second scene, fading it in. The fades can be made by opening and closing the variable shutter, or by closing and opening the lens diaphragm. However, until your film returns from the processor you don't know if the dissolve was successful. You have little visual control over the fade. You may decide the shots don't even belong together. If they do belong, you may decide that a straight cut would look better.

If you must use a dissolve, the best system is to have it added by the laboratory. Wildi, for example, had 20 lap dissolves added in a lab's optical printer in his first version of Water's Edge. However, the lap dissolves presented an unnatural situation on the screen—two different scenes at the same time—and they disturbed him. By the third and final version of his movie, all but one of the lap dissolves were removed. He found that they only slowed the pace.

The straight fade-in—starting with a dark screen and slowly bringing the image to correct brilliance—and its opposite, the fade-out, are somewhat more useful. They act as

visual punctuation marks—signifying the start and end of a sequence or the film. Wildi uses them at the start and end of *Water's Edge* and for the titles and credits.

His titles, incidentally, are superimposed over live footage. This can also be done in the camera by first shooting the title—white letters against a black background—and then rolling the film back to the start. It is then re-exposed for the scene.

Double exposure is another device to be used with caution. It works best only when the audience isn't aware that they're seeing a camera trick. Wildi shot one river, then superimposed another over it by backwinding the film and re-exposing. Not one person in the many audiences who have seen the film noticed the trick.

In one instance Wildi shot at 32 fps (instead of 24) to slow down the motion of a gull's wings. He also used 32 fps to shoot the breaking of waves on a rocky shore, to make the power of the water more apparent.

### SOUND IMPROVES EVEN TOP FILMS

ould

etly,

n in e, in arge

h a

sure

ater

able

oat-

Also.

ight

out

ade-

ex-

the

the

the

onal

pro-

t, as

ugh

nent

ould

sing

ook

hen

sate

nted

ify-

ence

the

and

per-

can

first

ers

and

art.

ene.

vice

best

are

ick.

im-

nd-

one

vho

ick.

32

the

also

of

the

ent.

There's really no such thing as a silent movie. Even when you show a film in the living room, you probably provide a steady stream of commentary if the film doesn't have a regular sound track. In fact, a movie without any sound at all would be terribly unnatural. We expect to hear sound with every action we see in life—and likewise with movies.

While the off-the-cuff commentary is all right for less serious film making, a prize-winner needs a planned, synchronized sound track to make the film truly effective. That doesn't mean you must lug around a portable tape machine complete with synchronization setup for your camera. Music added after the film is edited can supply the feeling of the actual sound of the images.

The old-time movie makers knew this and every "silent film" was distributed with piano music to be played as the film was shown.

To add music you choose a selection that fits the mood of your film, key it to the action, and then rerecord it with some method for keeping sound and image synchronized.

A well-chosen musical selection can do a lot to lift your film right into the professional class. Unless you have commercial ambitions for your movie you can use recordings you have around the house. Wildidid just that for his first version of Water's Edge. However, it's best to use music that's been cleared for films if you plan to show your movie in public. Two sources for recordings are Boosey & Hawkes, 30 W. 57 St., New York City, and T. J. Valentino, 150 W. 46 St., New York City.

Match the music you select closely to the screen action. Wildi, for example, used loud, fast passages from Debussy's *La Mer* with thundering wave action. For more pastoral scenes, a slowly moving river, for instance, he used part of the *Origin of The Amazon* by Villa Lobos.

You don't have to confine yourself to available recordings. Originality is one of the measures of a prize-winning film. Wildi had com-

(Continued on page 104)



Use subtle action.



Wait for the right second.



Change direction of action.



Contrast with fast action.



Shift to related images.



Frame movement in background.

### VARY DIRECTION, SPEED OF ACTION

Movie audiences are much more sophisticated than they used to be and the unrelieved high speed type of screen action that keeps the audience constantly at the edge of their seats won't work. A constant state of hypertension can be as disenchanting as a series of absolutely motionless images. Movie action needs a change of pace.

There are at least three ways that action can be varied—speed of movement in the frame, the direction of the action, and use of a subject that contrasts strongly with the rest of the film.

First, let's talk about speed of action within the frame. In Wildi's movie water is never at a standstill. Movement may be as subtle as a dripping icicle or as dynamic as waves pounding against the shore.

Even in scenes where there's apparently no motion, water is on the move. In the photo top left the branch in the middle of the pool is perfectly still, but the ripples slowly eddy around the branch to sustain the feeling of action.

This shot contrasts with the one of the rapids, third from bottom, left. Here, the boiling water provides action that dominates the screen.

Getting action into a shot may mean waiting for the right moment to shoot, as in the scene second from top, left. Wildi noticed that the sea gulls whirling around the dock often landed on the piling in the upper left of the scene. He waited until one of them started to approach the dock and then began shooting. The scene is actionless on the screen for less than a second as the bird darts in from the upper right-hand corner of the frame.

Long shots of scenery usually slow the pace of a film considerably, but an unexpected image involved in a simple action can instill life into the shot. In the scene of the river, bottom left, Wildi framed a grazing cow in the background to supply an extremely slight movement—but one that saves the scene from being simply a still photograph on movie film.

(Continued on page 104)

### ESTABLISH FILM PACE BY EDITING

When you finally sit down and run all your film through an editor, the time, effort and money expended suddenly become worthwhile. Your first impulse will be to start chopping and connecting immediately. Resist it. Until you have seen all your footage you can't possibly judge the relationship between one scene and another. Project all of it many times, noting the subject and length of each scene. Then, 3 x 5 index cards can be used for a footage file-one card for each shot, with both subject matter and length of scene clearly indicated. By arranging and rearranging these cards you can arrive at a rough approximation of how various orders of shots within a sequence might possibly fit together. Still photographs of each scene (see "Movie Maker," page 96), if attached to the cards or used in place of them with footage length noted on the back, are even more precise.

How can you edit together footage containing a single idea shot against various backgrounds? By using proper pacing, good transition, sequence building, intelligent timing, and making the most effective use of the directional movement of each scene. Let's examine these editing devices one at a time.

Film pace: Every move you make while editing should enhance film pace-the particular rhythm of image following image best designed to hold audience interest. Varying pace helps increase interest in the whole movie. Often, pace begins to emerge by itself as you edit. But with other films it's up to you to decide on an overall pace after viewing the miscellaneous footage. With Water's Edge, Wildi alternated periods of violent action with slow, tranquil sections. The movie begins with melting ice, progresses gradually through a series of cuts of a river forming a waterfall to a climax in the rapids below. The river calms. The scene cuts to a water wheel before the pace and water quickens again.

Transition from one scene to another: Abrupt scene or pace changes

can be disturbing-they're therefore effective for producing shock effects. You can smooth over scene changes even when the footage has been shot at widely different times and places, by making gradual transitions or changes in pace. Wildi, going from the boiling rapids to the tranquil water wheel, slowed the action by degrees through a series of cuts. He started with a shot (bottom right) that panned from the rapids to less turbulent water. His next cut (second from bottom, right) shows the river moving even more slowly. In a third cut (third from bottom, right) the river is moving almost imperceptibly in the background. Finally, the cut to the slowly turning water wheel is made without a jarring effect on the screen.


Direction: By constantly keeping screen direction in mind, you can help weld together scenes dealing with a single idea but shot in various places. To relate two images, they must take the same direction on the screen. If the first travels left to right, the second must also. Wildi used direction to lace together the three shots, bottom right. The river, in the first, flows from right to left. The next river shot flows in the same direction. However, toward the left, the river starts to turn. This directional change within the frame makes possible the introduction of a third shot. This new shot has another river in the background, but it fits in with the second, even though this river moves left to right-counter to the direction of the first river.

Wildi introduced the change of direction because the water wheel turns from left to right also. By matching the water wheel's direction, he provides a smooth cut although using film shot miles apart.

Building sequences: The intelligent use of a wide variety of angles and framings serves to build sequences effectively. You are, in effect, editing during filming. Wildi, shooting the water wheel, right, visualized the sequence as it would appear on the screen and shot accordingly. In the first version of Water's Edge the water wheel shots were edited together consecutively. But in the final version Wildi intercut shots of the pond (second from

(Continued on page 105)





### A & B ROLLS HIDE YOUR SPLICES


It's annoying to spend hours editing a film and then have a series of light flashes on the screen each time the film reaches a change of scene. This can't be helped if you show your original film with the scenes joined together with a regular cement splicer. Having a print made of the original serves two purposes. First, by using the A and B system of splicing the film, you can have the print made on one continuous length of film. Second, you protect the original footage so that additional prints can be made.

The A and B, or checkerboard, splicing technique works as illustrated below. You need a splicer that cuts on the film frame line, a roll of black leader, and a synchronizer. All three can be obtained from a professional motion picture supply house. The splicer and synchronizer can be rented for a nominal charge.

The original film is threaded through one side of the synchronizer and the leader through the other. You then advance the takeup reel to the point where the first two scenes join. The synchronizer assures that the length of leader unwound always matches the length of film. The film is separated, and the first scene remains on its rewind. The black leader is cut from its roll and spliced to the first scene. The second scene. in turn, is transferred to the roll of black leader. Both rolls, the leader and the original film, are then advanced to the next splice and the procedure repeated until vou have two rolls with alternating leader and film. The film is placed in the splicer so that the scraped area of the image always lies under the black leader.

### Spliceless film

With the A and B rolls, a film laboratory can provide you with a movie on one uninterrupted length of film. A and B rolls must also be used if you want fades and dissolves made in the laboratory.



### DON'T OVERLOOK COLOR MATCHING

If you want your film to be a prizewinner, you'll have to spend considerable time on details such as color matching. A good editing job can be ruined if colors in one scene clash with those in the next.

Wildi used a shot of icicles against snow because he felt the lack of color provided the scene with a colder feeling. Then he cut to shots of ice. To make the change to colors with more warmth he followed with scenes that displayed more and more brown rocks and less ice.

He also found that in editing Water's Edge, blue water in one scene must closely match the blue in

another water scene. Two different blues, for example, can be more disturbing than a scene that's predominantly gray following one with an overall blue color.

However, a definite contrast between the colors in one scene and those in another is often effective. In one instance Wildi follows a shot of a brilliant green frog with a scene showing a bright blue sky.

### Using subdued colors

The colors need not be bright to be effective. In Water's Edge, a harbor scene ends with the black hull of a boat dominant and the film cuts to a shot of sea gulls against sky that looks more white than blue. In scenes of fountain spray the water appears white against an almost perfectly black background.

### SPLICING: TAPE OR CEMENT?

BUYING A SPLICER once involved one consideration—how much money you wanted to spend. There was only one type—basically a machine for clamping two pieces of film in correct alignment for cementing. The quality of a splicing machine bore a definite relation to its cost.

Now, you can choose either a cement splicer or one using tape. The tape system employs Mylar plastic of 1/1000 in. thickness. While a good cement splicer remains costly, a usable tape unit is quite inexpensive.

As you can see from the photographs, a cement splicer requires that the film be first scraped and then overlapped. With Mylar the film is butted end to end, and the tape placed over the joint and adjacent frames. (Continued on page 107)

### OVERLAPPING SPLICE REQUIRES CEMENTING, SCRAPING, CLAMPING



1. Place film length at right of splicer on sprockets with one frame overlapping splicer center. Bring clamp down to hold film firmly in place.



2. Raise right-hand splicer arm out of the way, place left-hand length of film on sprockets with one frame overlap and clamp in place.




 Bend end of film slightly and then scrape off emulsion with razor blade or special film scraper. Take great care not to gouge film base.



4. Apply a little film cement. Take care not to use too much, because excess cement will weaken film base, cause splice to break.




5. Bring right-hand clamp down to cut tab on scraped portion of film and to join both ends. Cement takes about 30 seconds to dry.




6. Properly made splice is strong and will last for long periods of time. However, flash of light will often show on screen at point of splice.

### NO CLAMPING FOR INTERLOCKING TAPE SPLICE



1. Insert both ends of film to be spliced into Kodak press tape splicer with frames overlapping, or make cuts separately, if you like.




2. Bring cutting bar smartly down to cut film. Cutting blades should be cleaned periodically to insure smooth cut and long life.



3. Blade makes interlocking cuts on both ends of film. Cut is so precise that any right-hand cut may be joined with any left-hand cut.



4. After film ends are joined by placing in sprockets, place tape with paper backing still on it on sprockets over the cut. Holes must fit snugly.




5. Hold tape with one finger, while fingers of other hand slowly draw paper backing. If pull is even, holes of tape and film will align.



6. Splice will last life of film and is stronger than film itself. However, tape can be removed for re-editing. Tape won't jam in projector gate.

### STRAIGHT CUT SAVES FRAMES



1. HPI splicer makes cut on frame line, exactly bisecting sprocket holes. After film is cut by blades on splicer, place it end to end on sprockets.



2. Place tape on sprockets on upper edge of film and peel off paper backing. You can't wear editing gloves when you use Mylar tapes.



3. Well-made tape splice shows no light flash on screen when scenes change. Special HPI tape is available for sound-striped film.

### MOVIE LAB SERVICES WILL HELP

MOTION PICTURE LABORATORIES provide many more services than film processing—everything from special effects to film preservation and cleaning. Most of the trick shots—double exposures, split screens, and fades and dissolves—are made in the lab rather than in the camera. But labs supply more than tricks. They'll edit your film, duplicate it, or reduce or enlarge it, for example. Most of the charges can be met by an amateur budget. Magnetic sound striping may cost as little as \$ 5.

The chart on these two pages lists 36 laboratories around the country and some of the services they offer. One or several of the services may be just what you need to make a good movie out of your footage. While

		Arco Movie Films	Donine Plim Laboratory	CineCraft	Cina-Graphic Film Lab, Inc.	Cinematic Developments Co.	Cineque Colorfilm Labs, Inc.	Colburn, George W., Laboratory, Inc.	Color Reproduction Co.	Commercial & Home Movie Service, Inc.	Criterion Film Labs, Inc.	Dephoure Studios, Inc.	Eastman Kodak Co.	Escar Motion Picture Service, Inc.	Film Associates, Inc.	Hollywood Film Enterprises, Inc.	
Titling	8mm		•							•					•		
	16mm		•			•	-	•		•	•	•		•	•	•	
Editing	8mm			•	•					•	•			_	•		
	16mm		٠	•	•	•		•		•	•	•		•	•	•	
A & B Breakdown	8mm			•						•	•						
	16mm			•	•	•		•		•	•	•		•	•	•	
Optical Printing	8mm			•						•	•						
opinour i imimig	16mm			•				•		•	•		-		•	•	
Fades & Dissolves	8mm									•							
1 4463 & 513361763	16mm		•	•		•		•	•	•	•	•		•	•	•	
Duplicating		•		•	•			•		•	•		•	•	•	•	
Color Correction				•		•		•		•	•			•	•	•	
35mm Slides							•	•		•		•			•		
16 to 8mm Reduction	ns	•	•	•				•	•	•	•				•	•	
8 to 16mm Enlargeme	ents			•				•		•	•				•	•	
Cleaning & Repair				•	•	•		•	•	•	•	•		•	•	•	
Preservation			•	•	•			•	•	•	•	•		•	•	•	
Magnetic Striping				•	•	•		•	•	•	•	•	•		•	•	
Sound Recording						•		•		•		•		•	•	•	

some of the services are available only to users of 16mm film, most labs also handle 8mm. As 8mm grows in importance, labs will no doubt offer more 8mm services.

Here's a quick explanation of the services listed.

Titling: Labs will shoot your titles according to your own specifications as to words and backgrounds. A few will shoot titles on live footage. Titling is available for both 8 and 16mm films. Charges vary according to number of letters and type of background.

Editing: While most film makers prefer to do their own editing, many labs will do the physical work according to your script or instructions. Others will take processed stock and edit it creatively—building an idea based on the footage. Charge is by the hour.

A & B breakdown: On page 81 you'll find a full explanation of an A & B breakdown. Briefly, it's a way of preparing your edited film to facilitate the making of fades and dissolves, double exposures, titles over live footage, or any other lab procedure where two or more shots are combined. Most labs will do it for 16mm, only a few for 8mm. Charge is by the hour.

Fades and dissolves: In a fade-in the scene starts with a completely dark screen and gradually lightens to correct brightness. In a fade-out the scene starts at correct brightness and slowly grows dark. A lap dissolve consists of one scene fading out and a second fading in at the same time. To have fades made, you need only specify where you (Continued on page 108)

											191									NO.	
ACCUPATION OF THE PROPERTY OF	Hellywood Valley Film Labs, Inc.	Kin-O-Lux, Inc.	Usb TV	Lord Film Labs	Multichrome Laboratories	National Cine Laboratory	Peerless Film Processing Corp.	Permattin, inc.	Photo-Tech Laboratories	Rapid Film Technique, Inc.	Rolab Studies	Southwest Firm Laboratory, inc.	Stain Editing & Titling Service	There Preducts Ca.	Title-Craft	Top Productions, inc.	U.S. Photographic Equipment Corp.	Vacuumate Corp.	Watson, Frederick F., Inc.	Western Cine Service, Inc.	Zanith Cinema Service, Inc.
Ŧ							100					Sept.									
ı					•				•		•	_	•	•	•		•				
ı	-						•						•	•			-		•		-
ı					•		•		•		•	•	•	•		•	•		•		•
ı							•										•				-
ı			•		•		•		•		•	•				•	•		•	•	•
ı											_	_					•				_
ı					•				•			•					•		•	•	
ı															•		•				_
ı	•		•		•				•			•			•	•	•		•	•	•
ı	•		•	•	•	•			•							•	•		•	•	
ı			•			•			•			•					•		•	•	
ı									•								•		•		
ı	•			•		•											•		•		
ı	•			•		•										•	•		•		
ı	•				•	•	•	•		•						•	•	•	•	•	•
ı	•				•	•	•	•		•		•				•	•	•	•		•
	•				•	•										•	•		•	•	
		•							•		•	•				•	•		•	•	

# TESTS

NEWEST CAMERAS . LATEST FILMS . IMPORTANT ACCESSORIES

MODERN PHOTOGRAPHY'S exclusive monthly equipment report section devoted to informative, unbiased field tests of equipment submitted to and passed as acceptable by our technical department.

NOW THERE ARE THREE 35MM CANONFLEXES



Manufacturer's specifications: Canonflex R2000 35mm single-lens eye-level reflex. Lens: 50mm f/1.8 Super-Canomatic with stops to f/16 and focusing to 24 in. Shutter: Cloth focal-plane with speeds from 1 to 1/2000 sec. plus B and T, FPX sync. Viewing: Interchangeable eye-level prism reflex with full ground glass, Fresnel lens with central clear spot. Other features: Automatic instant-return diaphragm with rapid-return mirror; provision for previewing depth of field; bottom rapid wind trigger, top rewind crank; all shutter speeds on non-rotating dial; auto resetting frame counter; provision for exposure meter coupling to shutter dial. Price: \$339.50. Importer: Scopus/Brockway, 404 Fourth Ave., New York 10, N. Y.

Manufacturer's specifications: Canonflex RP 35mm single-lens reflex. (Same as R2000 above but with chrome-covered fixed prism instead of black interchangeable; shutter speeds 1-1/1000 sec., plus B, FPX sync.) Price: \$249.50.

If you've been eyeing a Canonflex but have felt you didn't like the splitimage central rangefinder of the already available \$299.95 Canonflex, or you didn't need an interchangeable prism, or you did want a faster top speed than 1/1000 sec., there's now a Canonflex to suit your needs exactly.

The Canonflex models are basically the same as tested by MODERN in the June 1959 issue. In our review at that time we found the Canonflex to be extremely automatic in operation, well made, quiet, with a brilliant focusing image, the corners of which could easily be seen by eyeglass-wearers. We admired the highly visible control scales, the large bayonet lens mount, the exceptional sensitivity of the rather awkwardly placed accessory meter (\$20). We noted that the body was slightly heavier and larger than the Canon VI rangefinder camera, that the placement of the rapid wind lever would appeal to some but not to others and that the depth-of-field preview feature was slightly awkward.

The only new feature which we feel bears comment is the complete ground glass with no split-image rangefinder. But no hard and fast conclusions for or against either focusing system can be drawn, since some photographers prefer a plain ground glass and claim that the split-image rangefinder is distracting, while others say that they are unable to get precise focus without it.

We did not test the 50mm f/1.8 Super Canomatic lens on the original model, since we were told it was a pre-production sample. We were unable to test any of the accessory lenses either. We were therefore gratified to obtain for test not only the R2000 with a 50mm Super Canomatic lens, but also the 35mm f/2.5, 100mm f/2, 135mm f/2.5, 200mm f/3.5 and 300mm f/4 Canon lenses.

First the 35mm f/2.5 Super Canomatic (\$154.95). It has the same automatic diaphragm as the normal 50mm lens but focuses to about 14 in. We found in testing it that sharpness was acceptable at f/2.5 with much sharpness fall-off at the corners (most of which was caused by curvature of field, inherent in this lens, which affected sharpness at the corners only at close shooting distances—at distances over 20 ft. this lens produced improved corner sharpness). At f/8 sharpness was good with only little fall-off at the corners. Overall sharpness remained about the same at smaller apertures.

The standard 50mm f/1.8 Super Canomatic when tested revealed that at f/1.8 sharpness was good with little sharpness fall-off at the corners. When stopped down to f/4-5.6 sharpness was very good with only slight fall-off. Overall sharpness decreased just the slightest at smaller apertures. The compact 100mm f/2 Super Canomatic (\$199.95) focuses to 3 ft. and was good at f/2 with little sharpness fall-off at the corners. When stopped down at f/5.6 sharpness was very good with almost no fall-off. Overall sharpness remained the same at smaller apertures.

The 135mm f/2.5 Super Canomatic (\$211.95) focuses to 5 ft. and proved to be good at f/2.5 with some sharpness fall-off at the corners. At f/5.6-8 sharpness was good with only little fall-off. Overall sharpness remained the same at smaller apertures.

The 200mm f/3.5 Canomatic lens (\$239.50) is 6 in. long and has a semi-automatic diaphragm rather than a fully automatic one. After each exposure the lens must be recocked to full aperture by turning a ring on the mount. However, there's a nicely placed depth-of-field preview button which allows the lens to be closed quite conveniently before exposure. Of course you must recock the lens to full aperture again if you wish to refocus properly before shooting.

The 300mm f/4 Canon lens (\$380) is the same optic used on the Canon rangefinder camera with a reflex housing. For the Canonflex, a bellows focusing unit is fitted to the camera end to serve as a focusing mechanism. This unit is no hand-holding job, measuring 18 in. long and weighing 6 lbs. It has no automatic or preset

diaphragm mechanism, but does have a filter slot and holder. It can focus as close as 5 ft. Results of the tests indicated that with the 200mm lens sharpness was acceptable at f/3.5 with some fall-off at the corners. At f/8 sharpness was good with only little fall-off at the corners. Overall sharpness remained the same at smaller apertures. At f/4 the 300mm lens sharpness was good with some fall-off at the corners. Sharpness improved slightly but remained good at f/8-11 with some fall-off at the corners. Overall sharpness remained the same at smaller apertures.

e un-

essory

efore

Cano-

/2.5

00mm

enses.

Cano-

auto-

Omm

. We

was

harp-

st of

e of

vhich

only

dis-

uced

f/8

little

arp-

e at

uper

that

with

ners.

arp-

light

ased

res.

ano-

and

ness

ped

very

erall

at

atic

ved

arp-

6-8

ittle

ned

ens

mi-

1 0

ex-

l to

the

ely

ton

sed

re.

to

re-

80)

on

lex

WS

era


ob.

ng

set

All the Canon lenses were superbly finished, and functioned as smoothly as could possibly be expected.—H.K.

### LOWEL-LIGHT OFFERS FLEXIBLE LIGHT SYSTEM



Manufacturer's specifications: Lowel-Light photographic lighting fixture. Features: Porcelain socket; swivel mount; heat-insulated finger grips; notch and chain clamping device; wall mounting with special Gaffer tape, and neoprene-covered power cord. Price: Single unit, \$6.95 with 4 yards of re-usable Gaffer tape; Lowel-Light kit including five units, 15 yards of tape, and carrying case, \$29.95; Barndoors, \$5.75 each. Manufacturer: Lowel-Light Photo Engineering, 421 West 54th St., New York 19, N. Y.

The Lowel-Light is an extremely workable answer to the amateur or professional still or movie photographer who wants a lightweight, rugged, and flexible lighting system. The individual Lowel-Light fixture consists of a flat aluminum plate backed with a felt-like material and a porcelain lamp socket on a swivel. The swivel lamp allows adjustments in a complete circle as well as forward and back. An ordinary reflector flood is secured into the socket. However, separate photo lamps and reflectors may also be used.

The unit can be vertically mounted on virtually any flat surface without

using clamps. The Lowel-Light employs Gaffer tape—a special adhesive tape which can be re-used if kept clean. It's claimed that this tape can be used even on the most highly polished surfaces without leaving a mark. We tested it on a number of different painted walls and no marks could be seen when the tape was peeled off. (It should not be used on wall paper, flaking paint, or soft composition board, since it may cause surface damage.) It will hold the Lowel-Light to walls, floors, wood, or even fiber surfaces. However, the Lowel-Light should not be taped to a ceiling since it is apt to fall off.

A notched portion of the Lowel-Light plate also makes it possible to mount the unit on overhead pipes, light stands or other uprights without using the tape. A chain on the Lowel-Light supplies sufficient tension to secure the fixture in place.

Accessory barndoors that clip right over the reflector floods proved extremely useful—helping to control areas lighted by each lamp and preventing stray light from striking the camera lens. You can use diffusing cloths clipped to the barndoors with clothespins for diffused lighting effects—an impossibility with reflector floods alone.

We found that by using the Lowel-Lights the amount of lighting equipment we had to carry was cut drastically. Five Lowel-Light fixtures, a roll of Gaffer tape and all barndoors can be carried in a case measuring only 9 x 12 x 4 in. and weighing slightly less than 7 pounds.—M.A.M.

### B & H 8MM PROJECTOR, ZOOM, AUTO-THREADING



Manufacturer's specifications: Bell & Howell Dual/Lectric 8mm movie projector. Lens: 15 to 25mm f/1.2 Filmovara zoom projection lens. Lamp: 150-watt T14 Tru-Flector. Projection speeds: Rheostat controlled from 16 to 24 fps. Reel capacity: 400 ft. Other features: Automatic film threading; remote control; two-level projection lamp lighting; single knob forward, reverse, still, rewind; folding reel arms; built-in tape splicer; room lamp outlet; framer; automatic take up reels for 5-ft. power cord and 10-ft. remote control cords; film leader trimmer; elevation control; manual film advance; automatic loop restorer. Price: \$264.95. Manufacturer: Bell & Howell Co., 7100 McCormick Rd., Chicago 45, Ill.

The Bell & Howell Dual/Lectric design is refreshingly different. Instead of the various hammertone or crackle finishes so often found on projectors, the B & H is in simple black with restrained satin metal trim. Turn on the Bell & Howell Dual/Lectric and it just about does all the rest. To thread the projector you press a red button under the film gate, feed the leader into a loop former, and the film goes through the gate and attaches automatically to the takeup reel.

Once the loops have been formed and the film caught on the takeup reel, the formers pop out of position.

If the loop should be lost because of torn film or damaged sprockets, a quick tap at the red button reforms the loop.

You have the option of working the projector by remote control or by using the single control knob. In either case you can stop, start, reverse, go forward, or project a single frame at will. On remote control you merely rotate the remote control device in your hand. On each of the four sides of the remote control unit the appropriate illuminated markings appear right side up.

The automatic takeup reels for the remote control and power cords are particularly convenient when the machine is stored after projection. No wrestling with coiled cords to cram them into a tiny space. However, we do think the 5-ft. power cord is definitely too short. Until we got an extension, we had the cord stretched like a clothes line to reach the outlet.

The projector has two motors—one for the machine and the other for the cooling system. The B & H is one of the coolest running machines we have ever tested.

The Filmovara lens is one of the best zoom projection lenses available. With the projector and lens we tested illumination and image sharpness on the screen was excellent and virtually uniform from the center to the corners. Once focused, the Filmovara stays in focus throughout the zoom.—M.A.M.

# TIME IS OF THE ESSENCE

The timer . . . control center of the darkroom!

Yes, whether you spend hundreds, or even thousands, of dollars on your darkroom equipment . . . the preciseness of your results are dependent on the accuracy of your triming device.

For this reason more professional darkrooms are equipped with Time-O-Lite than any other timer (next time you're in a darkroom check the name on the timer). The product of over 20 years of design and manufacturing of industrial timing controls, Time-O-Lite is not just a timer... but a precision, electrical timing instrument guaranteed to give you years of dependable service (they just never quit!). That's why ... \*\*

# IN YOUR DARKROOM TIME OLITE IS OF THE ESSENCE



\*TIME-O-LITE — Product of Industrial Timer Corporation, Newark, N.J. Available at better photo dealers

TIR	ME-0-	LITE'			
1432	McCARTER	HIGHWAY.	NEWARK.	N.	

Please send information on Time-O-Lite Electrical Timing Instruments . . . as well as Footswitches, Voltage Regulators and Printers.

Name				_
Address	- "	***	. 1-	_
City				

### 21/4 REFLEX

(Continued from page 53)

film is wound to the next exposure (page 52). Thus, the shortest standard lens fitted to it is a 60mm. A normal mirror also limits the wide-angle lens of the Optika to 70mm. The Kalimar, also with a regular mirror, does have a specially designed inverted telephoto wide-angle lens of 52mm, still not as wide as the Bronica allows.

Closely related to the mirror problem is the method of focusing. The available 21/4 single-lens reflexes differ radically in these mechanisms too. The Hasselblad and Kalimar feature rather traditional double helical mounts which are controlled through a knurled focusing ring around each lens mount itself. The range of focusing and the closest distance focused upon depends primarily upon the length of the threads. The length of the threads in turn depends to a great extent on mirror clearance. In the infinity position, with the lens at its closest distance to the mirror, the threads are recessed into the camera body, with the ends of the threaded tube also close to the mirror. The mirror. therefore, limits the effective length of the helical threads and thus limits the closeness to which the lens can focus. Although one lens for 35mm cameras, the Macro-Kilar, is capable of extreme close focusing because of a double set of double helical threads, such a construction would be too space-consuming on the Hasselblad camera. Consequently, the Hasselblad's normal 80mm lens focuses to 3 ft., the 60mm wideangle to 21 in., the 150mm to 5 ft., and the 250mm to 81/2 ft.

### Tube or bellows?

The Bronica has a distinctive focusing method. The mechanism, a telescoping tube fitted to the camera body, measures about 11/16 in. when fully extended. This allows the 50mm lens to focus to 12 in., the standard 75mm lens to 20 in. and the 135mm to 41/2 ft. This system however, has its limitations. The longer the focal length of the lens, the farther it must extend for close focusing. However, since the travel of the tube is the same no matter which lens is used, the close focusing distance of lenses longer than 135mm is limited. But for lenses above 135mm the Bronica reverts to a focusing mount directly on the lens itself and thus the 180mm f/2.5 focuses as close as 7 ft.

The Optika uses a different means to arrive at the same focusing ends as the Bronica. Instead of a focusing tube, the Optika has a bellows with a full 13%-in. draw. With the standard 105mm lens, this allows it to be focused to 28 in. There is no other method of focusing

when using lenses over 135mm but none is needed since the bellows draw is so long to begin with.

The remaining reflex, the Kalimar follows the Hasselblad style with a regular double helical focusing mount on each lens. The close focusing limits here are 2 ft. for the 52mm wide-angle. 3½ ft. for the standard 80mm lens and 5 ft. for the 135mm.

### Turn over a new leaf

A word should be said at this juncture concerning the truly distinctive feature of the Hasselblad 500C which distinguishes it from all other 2½ x 2½ single-lens reflexes—the leaf shutter.


While previous mechanical difficulties in designing a constantly reliable focalplane shutter for a 21/4 x 21/4 single-lens reflex have often been mentioned in line with the shift of Hasselblad to leaf shutter on the new 500C model, the actual practical gain for the photographer is in ease of synchronization. The leaf shutter can be synchronized for both flash or electronic flash at any speed up to 1/500 sec., while the problems of synchronization over 1/60 sec. with the focal-plane shutter are well known. The hazards of double or ghost images are a constant specter for photographers who use flash illumination.

The leaf shutter does provide the designer with some fascinating problems and the maker of the Hasselblad has solved them very cleverly. When the lenses are interchanged, an auxiliary two-piece metal focal-plane blind shields the film which would otherwise be fogged. This blind is synchronized to the shutter release and opens just before the leaf shutter operates. Incidentally, the blind also serves as a synchronized shutter for special applications in which the camera lens and shutters are removed and the camera body used alone. However, this additional blind plus the complications of activating the automatic diaphragm and shutter of each lens makes the possibility of incorporating in the future a rapid-return mirror and instant-reopening diaphragm a somewhat risky business.

### What goes on in back

Three of the 2½ x 2½ reflexes have interchangeable backs which allow you to change in mid-roll. The Optika uses an old system applied to a new camera. The back is purely an adaptation of the 2½ x 3½ film pack and roll film back which was widely used on folding film pack cameras prior to World War III. There is no interconnection between shutter wind and film wind. After winding the shutter of the camera, the film in the back must be wound separately.

(Continued on page 90)



none

cture ature dis 21/4 er. ılties -lens leaf the

any robsec. well host photion. de-

ems has the iary elds be

the the the ized

nich reone. the uto-

ratror

ave ou ses ra.


ick lm II. en

ndlm ly.









ach

the



















BURLEIGH BROOKS, INC.

420 Grand Avenue, Englewood, New Jersey CHICAGO · HOLLYWOOD · DALLAS · ATLANTA

Let 197 Masters from 23 Countries **Answer Your Every Question in** 

THE FOCAL **ENCYCLOPEDIA** of PHOTOGRAPHY

(1,500 diagrams-1,340 pages)

A complete photographic library in a single giant volume containing over 2,000 separate subjects covering the 14 broad areas of photography.

Amateur and professional alike will find this unusual reference work jampacked with the sum total of today's photographic knowledge - all explained in simple, everyday language. You'll find out how to shoot highspeed action, yet get the sharpest color images ever. How pros use fill-in flash and bounce lighting. The techniques and markets for nude photography . . . latest miniature camera tricks . . . microphotography . . industrial techniques . . . police photography - and literally thou-sands of other vital topics including selling your pictures, the law in photography, how to organize your own

Each subject is listed in alphabetical order and cross-indexed so that you are easily led to all related facts. Theory and technique are clearly explained with a wealth of charts, diagrams and actual working instructions. Even the most complex subjects become crystal clear - instantly!

### 14 BROAD AREAS:

\* The Photographic Process \* Equipment and Materials • Optics • Camera Management • Image Management • Camera Subjects • Processing and Chemistry • Printing, Enlarging & Finishing • Color Photography • Projection & Viewing • Applied Photography . Cinematography . Industry, Commerce & Organization

The Macmillan Company, Dept. M2, 60 Fifth Ave., New York 11, N. Y.

### MONEY-BACK GUARANTEE COUPON

The Macmillan Company, Dept. M2,60 Fifth Ave., New York 11, N. Y. Gentlemen:

I enclose \$6.95. Please rush The Name..... Focal Encyclopedia of Photog-raphy — Desk Edition, with the understanding that, if I am not completely satisfied, I may return it within 10 days for full and im-

	١																							
Address																								
City									z	o	n	e			5	ta	1							

Encyclopedia

of Photography

DESK EDITION

21/4 REFLEX

(Continued from page 88)

To remove the back, you slip a dark slide over the film within the back and slip the back off. If you forget to replace the slide, the film becomes fogged.

The Bronica and Hasselblad have much more ambitious mechanisms which automatically wind the film and shutter together. In addition, you cannot remove the film backs without replacing the slides. The interior gearing to accomplish this is, as you can imagine, plentiful. The Bronica makes provision for attaching the back of the camera whether the camera shutter or film back is wound to the next exposure or not. The Hasselblad provides a matching system of dots on cameras and backs which must be matched properly before backs are replaced. Both cameras are truly remarkable machines.

### Faster lenses? Yes, but . . .

How accurate must these 21/4 x 21/4 cameras be made in design and manufacture? Even though the 21/4 square film format does not require as great an enlargement to produce a good 8 x 10 print as does the 35mm double frame. sharpness and lens resolution equal to or better than 40 or 45 lines per millimeter are needed. This is just as tough a lens design problem as the 50 or better lines per millimeter desired in a good 35mm camera lens. In addition, for normal focal lengths of 75 or 80mm, the larger reflex camera lens has to cover a somewhat greater angle of view. This increase in good performance over a wider angle of view makes the lens design a good deal harder to achieve. It is thus unusual to find a maximum speed

### IN NEXT MONTH'S MODERN

More equipment appraised in "Modern Tests"; more posers in "Too Hot To Handle."

or more than f/2.8 in the normal focallength lens and about f/3.5 in the wideangle and telephoto. Faster lenses require acceptance of poorer sharpness, or more complex and costly design.

At 40-lines-per-millimeter sharpness and a lens speed of f/2.8 we get a working depth of focus of less than .005 in. All of the machining tolerances, the focusing drive backlash, and the adjustments of the ground glass, mirror, and lens mounting flange must add up to less than this total error if the camera is to stay in sharp focus during the lens or film-back interchanging, or the mirror

(Continued on page 94)



16 mm.-100' Roll ......3.60

PROCESSING ......80c per roll

KODACOLOR

COLOR LAB

### DUPLICATES 35 mm. to 35 mm. 1-10.....20¢ ea. mid. 11-20......15¢ ea. mtd. 51-100....12¢ ea. mtd. 21-50......13¢ ea. mtd. 101-500....11¢ ea. mtd. 501-up.....10¢ eq. mtd. Stereo Duplicates 1-10.....35¢ pair mtd. 11-20.....33¢ pair mtd. 41-100....30¢ pair mtd. 21-50.....32¢ pair mtd. 101-500....25¢ pair mtd. 501-up.....20¢ pair mtd. COLOR FILM REDUCTIONS FILM STRIP MASTERS Originals all 35 mm. Herizontal.....50¢ per frame Vertical mixed.....\$1.00 per frame 4x5 Originals..... Film Strip printing from master— \$1.00 per frame 35¢ per ft. w/50' Minimum

### 8 MM. & 16 MM. KODACHROME DUPLICATES

*16 mm. to 16 mm. *16 mm. to 8 mm. 8 mm. to 8 mm. *8 mm. to 16 mm. Minimum Order on 8 mm. & 16 *1 foot 16 mm. reduces *1 foot 8 mm. enlarges	11¢ per foot
--	--------------

### PRINTS FROM ANY POSITIVE COLOR TRANSPARENCY

			1		Any	6	Any	12
21/4	×	31/4\$	.20	eg.	\$ .18	ea.	\$ .15	eq.
31/6	×	4 1/6	.35	80.	.33	eq.	.30	ea.
4	×	5	.40	86.	.38	ea.	.35	eg.
5	×	7	.75	eq.	.73	ea.	.70	eg.
8	×	10	1.50	ea.	1.40	ea.	1.25	ea.
11	×	14	4.00	ea.	3.75	ea.	3.00	eq.
16	×	20	10.00	ec.	9.50	<b>e</b> a.	9.00	ea.
			_	_	_	_		_

### **KODACOLOR PRINTS**

From Kodacolor Negatives only
2 1/4 x 3 1/4 (from 35 mm. & 828 only)\$ .17 eq.
$3\frac{1}{2} \times 3\frac{1}{2}$ or $3\frac{1}{2} \times 5$ (square negs. printed sq.) .25 ea.
5 x 71.05 eq.
8 x 103.00 eg.
11 x 146.75 eq.
From Positive Transparencies only
21/4 x 31/4 (from 35 mm. & 828 only)\$ .30 eq.
31/2 x 31/2 or 31/2 x 5 (sq. trans. printed sq.)40 eq.
5 x 71.05 eq.
8 x 103.00 eg.
11 x 146.75 eq.
35 mm. Transparencies from 35 mm. ar
828 Kodacolor Negatives
35 mm. Transparencies from 127 Sq. or
2 1/4 x 2 1/4 Kodacoler Negatives

P.O. BOX 36617 DEPT. M. LOS ANGELES 36, CALIFORNIA

8 mm.- 25' Magazine \$1.20

8 mm.- 25' Roll ......1.50

16 mm.- 50' Magazine ..1.45

slide d slip ce the have

which nutter

move

g the

ccom-

lenti-

n for

mera

back

not.

ching

acks

efore

are

21/4

anu-

uare

reat

x 10

ame.

d to nilli-

ough

or

in a

, for

the

er a

This r a

de-

. It

eed

20000000

.....

eal-

de-

re-

ess

rk-

in. foistnd to

ra ns

or

HY



## PICTURES in a MOMENT

by JOHN WOLBARST

Inventors have been hard at work on ways to coat and protect Polaroid Land prints in the field.



The problem of coating and protecting newly coated Polaroid prints gets a bit sticky once you go out of the house and away from the convenience of being able to lay your

wet prints out to dry. Dust, wind, lack of space and a hundred other nuisances arise to threaten the safety of your beautiful photographs. I've had some very trying experiences when traveling with my trusty Polaroid.

Some gadgets have just appeared on the market which are designed to solve this particular problem. I submitted them to the Wolbarst scientific proving test—that is, I took them out and used them as directed.

(1) The PermaCoater; price, \$4.98. PermaCoater Corp., 9350 Wilshire Blvd., Beverly Hills, Calif.

This is a long thin plastic device that screws into the bottom tripod socket on the camera (photo 1). It's for coating only, and does not attempt to solve the problem of what to do with the wet prints.

As directed, I removed a Polaroid print coater from its glass tube, hung it in the clip of the PermaCoater and closed the lid to see how it would keep. The coater stayed juicy for several hours. Then it began to dry out. At the end of 48 hours an unused coater had dried enough so that, in my opinion, it




1. The PermaCoater. The Polaroid coater is inserted in the holder. Prints are drawn between the coater (which is pressed down) and the ridge below.

would be undesirable to try to coat with it.

I tried the device a number of times and found that it could be used as advertised. However, I was so awkward as to catch the edge of my sleeve on the end of the opened lid, thereby snapping off the very slender bit of plastic which serves as a hinge.

(2) The Print-Toter; price, \$1.98. Photo-Plastics Inc., 130-35 91st Ave., Richmond Hill, N. Y.

This is a neatly fashioned little opaque plastic box (photo 2) designed to provide a platform on which prints



2. The Print-Toter. You slide a print into grooves on the top of the box which hold it flat, coat it, and then insert it in a drying compartment.

may be coated and in which the wet ones may be stored. There is a holder on one side to carry the print coater tube, and a clip on the back for attaching it to your pocket. Inside, are two compartments. The small one is subdivided by edge guides into holders for two wet prints. After drying, prints are removed and put in the large compartment. The directions warn you not to remove prints until they are completely dry, but do not explain how to determine the dryness of the prints.

There are grooves on the top of the box to hold the print while coating. It is easy to coat a print, but unfortunately it is impossible to coat to the very edges, which I (and Polaroid Corp.) consider to be necessary for long print life.

There is a hinged lid which closes over the two compartments. I opened and closed this a number of times without any trouble. However, the box happened to get knocked off a bench and

(Continued on page 100)



### TELEPHOTO LENSES

210mm f6.3 Actingr 210mm f4.5 Actinar 210mm f4.5 Actinar Preset

coat

times as adkward

eve on anan-

olastic

\$1.98.

Ave.,

little signed

prints

print which sert it

e wet

nolder coater

or ate, are

one is olders

prints com-

u not com-

ow to

of the

ng. It

fortu-

o the

aroid

y for

closes

pened

with-

hap-

h and

RAPHY

nts.



### LENSES

**NORMAL Focal Length** 105mm f3.5 Luminant Preset 105mm f4.5 Doryt



### LONG TELEPHOTO LENSES

300mm f5.6 Tele Actingr 300mm f4.5 Actinar 400mm f5.6 Tele Actinar



### LENSES FOR PORTRAIT WORK

135mm f4.5 Actings 180mm f4.5 Actinar 180mm f4.5 Actinar Preset



For press, portrait, commercial, scientific photography or just plain everyday picture-taking nothing can match

the



### WIDE ANGLE LENSES

90mm fó.8 Schneider Angulon 90mm f3.5 Aetna Terragon



### MACRO LENSES

for close-up work 25mm f3.5 Aetna Macro Actinar

50mm f3.5 Aetna Macro Actinar

75mm f3.5 Aetna Macro Actinar

fabulous

The DISTINCTIVELY DIFFERENT TYPE OF SINGLE LENS REFLEX that allows limitless choice of negative material: Rollfilm, Cutfilm, Filmpack...Instantaneous changeover from color to black-and-white...It offers an amazing range of superbly corrected lenses in focal lengths from 25mm (extreme close-up!) to 400mm telephoto...Wide Angle, Copy, Macro Photography . . . Lensboard mounting assures quick interchangeability.

A great selection of Special Accessories continue to widen the scope of the OPTIKA... the camera that was DESIGNED FOR THE PROFESSIONAL BUT IS PRICED FOR THE AMATEUR ...

THIS COUPON WILL BRING YOU NEW ILLUSTRATED BROCHURE. full details & prices on OPTIKA IIa MAIL IT NOW!



350-DD West 31st Street New York 1, N.Y. CH. 4-1150

### TRADE-INS INVITED!

### SEYMOUR'S

350-DD WEST 31ST STREET, NEW YORK 1, N. Y.

- Please send complete details about the Optika IIa Single Lens Reflex, descriptive literature, and prices.
- □ I would like to trade equipment and have listed it on a separate sheet.
- ☐ I own an Optika. Please send accessory information.
- I would like to establish credit.

(Please hand print or type name and address)

Name..... 

City, Zone, State.....



When Nationwide does your photo finishing



We keep your camera loaded . . . FREE . . . you never have to buy another roll of film. You get fresh Kodak film, packaged by Eastman Kodak.

For every roll of color or black & white film you send us for processing, we mail you a fresh roll of Kodak film FREE with your developed prints.

### BLACK & WHITE Prices include developing, JUMBO size

		p	rir	ıt	S	,	p	k	15	8	F	R	E	Ì	F	I	Ų	М			
8	ехр	roll																			. 89c
																					\$1.09
16	exp	roll																			\$1.29
																					\$1.89
36	exp	roll,	3	5	n	n	m	1													\$2.69
	Repr	ints,	J	u	m	ıŁ	00	3	5	i	Z	8			 						6c
		7 Enl																			

### 35 mm KODACHROME

\*\*\*\*\*

EKTACHROME, ANSCOCHROME
Developed, Mounted, plus FREE FILM
20 exp roll \$3.25
36 exp roll \$4.65

### Jumbo reprints from slides ...... Wallet size reprints from slides ..... MOVIE FILM

KODACHROME
Prices include processing plus
FREE FILM

8	mm	roll,	25'									. \$3.89
8	mm	maga	azine									 .\$4.69

### KODACOLOR

Prices include developing, JUMBO prints, plus FREE FILM

																				ly . 19c	
20	exp	roll	(	J	u	n	ı	00	9	p	r	ir	ıt	S	)					.\$6.19	
																				.\$5.19	
																				.\$4.19	
C	exp	ron				٠			*											*******	

### 

from your Kodacolor negative or slide . . 98
MONEY BACK GUARANTEE

Send film to city nearest you. Important: Write Dept. H on envelope. Boston 3, Mass., P.O. Box 949 New York, N. Y., Canal St., P.O. Box 298 Washington 13, D. C., P.O. Box 2251 Atlanta, Ga., P.O. Box 597 New Orleans 11, La., P.O. Box 1740 Dallas, Tex., P.O. Box 6188 St. Louis, Mo., P.O. Box 7094 Cleveland 15, Ohio, P.O. Box 5351 Dayton 2, Ohio, Walnut St., P.O. Box 96 Detroit 31, Mich., P.O. Box 2085 Chicago, Ill., P.O. Box 6734 La Crosse, Wisc., P.O. Box 967 Minneapolis, Minn., P.O. Box 967 Denver 1, Colo., P.O. Box 1851 Seattle 2, Wash., P.O. Box 519 San Francisco 1, Calif., P.O. Box 455 Los Angeles 55, Calif., P.O. Box 55008

### **NATIONWIDE** Free Film

### 21/4 REFLEX

(Continued from page 90)

swing-away and return operation during exposure.

The 21/4 square single-lens reflex camera demands as great care in manufacture and adjustment as the fine 35mm. Film flatness all across the format must be maintained to much less than the .005-in. tolerance. To aid in this the Bronica has a spring-loaded bar which presses the film and pulls it taut. This bar is situated just outside the film aperture between two small guide rollers. It is actuated whenever the film drive is stopped. In the Hasselblad, great care is taken in the design of the film guide rollers, the takeup spool tension, and the spring-loaded platen behind the film in the aperture, to provide a tautness and flattening action. In these two cameras, with their interchangeable film chambers, the additional problem of locking-in and guiding the film back, so that the film position and distance from the lens flange are maintained to less than the .005 in. overall tolerance, is serious. Just as a reminder, the thickness of ordinary typing paper, or the paper on which this magazine is printed, is around .003 or .004 in. All of the various mechanical tolerances in the various parts of the camera must add up to no more than about this value.

### Bigger and costlier

From the foregoing, it should be plain why the features which we demand even in moderately priced 35mm reflexes—rapid-return mirrors, instant-reopening diaphragms, complete interchangeability of lenses—is so much more expensive in the 2½ x 2½ single-lens reflex. Whether the future will hold some much-needed simplifications is open to question.

Take the film itself, for instance. In 35mm, the film is metered through the camera by the sprocket wheel, which allows the same length to pass it for each exposure. In the 21/4 x 21/4 reflex using a roll film with paper backing there are no sprockets. The takeup spool must have a gearing mechanism to adjust the amount of film passed, so that the pictures will be equally spaced even though the amount of film rapidly increases on the takeup spool. While this mechanism itself isn't complicated-almost every 21/4 x 21/4 twin-lens reflex has it-it becomes a major headache when you add interchangeable backs and all the other automatic features.

The whole problem could be obviated by the introduction of 70mm sprocketed film in place of roll film. The entire camera could operate like a big 35mm: 20, 36 or up to 50 exposures would be possible on a single cartridge, since

there would be no paper backing to take up room. The changeover is definitely going to occur. But even though 70mm film is considered normal stuff for specialized technical cameras, no manufacturer of cameras for the amateur or professional still photographer wants to stick his neck out until the company making the film guarantees to supply it nationally in enough emulsions-and that includes color. Of course, processors must be set up to develop and print it as well. This will take time. But 70mm will simplify the 21/4 x 21/4 camera and, with the additional exposures, perhaps make interchangeable backs unnecessary. Both Bronica and Hasselblad are known to have 70mm backs in development. The 70mm may also serve to cut down the bulkiness of today's 21/4 x 21/4 cameras.

### It's all done with mirrors

Lastly, there's the problem of getting the 21/4 x 21/4 camera up to eye level. All are now designed as waist-level machines. None feels quite as handy at eye level. The Bronica and Hasselblad have magazines at the rear which would get in the way of an eye-level prism. A 45° all-glass prism, not strictly at eye level, is Hasselblad's answer to this problem. Another answer is the use of a mirror prism, which will weigh considerably less than a solid prism large enough to cover the 21/4 x 21/4 format. The new Porreflex prisms made by Nippon Kogaku for the Mamiya Professional C twin-lens reflex and Rolleiflex do not show as large a focusing image as the full-glass prism, but the price is a fraction of the latter's. The eyepiece is located at the side of the prism rather than in the middle and this might clear the interchangeable backs on the Bronica and Hasselblad.

### All the progress you want

Much of the future of the 2½ x 2½ reflex is, frankly, in your hands. The expensive units are as advanced as they are today because of the dedicated designers and manufacturers who believe in them, and the professionals and semi-professionals who rely on them. If and when the public returns the 2½ singlelens reflex to popularity alongside the 35mm camera, progress will really begin to race.—THE END




take and exand 0mm

tting evel. mat eye have l get 45° evel, lem. irror ably h to new ppon al C

may ss of

fracs lothan the nica


The they delieve emiand iglethe




21/4


egin













ROCHESTER INSTITUTE OF TECHNOLOGY



### SAN FRANCISCO PHOTOGRAPHY CENTER

Whatever the photo challenge, students at top schools across the country take home one darkroom ambition: OMEGA! They have learned that the OMEGA coordinated system of photographic enlarging enables them to do any conceivable enlarging function, never suffers from obsolescence! The extensive line of practical OMEGA accessories may be added to your enlarger as your knowledge advances and your interests grow. Your OMEGA never grows old! Most important of all...OMEGA is the finest enlarger made...camera-precision to match your camera's best effort! Whether you're an old hand, or setting up your first darkroom, you'll waste less...produce more... most easily...with OMEGA. No wonder everyone wants an OMEGA enlarger! Your local franchised OMEGA dealer will show you in seconds why it pays to own an OMEGA.



		Long Island City 1, N. 1
I have the following I am interested in:	g negative sizes:	
_Color printing _Variable contrast _Reductions _Negative Masking Attachment	-Giant Prints -Portrait and diffusion printing -Linear distortion correction -Microfile printing	Ektalith printing Copy photography Photomicrography Electron microscope printing
Name		
Address		SIMMO
City	State	57



Fully Guaranteed.

FREE!

ALL THE 8MM
EASTMAN KODAK
PLUS X BLACK & WHITE
FILM YOU NEED FOR
THE NEXT TWO YEARS!
Use as much film as you need,
You pay only usual price of \$1.75
per roll for the developing. Your
mailed back to you PLUS a new
mailed back to you PLUS a new
plus X Film 'ABSOLUTELY FREE!

w!	Í	7	USE	THIS	COUP	ON
		-				

SUPERIOR	BULK	FILM	COMPANY
442-46 N.	Wells C	hicago	10. III.

		a Universal	
_		of 8/8mm Enclosed is	Kodak

Address_		

City and State...
Please add 50c postage and handling
FREE CATALOG! Send me Superior's New
48 page Movie Maker Manual!

### the MOVIE MAKER

by MYRON A. MATZKIN

Here's an easy solution to those problem requests for stills from your movie scenes.



Showing the latest footage of the youngsters to members of the family is almost certain to bring requests for wallet size still photographs of some of the scenes. It's difficult to give an

outright "No" answer. And it's virtually impossible to explain that a snapshot version of a movie frame won't come near the quality of the screen image. In addition, you may find yourself with not just one but a whole raft of requests from various members of the family.

Don't panic—there's a comparatively easy way out that will probably make everyone happy. And you won't have to spend a lot of time and money to do it, either.

Try shooting stills directly from the screen. It's not difficult and it requires no specialized equipment. All that you need is a camera, fast film, tripod, and exposure meter. A cable release helps too, but is not an absolute necessity.

I've found that either a 35mm or  $2\frac{1}{4} \times 2\frac{1}{4}$  camera will do admirably for this work. It can be either a rangefinder or single-lens reflex type.

### Choose a fast film

There are several films you can choose from. Ansco Super Hypan (E.I. 500) is available in either 35mm cartridges or 120 rolls. Kodak Royal-X Pan (E.I. 1600 to 2400) can be readily purchased in 120 rolls or in 35mm bulk for loading your own cartridges. Agfa Isopan Record (E.I. 1200 to 1600) is available in both 35mm cartridges and 120 rolls. The speed of these films depends on how they are developed. For more information on developing, see John Wolbarst's story in the March 1961 MODERN (page 52).

I prefer an elevator tripod since it can be easily adjusted to the height of your projection screen.

Camera placement depends largely on projector-to-screen distance. However, I think you'll find that the best position for the camera is about onethird the distance from the projector depending on the focal length of your still camera lens. If you find that you must shoot too close to the screen a telephoto lens may help.

But for exact camera placement you'll have to project the film. Position the camera and tripod at the spot that best fills the negative area. In order to avoid distorting vertical and horizontal lines and at the same time not block the screen image, you'll have to find a compromise position which will probably be just a bit to one side of the projector-to-screen axis.

Once the camera is in place, take a meter reading from the projected image on the screen. (Incidentally, the single-frame feature on your machine isn't much good for this particular project since the heat filter which drops between film and lamp cuts too much of the light intensity.) Take your reading from a dark area.

### A judicious shutter speed

Choose an f-number that will allow a shutter speed of at least 1/25 sec. for scenes with virtually no action. For scenes with action, use a shutter speed of at least 1/50 sec. With fast action where there is a definite change from frame to frame, you need a speed fast enough to catch the individual frame before it leaves the screen and is replaced by another one. However, there's some slight chance of coming up with a blank negative occasionally. You may catch the point in the film transport through the projector where there is no image on the screen. At 1/25 sec. the chances of missing are less, since film projected at 16 fps is on the screen for 1/30 sec. But with a shutter speed of only 1/50 sec., you increase your chances of either missing the image completely or catching only part of it-the result being an underexposed still negative.

Now, switch on the light and stop the projector. Have someone hold a piece of string or a ruler in a vertical position flat against the center of the screen surface. Focus the camera on the string or ruler. Remove the focusing target. You're ready to start shooting. Turn out the lights, start the projector at the beginning of the film, and make your exposures.

The resulting negatives won't do at all for big enlargements. But reason-(Continued on page 112)

### **SAVE UP TO 35% DURING** BLACKHAWK'S BIG MARCH-APRIL 2" x 2" COLOR SLIDE SALE!

SALE PRICES ARE EFFECTIVE ON ORDERS RECEIVED BY BLACKHAWK THROUGH FRIDAY, MAY 5, 1961

Allow 12c per set for packing, postage and insurance.

ne-

our

7011 1 a

ent

sioot In nd me

ve

ch of

ke ed he ne

ar

ps ch

ur

w

or or

ed

m

st

ne er. ng y. m

At

is

a

n-

g

ly

le n

t-

r

BRADY PHOTOGRAPHS OF THE CIVIL WAR (No. 30, 24 slides), reg. \$3.49, on

Photographed from Lithographs
BATTLES OF THE CIVIL WAR (No. 34,
28 slides reg 35, 98, we said of
UNION GENERALS OF THE CIVIL WAR
(No. 69, 8 slides), reg, 31,49, on safe of
U. S. ARMY UNIFORMS FROM THE
REVOLUTION TO THE PANISHAMERICAN WAR (No. 123, 23 slides),
reg, 33,49, on safe of

.96 1.60 Jung E PERILS ALONG THE AMAZON (No. 189, 26 slides), rgs. 84.49, on sale at POISONOUS SNAKES OF THE UNITED STATES (No. 161, 8 slides), rgs. 81.49,

SNAKES OF NORTHEASTERN UNITED STATES (No. 174, 8 slides), reg. \$1.49 ON sole of TYPICAL SNAKES OF THE SOUTH (No. 159, 8 slides), reg. \$1.49, on sole of WILD ANIMALS OF THE AFRICAN PLAINS (No. 145, 8 slides), reg. \$1.49,



The Circus
CIRCUS TRAIN — LAST DAYS OF THE
BIG TOP (No. 74, 30 slides), reg. \$4.59, 3.60

Photographed from Lithographs CIRCUS, 1875 (No. 110, 13 slides), reg. \$1.98, on sele of

Circus Pestors of the 1890s and 1900s GOLDEN AGE OF THE CIRCUS (No. 204, 19 slides), reg. 32.98, on sale at ... 2.28 RINGLING BROS. — WORLD'S GREAT-EST SHOWS (No. 205, 18 slides), reg. 32.98, on sale at ... 2.16

Intermission Slides from
Michalouleon Buys

ADJUSTING PIROLUCE
TINUE IN FEW SIGULTER (No. 150, 10 slides), reg. \$2.96, on sale at ... \$1.00

COMING SUNDAY (No. 78, 20 slides), reg. \$2.96, on sale at ... \$2.00

TELL THE MANAGEMENT (No. 151, 14 slides), reg. \$2.96, on sale at ... \$2.00

NE MOMENT PLEASE (No. 76, 17 slides), reg. \$2.96, on sale at ... \$2.00

NE MOMENT PLEASE (No. 76, 17 slides), reg. \$2.56, on sale at ... \$2.00

Silves), reg. \$2.67, on sale at ... \$2.00

Silves), reg. \$2.67, on sale at ... \$2.00

Silves), coming attraction slides from the slides days of the movies, reg. \$3.98, on sale at ... \$3.00

Silves), coming attraction slides from the slides days of the movies, reg. \$3.98, on sale at ... \$3.00

Silves), so sale at ... \$3.00

Silves), so sale at ... \$3.00

Silves), coming attraction slides from the slides days of the movies, reg. \$3.98, on sale at ... \$3.00

Slides on Spectocolar Displays
THE NORTHERN LIGHTS (No. 158, 10
slided The NORTHERN LIGHTS (No. 158, 10
SUNSET: MOONRISE AND STORM (No. 202, 20 illes), reg. 32-39, on safe of . 2.40

104 EASTIN-PHELAN BLDG.

Reilroad Sides

ALONG THE OVERLAND ROUTE (No. 185, 20 slides), test 2,508 on tale at .5 2.40
ANTONITO TO SILVERTON ON THE
NARROW GAUGE (No. 176, 13 slides), erg. \$1.26, on tale at .6 1.56
NORTH VERNON, INDIANA (No. 148, 13 slides), erg. \$1.96, as tale at .1.56
THE CALIFORNIA ZEPHYR IN FEATHER REPORT OF THE CALIFORNIA ZEPHYR IN FEATHER REPORT OF THE CALIFORNIA ZEPHYR IN FEATHER REPORT OF THE CALIFORNIA ZEPHYR IN FEATHER ST. \$2.59 on tale at .2.40
CANDAINA NATIONAL STEAM LOCOMOTIVES (No. 169, 13 slides), reg. \$1.56
CAROLINA SELECT LINES (No. 42, 19
LIGES), reg. 2,2,96, on tale at .2.28 1.56



THE "CHALLENGERS" AND "BIG BOYS"

OF THE UNION PACIFIC (No. 235, 20 slides), reg. \$2.90, on sale at 20 slides), reg. \$2.9 3.96 2.40

THE RIGH SIERRAS FROM A CABOOSE (No. 123, 13 slides), reg. \$1.90, on sole state of the control o AND E. (No. 13, 10 sides), reg. \$1.49 to 14 feb. \$1.40 to 15 feb. \$1.40 to

NORWAY — MIDSUMMER SKETCHES
(No. 181, 40 slides), reg. \$5.96, on
PARIS ON THE SEINE (No. 8, 49 slides),
reg. \$6.96, on sale de
PICTURESQUE AND PROGRESSIVE
BY
PRAGUE — CITY BEHIND THE IRON
CURTAIN (No. 212, 30 slides), reg.
\$6.98, on sale de
\$1.09, on sale de 3.60



WEST GERMANY — BAVARIA AND THE ALPS (No. 208, 40 slides), reg. \$5,98, on saids of WEST GERMANY—THE BLACK FORES' AREA (No. 228, 20 slides), reg. \$2,98, on sale at West GERMANY — THE FAIR LANDS OF THE RHINE (No. 206, 20 slides), reg. \$2.98, on sale at

2.40 ALAS
1.56 A 



THE CABLE CARS OF SAN FRANCISCO (No. 57, 20 slides), reg. \$2.98, on COLORFUL AND QUAINT CENTRAL MEXICO (No. 197, 40 slides), reg. 55.98, on sale at DOWN THE WEST COAST OF MEXICO (No. 195, 39 slides), reg. 53.98, on sale

DOWN THE WEST COAST OF MEXICO
(No. 193, 39 slides), 192, 85.98, on sale

THE EVERGIADES OF FLORIDA (No. 221, 20 slides), 78, 23.98, on sale of.

PABULOUS FLORIDA (No. 14, 50 slides), 782, 56.98, on sale of.

THE GOLD COAST (No. 220, 30 slides), 782, 56.98, on sale of.

GEYSERS AND HOT SPRINGS OF STELL OF STE

sale at MODERN CAPITAL CITY (No. 196, 26 slides), reg. \$3.98, on sale 

PENNSYLVANIA DUTCH COUNTRY (No. 224, 20 slides), reg. \$2.98, on

(No. 224, 20 sides), reg. 52.96, os.
THE ST. LAWRENCE SEAWAY (No. 213, 26 sides), reg. 59.96, os. 2016 of SAN PRANCISCO AFTER DARK (No. 213, 244), reg. 59.96, os. 2016 of SAN PRANCISCO OF TER BANK (No. 244), reg. 59.96, os. 2016 of SAN PRANCISCO OF TESHERMAN'S WHARP (No. 104, 16 sides), reg. 52.99, os. 2016 of SAN PRANCISCO OF TISHERMAN'S WHARP (No. 104, 16 sides), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 105, 20 sides), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 106, 20 sides), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 105, 20 sides), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (No. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (NO. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (NO. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (NO. 250), reg. 52.99, os. 2016 of SIGHITSEEING IN SAN FRANCISCO (NO. 250), reg. 2016 of SIGHITSEEING IN SAN FRANCISCO (NO. 250), reg. 2016 of SIGHITSEEING IN SAN F PAIN — ITS SUNNY SLOPES AND SHORE OF SHARE OF SHARE OF SHORE OF SHORE OF SHORE OF SHORE OF SHORE OF SHARE OF SH

MONONGARIBAN (No. 237, 20 slides), reg. \$2.98, on non-design and the potomac (No. 29, 31 slides), reg. \$4.99, on sale at WILLIAMSBURG. COLONIAL CAPITAL (No. 199, 37 slides), reg. \$7.78, on sale \$1.00 pc. \$1.78, on sale

Blackhawk's big free newspaper-

issued every

Write today for your free copy of





The 2"x2" color slides listed here are only a fraction of the almost 600 exclusive 2"x2" color slide and 8mm. movie releases available from Blackhawk!


3.84

2.40

3.12

5.64

FOR TWICE THE FUN FROM YOUR PROJECTOR, WRITE TODAY FOR BLACKHAWK'S BIG FREE NEWSPAPER-SIZE CATALOGS



DAVENPORT, IOWA

3.12

Rolleicord AUTOCORD Vashica IKOFLEX

### MAGNIFYING HOOD \$2.95 PPD

FOR VIRTUALLY ALL TWIN LENS REFLEX CAMERAS
Twin magnifier makes possible accurate focusing and
composing of entire groundglass image with BOTH EVER
glass from glare. Savas vyestrals, halps accuracy, only
intentity removable and collegable, for Rolleis, Vashica, all others. pries delux Fieldies or Rolleis, Vashica, all others.
\$4.39

Lyc FIELD LENS \$2.49

A SERSATIONAL SPIRATOR



WITH CLEAR CENTERSPOT FOR EASY FOCUSING A flat thin Fresnel ring plate which fits over groundglass in your reflex camera, greatly increasing brilliance of viewing image, making the often almost invisibly dark corner image ten times brighter! No insulation—just drop fieldlen onto groundglass, Pestpaid. For Rollet, Graftez 22°, Ctroffez, Yashica, Minotta, all others

### 35MM ADAPTER TWINLENS REFLEX 40% of

Without installation, the Junior Minidapter enables you to use 35mm film in your 120 Rolleifles, Rolleicord, Cirofles, Yashica, Minolta, etc.—yet, you can change back to your regular size any time you with Minidapter comes complete with groundglass mask, car-sages, Sages, Minidapter comes continued to the complete with groundglass mask, car-sages, Sages, Sages, Chipper 150, Chiper 150, C

PARALLAX CLOSE-UP SETS \$ 95

CORRECTING Forest portraits and close-ups every time close-ups every time close-ups every time anteed to equal \$20.00 sets in performance, at set focuses from 32.00 grams, tangent of equal \$20.00 sets in performance, at set focuses from 32.00 grams, tanger ease, single 32.20 grams, tanger ease 43.00 grams, tanger ease, tanger ea

\*BAYONET COATED FILTERS or Rollei F:3.5, Minolta Autocerd, Yashica ea. \$2.19—3 for \$5.98\* Your choice of red green, yellow, 42A, 80B, 85C, Skylight, diffuser. \$2.4, 80B, 85C, Skylight, diffuser. \$2.98

BAYONET FLASH MOUNT 1.98 PPD Fits Roller 3.5, Autocord, Vashicamat, other bayonets.

COMBI. OFFER B-F: Flash Mount with BC Be with tester, standard cord, ext. outlet, \$5.55 Shipping Charge 35c

### PARALLAX-ADJUSTER FOR ALL TWINLENS

\$990cmpensales for difference between viewed and exposed images — works even with extreme closeup lenses!

All Haywest Heaunts, Filters, Shadea, Classup Sets for PLAMAR, XEDIOTAR available at Higher Cap.

FOR ROLLEIFLEX (arc. 2.8), ROLLEICORD, YASHICA, RICCH, AUTOCORD, INCIDIORS, WORKER COMPart adaptar-filterholders, topgrain purple with bayont adaptar-filterholders, topgrain

Complete with bayonst adapter-filterholders, topgrain case. Set consists of matched viewing & taking lenses. EllEPHOTO OR WIDEANCE SET "48" \$19.95

For 4 14 cameras, Set. 514.95 Femb Set (4 lenses) \$27.95

Ship. Charge each lens set 35, both uets 75c



Dellure Leather Coses \$185

Sensational new lens actually increases
the focal length of your camera lens four
times: changes a 50mm into 200mm, an
80mm into 320mm and so on. Wonderful
for Contrafter, Retina, Rollie icer. 2.8),
Yashica, Minolta etc. Fits Ser. V adapter
for Ser. V it ov Step-down ring. LifesizeFinder for 35mm or Potarold 34.55.
Sanjeaven ring \$1.80, Ship. Chge. 75e
saries V Maghars \$1.30, Okayare \$1,80).
Stappawar ring \$1.80, Ship. Chge. 75e

3X(area) TELE similar to 4X, \$21.90
WA—4X telephete, case, aux. wideangle, case, all for \$41.95

Save 50% off comp. list on COATED DECAMIRED FILTERS

DECAMIRED FILTER DIAL, instantly shows cor-rect filter for all color films, all light condi-tions — 58c, or FREE with DM filter order

DESEN SIXTICOLOR
TEMPERATURE
METER if bought

DATED

Equip your camera with the only complete sysing Sat 83, 8, 12

8 at 83, 9, 12

Examined

	-	Varming !	Casling	Beth Sets
	Series VI Series VII Series VIII Contaffex	\$4.98 5.49 9.49	\$4.98 5.49 9.49	\$8.26 9.98 16.50 29.50
Y	Screw-in Retina S-1	7.49	7.49	12.94

Shipping Charge per set 15c

### FOR THE DARK ROOM

ELECTRIC 2-SURFACE ALL METAL DUO-DRIER

1314x18

13½x18"

1598 ROLLER & 2

12x17" HEAVY DUTY
FERROTYPE PLATES
Yes, Spiratone does it again! A complete, ready-to-use, double surface dire of 2½x33½ prints, singleweight or doubleweight placys of dull finish — study costing several times as much, with adjustable apron tension. Works on AC or OC.

SELF-LOADING

DEVELOPING TANK ADJ. 78 Member 1 och of the control of the control

Stainless Steel Film Cligs, 4 for \$1.00 prints than \$1.00 prints t



3 for \$3.98

You'd expect to pay over \$2.00 each for these fine acid-pool trays which Spiratone offers you at less than half the usual cost. Sh. Wt. 5 lbs. 11" x 14" ENAMEL TRAYS \$2.50 each 3 for \$6.50 16" x 20" ENAMEL TRAYS (Suited for 14x17, smaller sizes

Suited for 14x17, smaller sizes 15 3,05 seb. 3 for 5,05 shpp. Wt. 5 flm., (3) 12 flm.

Spiratone priced at \$4.95 shp.

Spiratone priced at 12x5 shp. 12x5 sh

41/2 METER SAFELIGHT Screws into dropcord or outlet. With one filter, (specify red. green, orange, vari-152.49

ENLARGING LENSES

Six unusual values in brand new, coaled, color-corrected, anastigmed tensa, specially constructed to give corner to corner sharpness in enlarging—a prices half and less than those you'd expect to pay for such sharp-cutting lennes. Sh. Ch. 25c-2. 4 LOMER MAYE STANDAD LEICA TIMESAS, CLICKSTOPS 1" (25mm) F:3.5, for 11"

214" 135mm) 1998 ional, new illuminated diaphragm feature, add \$1.75 t large for easy fitting to lonsboard 51.25 Save 25% to 80% on Darkroom Aids

EMBOSSING SET, 4 sites, 10 3t/ 225. 1.86

STATIC BRUSH, emits radioactive rays.

STATIC BRUSH, emits radioactive rays.

Cleans lenses, sides, negatives, 4.95. 2.96

GIANT INFORMIT TRAY

SOLICEE HALAGING FOCUSER, 3.95. 1.36

SOLICEE FUNCHING FOCUSER, 3.95. 1.36

SOLICEE ROLLER, economy size as a size of the size of th

Save 50%	DELUXE PRINT TRIMMER MODE
1	An efficient paper cutter, with ruled \$3.96 hardwood board, hollow ground, hardened steel knife on spring. 14" Model
	Shpg. Wts. 5 lbs. & 7 lbs. with Steel Board: 10" \$4.85; 14" \$8.85
	ALA

ENLARGERS 29 Any Model Including Lens	. 1	21/6 28 28	2%x3%*
GLASSLESS CARRIER, for single negatives and rolls	-	<b>&gt;</b>	-
EXTRA CARRIERS AVAILABLE at \$3.50 each	none	35mm or Superslide	35mm, Super- p slide or 21/4 x 21/4
LENS, COATED, CLICKSTOPS	2" f:3.5 Illuminated Disphragm	3" 1:4.5	3½" f:4.5 Illuminated Diaphragm
12 x 16" BASEBOARD	10	. 10	~
DOUBLE CONDENSOR	2", incl.	4", incl.	4½" # 6.98 extra
RED FILTER	10	100	20
BELLOWS, RACK & PINION FOCUSING	10	100	800
LINE SWITCH	100	100	. 10
ALL METAL CONSTRUCTION	"	300	10
Shipping Weight	14 lbs.	22 lbs.	. 22 lbs.

1Subminiature (16mm) carrier with 1" lens \$9.95

CLOSEUPS ARE SIMPLE

JELUXE TOPY SIAND — Designed by us for use in conjunction with closeup lenses, extension 'tables, bellows attachments, to complete with a moderate investment, your closeup and copying equipment. Strong enough for a follariol, yet compact in storage (theopiece post) and equality well suited for copying, medical, scientific work and movie titling. Camera bracket permits cattering of camera over subject. 15x18\* basaboard is very practical for large originals. 15x4 diameter pole is 38\* hipping Weight 11 lbn.

7200 PRO GOPP OUTFILE — Stand, light \$1295

125.95

GOOSENECK LIGHT 2 units, with C-clamps, fit copy ATTACHMENT stand or enlarger pole \$6.95
2 SPECIAL REFLECTOR FLOODS, \$2.49 ADDITIONAL Shipping Weight 4 lbs.

ent \$4.95

-

¥ ...

Back

2

15.1

P. S.

1371 te for free telephote telephote at \$14.95 a

Belleva.

40" \$1.50 60"

RELEASES with models: 10 ft. \$4

П

PROXISCOPE SR.

Activols
An absolute must fer any kind of
An absolute must fer any kind of
Choseup and copy work. Doubles
up as perfect elevating attachment, with both irpod and comcraftitings for horizontal as well
as vertical fastings of camera.

Shipping Charge 50e.

A deluxe version of the mesuseful camera accessory for every practical photographer.
 Permits minute

### **CLOSEUP** (Portrait) and **EXTREME CLOSEUP LENSES**

bring within EVERY pholographer's reach subjects which would-be too small if pholographed at the regular 3 ft. closest camera setting. Head and shoulder portraits, children's pictures, copy work—a whole mew field of picture taking.
With extreme closeup lenses, you can get as close as 8 with a Plus 10. You can use two extreme closeup lenses, with a Plus 6. 3/2 with a Plus 10. You can use two extreme closeup lenses, with a double retaining ring, for even more extreme closeup, with a Plus 5 lens, you can fill the complete 35mm frame when reproducing a postcard- a Plus 10 is just right for insects, stamps and coins. Extreme Closeup lenses make macropholography possible with a tiny investment, all exc. Plus 10 is just Plus 1 (ctd.) (1b 20") . 31.54 5.194 5.244 3.34 Plus 2 (ctd.) (1b 20") . 31.54 5.194 5.244 3.34 Plus 2 (ctd.) (1b 20") . 31.54 5.194 5.244 3.34 Plus 2 (ctd.) (1b 10") . 1.54 1.94 2.44 3.34 Plus 3 (ctd.) (1b 10") . 1.54 1.94 2.44 3.34 Plus 5 (ctd.) (1b 10") . 1.55 1.94 5.24 5.35 9.85 9.85 1.50 Double Retaining Ring . 85 85 95 1.50 Dou Plus 10 (cts.) (to 3/2 )...
Double Retaining Ring
(Cathornalication) holds
6 filters, closeup lenses...
If bought with \$5.00 worth
filters, closeup lenses... 1.00.... 1.00.... 1.25.... 1.50

6-PC. EXTENSION TUBE SET FOR EXAMA, TOPCON. Set contains two precision-fitted brass adapters and
formation of the set of t

4-PC. EXTENSION TUBE SET

Truge seam channe, sentence and seat includes in addition to the usual Snm, ISmm and 30mm tubes a Snm tube, thus permitting up to 2x magnification, when the complete set is used: a tiny object. If x 4 x 4 x 5 m to be made to fill the entire 35mm negative or transparency! Skipping Charge SSc. Leather Pouch 99c. 4 P.C., set, but with one Februsher Truge, lases a \$10.00 39.95

Sound pretty fantastic? If you have a fully interchangeable lens SIR camera—such as the Exaka, Practica, Pentax — all you need is a bellows unit or ext. tubes, and a standard filterholder ludapper? which accepts MINUS LERSS. As at el 3 i Minus Lenses adds six different lucal lengths to every life and the second lumber of t

Make Your 135mm Stratute MINUS LENSES
Lens into a 294mm Par Par Leather
for about \$2.00 Str. VI 475 5251 Per Per Leath 3 4 cast 5er. VI 4.75 6.25 .50 Ser. VII 6.50 8.55 .50





POL-100 STATE OF THE POLY OF T

SPIRATONE Dept.M4 369 7th AVE NEW YORK 1.

VALUE

98

190 1,95

S be ig.

free beeklet "Centaffex Accesseries" (from \$12.28) and many other acc

1

If you own a CONTAFLEX, ing telegates and wideas

ADAPT VOUR PRESENT FLASHBOUR FOR ANGEL SENDENCES.

ANGEL WIN. PRINCIPLE P. C. LO. 50. 98c.

WIN. 24 AS BASE \$1.0. 50. C. 10. 50. 50.

SPRATONE NEWS & VIEWS — a new bi-menthy of consisting two protects, transf, strict and idea, Sand pestage, and handling years "subscription" or sat for TREE, the TREE is the with your order of \$10.00 or more, assuing your caneer, in

SCREW-IN LENSCAP
lens. Comp. List Prices \$1.50 to \$3.28.
W. 10 Adapter fing. Specify serries.
In your order for \$3.59.
Ith or more, marchandise.

Protects your list 25c with 70

ES

RAPHY



Look—all the fire features of good pocket tripod, plus vital "Imporee" paged pocket frame and the fire features of the feature



Outfit EL-8FC

\$9.47

Sansational new Bide Deplicater fits. Series VI adapter ring (use stepup ring, if your character fits. Series VI adapter ring (use stepup ring, if your character states of VI, requires no focusing, no composing—just insert side and expose on color film of your choicel DUPLICATIONS. Model II, for Lakes, Cason, Exakts, Praktics, Pertacos, Color of the Composite Series of the Composite Seri



WITH LIFETIME SERVICE GUARANTEE LENSES.

Hardcoated, caperby color-corrected; do not affect exposure or fone opening; require no installation — fit into Series adapter (filterholder) — interchangeable with other adapters, so one loss can be used on many cameras. Spiratone Telephoto insense bring distant elajects closes; help fill outtre negative or slide with important subject matter, crop out unwanted background. Spiratone Widesangle issues add coverage in cramped quarters, are weaderful for groups, fund-scapes. They increase depth-of-field, too, for foreground-to-infinity sharpness.

CAMERAS SERIES V ADAPTERS \$1188

Aux. Telephoto or Wideangle lens, filts
Ser, V adapter
Lisurieus tippered long-rain leather case
Series V adapter
1,88
V-TWCR

Series V edapter

1.56 II V-IWCR

DR ALL MODELS RETINA, OLYMPUS, AIRES, RICON, PETRI, MINOLTA, BEAUTY, AGPA, ONICA, PULICA-TARON, VOIGTANDER, ANSCO, WALZ, etc. using Ser. VI adepter

Am. Telephote or Wideangle fens,
fits Ser. VI adepter

Series VI adepter

1.58 Series V

1:1 LIPE SIZE TELEPHOTO
WIDEAMGLE PINDER
Matched to your telephoto
and wideangle lease, with
parallax correction. \$4.56 (If bought at same time as aux. lenses) Shipping Charge for one lens 25c; for set 75c

\$22.44

SPIRATONE SLASHES FILTER
COSTS IN HALF!

COATED FILTERS IN
SERIES SIZES
to fit standard filterholders
For B & W: Lt. Yel., Med.
Yel., Green, Red, Orange, Haze.
For Anscochrome, Super Anscochrome Baylight: UV-15,
UV-16, 82A, 80A, No. 10, 81A.
For Kodachrome, Type A: 85(A),
85B, 82C, 81A, UV-15.
For CLOSEUPS: +1, +2, +3.
NEUTRAL DENSITY: 2X, 4X.
For KOD BACH RO ME, EKTACHROME BAYLIGHT: HAZE, SKYIIGHT (1A), 82A, 80B, 81B, 81A,
80C.
For ANSCOCHROME, KODACHROME, EKTACHROME TYPE
F: 85C, 82A, 82C, 82B.
Coated Uncoated
Ser. IV \$1.54 Ser. IV \$1.58
Ser. VI \$1.54 Ser. V \$1.38
Ser. VI \$2.44 Ser. V \$1.38
Ser. VII \$3.34 Ser. VII \$2.98
Ser. VIII \$5.90
Sh; Chg. 1 to 4 filters 15c OTHER FILTERS OTHER FILTERS
IN SERIES SIZES
Avail. unctd. only
Neutral Density 8X,
10X, Haze 2A, 81,
810, Flash 1D, UV-17,
Infra-Red.

Clip here for this SPECIAL OFFER

Buy at least five filters and class-up lenses at one time and we will supply COATED filters (in colors listed) at uncoat-ed prices, saving you \$5.00 and up on this order alone.



差

### HIGHEST QUALITY OPTICAL GLASS

eff comparable list POLARIZING FILTERS & SCREENS with Spiratone For all Golor and black Save 33% to 50%

For all Color and black and white film. Eliminate glare and reflections in scenery, water, show-windows ... emphasizes clouds, the ONLY sky filter usable with Kodachrome, Anscochrome, Ektachrome. Polarizing Screens have double threaded rings to allow use of extra filter or closeup lens, handle for convenient adjustment of maximum polarizing screen Skipping Charpe 15c Polarizing Screen Leather Screen with Viewer, Pouch \$3.75 \$5.99 49 \$3.75 \$5.99 49 \$3.75 \$5.99 49 \$3.75 \$5.99 49 \$3.75 \$5.99 49 \$3.75 \$5.99 49 \$3.75 \$5.99 49 \$3.75 \$5.99 \$4.75 \$7.99 \$6.77 \$5.99 \$6.77 \$7.99 \$6.77 \$7.99 \$6.77 \$7.99 \$6.77 \$7.99 \$6.77 \$7.99 \$6.77 \$7.99 \$6.77 \$7.99 \$6.77 \$7.99 \$6.77 \$7.99 \$6.77 \$7.99 \$6.77 \$7.99 \$7.79 \$7.79

Polarizing Screen \$3.75 \$3.75 \$4.75 \$5.75 Pelarizing Filter \$1.54 \$1.94 \$2.44 \$3.34 SER. IV SER. V SER. VI SER. VII



GENUINE FILTERBANK FILTERS ANGLE AVAILAble in Ser. IV (\$1.00), Ser. VI (\$1.25), Ser. VII (\$1.50). Ser. VII (\$1.50). Ger. VII (\$1.50). Ger. VII (\$1.50). Ger. VII (\$1.50). Ger. VIII (\$1. NOTE: All series accessories fit series filterhelders. If you do not have a filterhelder, write, amming camera and less. Ser. V \$1.30, Ser. V | \$1.35, VII \$3.95, VII \$3.9 DOUBLE RETAINING RING
Permits use of two closeup
lenses (for extreme closeups: +2 and +3 make +5),
closeup lens and filter (correction, conversion, pola),
two filters, two minus
lenses, at same time. Fits
standard filterholders.
Ser. C er IV 85c; Ser. V 85c;
Ser. V 185c; Ser. V 151.50;
Ser. V 181.50.

..... 1.85 STEP-DOWN RINGS: Ser. VI to V ..... Ser. VII to VI . Ser. VIII to VII

SALE SQUARE LENSSHADES Finest quality, fit standard filterholders. Locking Flange for orienting. Comp. List \$3.50 to 6.25. Sh. Ch. 10c SERIES V \$1.75 - SERIES VI \$2.25 - SERIES VII \$3.25



A MUST FOR DUTO type DIFFUSERS aliable in standard series sizes, to fit all filter holders Every photographer wants to use these famous coated diffusion electred by the world's foremost pictorial photographer her thai hots, Ser. IV \$1.54; Ser. V \$1.54; Ser. VI \$2.54; Ser. VI \$2.54

### MONOCULARS MAKE LONG TELEPHO

ON SINGLE and TWINLENS REFLEX CAMERAS for small budgets

70'5	Mon	ocular   Resulting		Monocular		x 30 tocular
35mm Contaflex, others	Price	Fecal Leagth	Price	Facal	Price	Resulting Focal
using ser. V adapter	213.90	300mm	\$16.90	350mm	617.00	Longib
Smm Retine Reflex	\$14.90	900	1	- COMMIN	\$17.30	400mm
except f:1.9), others ising Ser. VI adapter	#17.0g	300mm	\$17.90	350mm	\$18.90	400mm
x 4 Twinlens Reflex amera, using Ser. V	\$13.00	200	210.00			
dapter	710.00	360mm	\$16.90	420mm	\$17.90	480mm
4" sq. Twinlens	C12.00	APO				
rflex camera, using	+13.30	450mm	\$16.90	525mm	\$17.90	600mm
Cost of Adapter : S.	evies V e	1000				
Cost of Adapter: S		Lou (bayo	met \$1.65,	Series V	81.95	

# Sh. Ch. 600 \$6,95 Extra Large Model: 20.46" working space. Sh. Ch. 600 \$8,95

CHANGING BAG

135mF:2.8 PRESET \$29.95 For EXAKTA, PRAKTIFLEX, PRACTICA. PENTAX, PENTACON, MIRANDA

Impossible! Too good to be True! We heard and read this often from customers who saw this often—whoever heard of a goed 15mm 12.8 kms for under \$3.0° who, there years after the commanded these lensared to the control of the third the commanded these lensared to the control of friends, with flowrable magazine text processed to the control of friends, with flowrable magazine text from the control of friends, with flowrable magazine text for the control of friends, with flowrable magazine text for the control of friends, with flowrable magazine text for the control of friends and friends, with flowrable magazine text for the four flowrable magazine text for the four flowrable magazine text for the flowrable magazine text for the four flowrable magazine text flowrable flowrable magazine text flowrable flowrable magazine text flowrable mag

Series VII (Hurheider SLRS. Shape, Chge. 75c

OINTER UNUSUAL UENS VAUUS

All courod, color-corrected

Samm 1.5.5 re-set Wideaugh for Exakta, Exa, Praction,
Praktifus, Pestaces

Slamm (2.5 pre-set Wideaugh for Exakta, Exa, Praction,
Praktifus, Pestaces

Slamm (2.5 pre-set Wideaugh for Exakta, Exa, Praction,
Praktifus, Pestaces

Slamm (2.5 pre-set Wideaugh for Exakta, Exa, Praction,
Praktifus, Vashice Pestamatic, Praktion

Slamm (2.5 pre-set Wideaugh for Exakta, Praction,
Praktifus, Vashice Pestamatic, Praktion

Slamm (2.5 pre-section)

Slamm (2.5 pre-section)

Slamm (2.5 pre-set Wideaugh for Exakta, Praction,
Praktifus, Praktion,
Praktifus, Praktion,

Slamm (2.5 pre-set Wideaugh for Exakta, Exa, Praction,

Slamm (2.5 pre-set Wideaugh for Exakta, Exakta, Exa, Praction,

Slamm (2.5 pre-set Wideaugh for Exakta, Ex

m 13.5 \$5995 400mm \$3995 400mm 14.0 \$5495 Shipping Charge \$1.00 per lens

Top Drawer GRAIN Gadget Bags



TOP DRAWER D 16.99 BAF

Shockproof AIRFDAM LINING, protects your valuable equipment — order models "Af" (abave).

Open up 'top d'rawer' only, when you need small accessories — no need to waste valuable time number of the control of the cont

correnience.

Three roomy sizes, for amsteur and professional, for all models movie, 35mm, twinless, press and Poleriold, are priced at a third of what you'd expect to pay for such bags.

Shpg. Wts. 8, 6, 7 lbs.

Save 50% of comp.
list on the meter
that has "everything"!
PHOTO ELECTRIC

Super Sensitive photocell reads reflected and incifederacid. Ivis. Eris. Add. range from 3 to 3200.

\*\*Stop range from 1 to 32, shotter speed range
from 1/1000 to 16 seconds. Sh. Ch. 35-0 error by to 15

Extra Sensitive booster with incident
attachment, for poor light \$775

readings, list \$3.50, only

\*\*Top r

SLIDE TRAYS in CARRY CASE
Extra-strong, plastic trays, hold cardinard and
glass sides intarmized, with index.
30 CAPACITY TRAYS, for TDC\_B&H,
Viewlex, Keystone, Anaco, Samyer
12 for \$5.48 Since US Since S glass stides intermixed, with index.
30 CAPACITY TRAYS, for TDC\_BRH,
Viewlex, Keystone, Ansoc, Sewayer
12 for \$5.48 incl. carry case
36 CAPACITY TRAYS for REVENE \$53, 555, 552,
12 for \$8.93 incl. carry case WOLSHREAK \$15
Shpg. Wt. 6 lbs.

SPIRATONE

369 7th AVENUE, NEW YORK 1, N. Y.

INC 135 06 NORTHERN BIVD DEPT M4

### CO.

FILM

**FACTORY FRESH** COLOR AND B&W FILM

- FILM	PRICEPER 3 ROLLS	PRICEPER 6 ROLLS	PRICEPER 10 ROLLS
KODACHROME 35	-20 Exp. 4.00	7.50	12.00
EKTACHROME 35	-36 Exp. 5.50	10.50	16.50
New, High Speed 35-	-20 Exp. 5.40	10.25	16.00
EKTACHROME J35	36 Exp. 8.40	16.00	25.00
	-20 Exp. 4.50 -36 Exp. 6.30	8.50 12.00	14.50 19.00
KODACOLOR 35-20 Exp. 35-36 Exp.	3.85 5.55	7.20 10.20	11.00 16.00
EASTMAN 35mm COLOR 35mm	20 Exp. 2.75 36 Exp. 4.25	5.10 8.10	7.50 12.50
PANATOMIC-X 35mm PLUS-X 35mm 36 Ex TRI-X 28 ft. Bulk		1.85 2.40 7.50	2.85 3.75 12.00
KODACHROME 8mm 25' Dble. Ro 8mm 25' Dble. Ma 8mm 100' Dble 16mm 100' Dble	ag. 8.95 Bolex 19.50	11.00 17.40 38.10 35.40	17.50 28.00 62.50 57.50
High-speed EKTACHI 8mm 25' Dble. Ro 8mm 25' Dble. Ma 16mm 100' Dble 8mm 100' Dble	olis 11.90 ag. 14.90 e. Rolis 40.00	23.40 29.40 78.00 84.00	37.50 48.00 125.00 135.00
B&W MOVIE Smm	. Rolls 5.25	9.90	15.50
Reversal Dble	. Mag. 7.65 m 100'	14.70	23.50
TRIX Rolls		25.50	41.00
	. 100' 17.25	33.60	51.00

ADD 5¢ per roll on film for postage and hand ADD 10¢ for 16mm film for postage and hand Prices subject to change with Mail Orders Promptly Filled. Nó COD's.

FILM COMPANY West 47 Street, New York 36, N. Y.

### **BOTH Answers With** SPOT-O-MATIC II



You need not one but TWO answers in exposing enlargements. You must know the proper exposure. And you must know which grade of paper to use\*. One answer is as hard to guess as the other.

Whether you spend \$16.00, \$18.50, or \$700.00, the photo-electric Spot-O-Matic II Enlarging Meter is the ONLY instrument that gives you BOTH answers automatically

Completely photo-electric . . . not visual. A photo-sensitive cell operates a signal light.

Only Spot-O-Matic II is completely calibrated. Other low priced devices are completely uncalibrated. Spot-O-Matic II has a completely sealed photo-conductive cell. Other low priced devices have photo-conductive surfaces completely exposed to dust and dampness.

Spot-O-Matic II does the EASY way what high cost devices do the HARD WAY! Electronic engineers tell us that Spot-O-Matic II actually out-performs devices selling for up to \$700.00.

\* Or which filter for variable contrast papers

KINNARD CO. 703 W North Ave Iwaukee 8. Wis

FULL ONE-YEAR GUARANTEE \$18 50 COMPLETE

> 100-130 volts AC-DC 200-260 Volt Model Available

### **PICTURES IN A MOMENT**

(Continued from page 92)

fell to the ground, thereby breaking one of the little plastic hinges.

I exposed, developed and coated two prints and inserted them in the drying compartments. The first one stuck to the box, and the second one stuck to the first, permanently.

(3) The Protek Polaroid Print Holder; price, \$1.35. Bar Products Co., 4803 White Oak Ave., Rockford, Ill.

This also is designed to provide a platform for coating and a safe storage place for wet prints. The box is made of semi-flexible but tough transparent yellow plastic. It is wide open at the top and has a big cutout at the bottom. There are four wide-spaced grooves inside to hold the prints. All this adds up to good ventilation, which promotes rapid drying.

According to the instructions it is possible to put a pair of wet prints, back to back, in each set of grooves. I found that there was an element of risk in this. I had two prints stick face to face, so I would not recommend inserting wet prints back to back in adjoining compartments. However, with



3. The Protek Holder. Primarily a storage and carrying device, it also can be laid flat and serves as a platform for print coating.

only four prints, each in its own grooves, the surfaces were widely separated and quite safe.

The print coating platform is a bit smaller than the prints. This helps to avoid getting it smeared with coating liquid. It also permits coating to the very edges of the print, which is desirable. Oddly enough, the coated edges did not stick solidly to the grooves, although some stuck lightly.

The Protek holder is an ideal place to store uncoated prints for a few minutes until ready to coat. For this purpose you can insert eight prints back to back without danger. It's a very useful gadget, worth having.-THE END

### **HOORAY** FOR OZZIE!



Everyone's shouting about the new Ozzie Sweet book. You will be too as soon as you get your copy of

### MY CAMERA PAYS OFF

by Ozzie Sweet

You don't have to look far to see one of Ozzie Sweet's photographs. Just pause for a moment before any newsstand and chances are there will be more than one of his covers in view. To date Sweet has sold over 1200 covers to national magazines!

magazines!

How does a free lance photographer achieve such success? What methods does he use to relax his subjects, to impress and sell editors? How does he make over \$5,000 from one shot? Here you will find the thinking, experience, and execution which goes into the making of saleable photographs. There have been a number of books to help amateur and professional sell their pictures, but none have offered the approach presented by My Camera Pays Off. It details the why, when, and wherefore of pictorial illustration—from concept to publication.

You will find this book enjoyable to read for

tion—from concept to publication.
You will find this book enjoyable to read, for world famous Ozzie Sweet tells about his experiences in anecdotal form—how he chooses the proper type of illustration, and what he does to follow it thru to publication. You will find it profitable for the many ideas it can give you in selling your own work. Over 200 photos. Edited by Ed Manigan, editor, U. S. Camera Magazine.



Please rush me a copy of Ozzie Sweet's My Camera Pays Off, for which I enclose \$4,95. (N.Y.C. Sales Tax 3%) If not delighted, I may return the book within ten days for full refund.

	e Print Clearly)
Address	
City	Zone State

( ) Send C.O.D. and I will pay \$4.75 plus postage on delivery. Same return-for-refund guarantee, of course.

U. S. Color Photo offers you:

### LOW, LOW PRICES

You can now save more than ever before and still enjoy the highest quality photo finishing from the largest independent color photo processor in the world. We invite price comparisons.

### on highest quality

U. S. Color Photo has plants from coast-to-coast and satisfied customers in all fifty states and most foreign countries. Your film is developed by skilled craftsmen on the most up-to-date electronic equipment.

### PHOTO FINISHING

\* All work is Guaranteed. If you are not completely satisfied, your money is promptly refunded.

\* Fast Service. Your photos are delivered by mail to your door. We pay return postage.

### KODACHROME • EKTACHROME • ANSCOCHROME

35 mm, 20 Exp. **98**C 35 mm, 36 Exp. \$1.65 120 620 127 98C

### **COLOR PRINTS from transparencies**

Kodachrome, Ektachrome, Anscochrome . . . Printed on new Kodak Ektachrome paper.

JUMBO prints...... 250

WALLET SIZE prints ..... 199

### **5 x 7 COLOR ENLARGEMENTS**

from your favorite KODACOLOR negative or TRANSPARENCY..

### **KODACOLOR Developing and Printing**

### SAVE MONEY ON FIL

with processing included! Kodachrome ... Anscochrome ... Ektachrome

w. sell only fresh Kodak film, packaged by Eastman Kodak. All processing is guaranteed by U. S. Color Photo, Add Sc per roll for postage and mailing, 10c per roll for movie film.

FILM	10 or more rolls	4-9 rolls	1.3 rolls
35 mm, 20 exp	\$2.25 ea	\$2.35 ea	\$2.40 ea.
35 mm, 36 exp	3.50	3.65	_3.75
8 mm, 25' roll	2.75	_ 2.85	3.00
8 mm, magazine_	3.75	_3.85	_ 3.95
16 mm, 100' roll	8.00	8.25	_ 8.50

### MOVIE PROCESSING KODACHROME

8 mm roll, 25'...... 98c 8 mm magazine, 25'.. 75c 16 mm roll, 100'... \$2.25 16 mm roll, 50'.... \$1.25 16 mm magazine, 50'.. 98c

### **KODACOLOR Reprints**

JUMBO Size...... 19c
WALLET Size...... 15c
(from 35mm only)

### BLACK and WHITE Developing and Printing

### U.S. Color Photo Plants from Coast-to-Coast to Serve you Better

Send film to city nearest you for faster service . . . Enclose cash, check or money order . . . Minimum Order \$1.00

### IMPORTANT: Write Dept. H on envelope

Boston, Mass., P.O. Box 774 New York, N.Y., Canal St. P.O. Box 42 Washington, D.C., P.O. Box 1001 Cleveland, Ohio, P.O. Box 5190 Dayton 2, Ohio, Walnut St. P.O. Box 127 Detroit 31, Mich., P.O. Box 704 Chicago, III., P.O. Box 8413 La Crosse, Wis., P.O. Box 199 Minneapolis, Minn., P.O. Box 926 St. Louis, Mo., P.O. Box 7090 Atlanta, Ga., P.O. Box 230 New Orleans, La., P.O. Box 1466 Dallas, Tex., P.O. Box 5622 San Antonio, Tex., P.O. Box 91 Denver, Colo., P.O. Box 1231 Seattle, Wash., P.O. Box 2004 San Francisco, Calif., P.O. Box 447 Los Angeles, Calif., P.O. Box 5891

**APRIL 1962 EXPIRATION DATE** ALL FILMS ARE FACTORY FRESH .

COAST-TO-COAST FILM SERVICE! DEPENDABLE

10-ROLLS

20 exp. | 36 exp.

11.95 23.00 35.00

Licensed by Kodak 

-HOUR LAB SERVICE ON KODACHROME



### 35mm KODACHROM

3-ROLLS

20 exp. | 36 exp.

WITH PROCESSING INCLUDED . DAYLIGHT OR TYPE F

7.50

ALL FILMS MOUNTED KODACHROME

(Same prices apply for Ektachrome and Anscochrome)

SUPER

ANSCOCHROME **STEREO KODACHROME** 

8.00 | 12.75 | 25.50 | 40.00

15 pairs | 28 pairs | 15 pairs | 28 pairs 9.00 |15.00 |27.00 |45.00

· Please include 5¢ postage per roll

LOAD YOUR OWN AND SAVE!

KODACHROME OR ANSCOCHROME

35mm Bulk COLOR FILM

### WITH PROCESSING INCLUDED

28 Ft. [To make (8)-20 exp. or (5)-36 exp.]...... 16.95 50 Ft. [To make (16)-20 exp. or (10)-36 exp.]...... 32.00 100 Ft. | To make (32)-20 exp. or (20)-36 exp. | 60.00



BULK LOADER

FREE! MAILING BAGS AND EMPTY 35mm CARTRIDGES. Specify your preference for 20 exposures or 36 exposures.



Take your **COLOR** shots



Mail your film to Lord



Receive your film at home

Please send check or money order with films. Please do not

Minimum order: \$1. Sorry, no C.O.D.'s.

Please include postage, excess refunded.

### KODACHROME MOVIE FILM

With Processing Included!

DAY. OR TYPE A 3-ROLLS 10-ROLLS 8mm ROLL 25' Dbl. 8.95 28.00 16mm ROLL 100' 25.00 81.00 8mm ROLL 100' 28.50 89.00 8mm Mag. 25' Dbl. 12.00 38.00 16mm Mag. 50'.....18.00 58.00 16mm Anscechreme 26.25 85.00 16mm Super Anscochrome 100' Reli 29.00 94

• Please include 5e postage per roll 95.00

LOAD YOUR OWN AND SAVE!

Marie Committee Committee

### KODACHROME **Bulk MOVIE FILM**

With Processing Included!

8mm x 100'...... 9.95 Plus 4-empty daylight spools and cans (or on 100' day, spool for Bolex H8) 8mm x 400'......39.00 Plus 16-empty 8mm daylight spools & cans (or 4 empty 100' day, spools for Bolex H8) 16mm x 400'...... 32.00 Plus 4-empty 16mm x 100' day, speels & cans

ALL FILMS ARE FROM ORIGINAL SEALED FACTORY FRESH BULK

### WRITE FOR FREE MAILING BAGS AND PRICE LIST

BY POPULAR DEMANDS



PROCESSING INCLUDED

Ideal for shooting under difficult light conditions! 8mm x 25' Dbl.

3-Rolls . . . 7.75 3-Mags . . . 9.00

100' for Bolex ea. 9.00 Also available in Kodak PLUS-X (ASA 80)

102

8mm & 16mm BULK FILM FREE!

(Without Processing) 8mm x 25' spools and 100 Ft. 200 Ft. 400 Ft.

4.50 8.50 16.00 16mm x 100' spools and cans Specify preference



8mm or 16mm Bulk Film Winder

Holds up to 400' Will load any camera spool

PLUS-X or TRI-X

Specify 8mm or 16mm Pays for itself with first bulk film order.

(Include 65¢ postage)



35mm

35mm x 20 exp.

3-ROLLS . . . 1.50 10-ROLLS . . . 3.95

35mm x 36 exp.

3-ROLLS . . . 1.80

10-ROLLS . . . 4.90



35mm BULK FILM

DO IT YOURSELF AND SAVE!

28 ft ..... 1.35 50 ft. ..... 2.00 100 ft. ..... 3.50

(Without Processing) FREE: Empty cartridges included with every bulk order.



P.O. Box 243 New York 51, N.Y.



P.O. Box 4125, Valley Village Station North Hollywood, Calif.



WE ARE AS NEAR TO YOU AS YOUR NEAREST MAIL BOX

FOR YOUR CONVENIENCE. ALL SERVICES UNDER ONE ROOF

(From transparencies)

### PRINTED ON NEW KODAK EKTACHROME PAPER

5 -2X (2½x3½) (from 35mm & 828)	100
3-3S (3½x3½)	100

3	(from	120 &	620)	lac
3	-3X (3 (from	½x5) 35mm	& 828)	100

Below	sizes	are	Studio	Mounted.
2-4X	(app	rox.	4x5)	100

Printed on Ansco Printon:

5x7 95¢ each	8x10
3 for 2 75	

85 each 3.50

### **COLOR PROCESSING OF** KODACHROME

*35m	m x 2	20	1	2	X	).							
w/	mour	ıti	in	g									1.00
*35m	m x 3	16		81	KĮ	).							
w/	mour	rti	n	g									1.75
35m	m x 1	5	•	X	p		S	t	e	C	O	•	
	mour												1.75
35m	m x 2	8	e	X	p		S	t	el	C	0	)	
w/	mour	rti	n	g									2.75
	MOV												
8mm	Roll												1.00
8mm	Mag.												.75

	_		_			-	-	-	
8mm	x 1	00'	(Bo	ole	X	)			3.95
16mn	n x	100	) R	oi	1.				2.50
16mn	n M	ag.	50'			. ,			1.00
									./3

\* 35mm Anscochrome, Super Anscochrome, Ektachrome: Same prices as shown.

### A REAL TIME SAVER!

"1-TRIP COLOR OFFER"

### 35mm EASTMAN KODAK **NEGATIVE COLOR FILM**

WITH PROCESSING INCLUDED JUMBO COLOR PRINTS (Type C)

12 exposure roll

20 exposure roll

Prices include film, film, and 1-jumbo color print of each processing of

### It's the newest COLOR FILM 8mm Ansco MOVIECHROME



COLOR DAYLIGHT . ASA 20 PROCESSING INCLUDED

8mm Roll 25 ft. Dbl.

Now available for 8mm Magazine Camera Owners!

3-mags 12.00 3-rolls 8.95 10-rolls 28.00 10-mags 38.00 IT'S NEW!

HIGH SPEED!

### 35mm Kodak Ektachrome

PROCESSING INCLUDED

Daylight ASA 160 or Type B ASA 125

3-ROLLS 20 exp. 36 exp.

10-ROLLS 20 em. 36 em. 2750 4250

### DUPLICATE Color Slides 35mm Mounted

From Transparencies

\*Your duplicates are ac-tually made on Kodachrome film!

20° | 10for 1.50

\*And that's why only Lord can give you faithful re-production of your treasured slides.

Marie Commence HIGH SPEED It's New 35<sub>mm</sub> Ektachrome

**Bulk Film** 

### PROCESSING INCLUDED

50 ft37	
	.00
100 ft70	.00

FREE! Mailine bass and empty cartridges. Specify pref-erence for 20 or 36 exposures.

Send for FREE mailing bags and price list

### PANCHROMATIC ROLL FILM

120, 620, 127

ASA Day.-Tung. 64

10 rolls 2<sup>95</sup>

### CUSTOM DEVELOPING & PRINTING

Ultra fine grain finishing and professional print quality.

### **JUMBO PRINTS**

8 exp. rolls ... 75¢ 12 exp. rolls ...1.00

20 exp. 35mm ..1.50 36 exp. 35mm ..2.50



### 35mm Slide Viewer

Unique Panoramic Lens Semi-automatic

List 10.95

only 595

**BIG SAVINGS! Developing of** KODACOLOR WITH

**COLOR PRINTS** 

8 exp. roll . . . 2.00 12 exp. roll . . . 2.75 20 exp. roll . . . 3.70

Developing any size roll . . . 70¢

127, 120, 620, ( 828, 35mm

5X (5 x 5 or 5 x 7) .....each 1.00 3 for 2.85 8X (8 x 8 or 8 x 10) .....each 2.75 2 for 4.95

FILM LABS



P.O. Box 243 New York 51, N.Y.



P.O. Box 4125, Valley Village Station North Hollywood, Calif.

HY

### **BEFORE** GET CENTRAL'S QUOTATION I AM INTERESTED IN I WISH TO TRADE 4 WAYS TO BUY CASH . CHARGE . BUDGET . LAYAWAY GET CENTRAL'S 164 PAGE CATALOG PACKED WITH HUNDREDS OF NEW AND USED MONEY-SAVING BARGAINS Send 10¢ Get 25¢ Credit on First Order Enclosed is 10¢ Dept. M-4 Name Address The Midwests **Photographic Headquarters Since 1899** 230 SO. WABASH AVE. CHICAGO 4, ILL.

### WATER'S EDGE: SOUND

(Continued from page 79)

poser Frank Lewin create special music for Water's Edge. If you have a musically inclined friend you can collaborate on an original composition for your film, and you don't need a full orchestra to make the recording. Some of the best films in recent years have had musical sound tracks played by a single instrument—zither, drum, piano, or guitar.

The recording method you choose depends on your budget. The most economical is a tape recorder synchronized with your silent projector. Several devices are sold to accomplish this. The system is acceptable for the most important amateur film festivals here and abroad.

Sound on film is the professional approach, but more expensive. Magnetic sound—a recording on an iron oxide strip coated on one edge of the film—is available in both 8 and 16mm. Synchronization never varies from showing to showing. Magnetic sound projectors allow you to record the sound at home and play it back on the same machine.

The most universal system is optical sound on film—a photo image of the sound itself. You can make your own tape for later transfer to an optical track. However, the final recording and transfer to the movie must be done by a laboratory. This is the most expensive system and available for only 16mm and larger size film. It does allow your film to be played anywhere on any optical projector, the type of sound machine most generally available.

### **WATER'S EDGE: ACTION**

(Continued from page 79)

Second, action can be varied by a change of direction. For most shots action should change direction within the frame so that there won't be a startling change from one cut to another. But don't discount the shock value of a radical shift in direction—if used sparingly. Wildi used the waterfall shot, third from top, page 79, to provide an arresting variation from the normally horizontal flow of water in the film.

Third, action can be varied by shooting subjects that contrast with yet relate to the rest of the film. The

(Continued on opposite page)

# \$1.00

### Will buy in fine PHOTO BOOKS

(1000). MODEL RELEASES. Pad of 50 forms covering every contingency including parent or guardian consent. 81/2 x 11......................\$1.00

(89). EXAKTA POCKET GUIDE by Werner Wurst. A factual concise handbook that should be carried with the camera at all times \$1.00

### LITTLE TECHNICAL LIBRARY . . . \$1.00 each

(45). THE ART AND TECHNIQUE OF STEREO PHOTOGRAPHY \$1.00
(28). COLOR MOVIES FOR THE BE-GINNER \$1.00
(44). NEW LIGHTING TECHNIQUES IN PHOTOGRAPHY \$1.00
(414). PHOTOGRAPHY FOR THE TRAVELLER \$1.00
(32). COMMERCIAL PHOTOGRAPHY \$1.00
(22). DEVELOPING, PRINTING AND ENLARGING \$1.00
(43). HOW TO PHOTOGRAPH WOMEN \$1.00
(43). HOW TO PHOTOGRAPH WOMEN \$1.00
(44). HOW TO PHOTOGRAPH YOUR CHILD \$1.00
(44). MODERN COLOR PHOTOGRAPHY \$1.00
(45). MOVIE MAKING FOR THE BE-GINNER \$1.00
(42). ADVANCED FLASH PHOTOGRAPHY \$1.00
(42). ADVANCED FLASH PHOTOGRAPHY \$1.00
(42). MAKING YOUR PICTURES INTERESTING \$1.00
(77). VIEW CAMERA MADE SIMPLE. \$1.00

Mail Orders Filled While They Last. Minimum Order \$3.00, Postpaid. On C.O.D.'s postage extra. Add 3% sales tax for N.Y.C. FREE Book Rack on Orders of \$10 or more.

### **AMPHOTO**

33 W. 60th St. New York 23, N. Y.

### **WATER'S EDGE: ACTION**

(Continued from opposite page)

sea gull, second from bottom, page 79, shows how this kind of subject adds variety to the action of the film. Practically all the footage before the sea gull shot consists of water in some form. It relieves the sameness of image by presenting a new, but related idea, since gulls are usually found close to water. The gull, as we noted previously, was shot at slow motion speed and tightly framed to exclude all other images.

### WATER'S EDGE: EDITING

(Continued from page 80)

top page 80). The pond helped the sequence by adding variety to the screen image.

Timing: The varying of screen time for each shot is another way of adding pace to your film. There are no rules for scene length. However, in making the rough cut of the film, remember that audiences need more screen time to absorb details in long shots than in medium shots or closeup shots. Wildi projected his film many times before determining the final length of cuts. He avoided cutting two scenes together with precisely the same screen time. As you can see from the sequence on pages 80 and 81 (from bottom to top on both pages), he varied the timefirst decreasing the scene length, then reversing his field and gradually making shots longer.—THE END

### How to do it

When you need a low tripod to shoot pictures from a table top, or from the floor, make one from a metal ash tray, Just drill a hole in the center of the tray, and attach the tilting top from



your regular tripod with a short ¼-in, bolt. An ash tray of ordinary size is large enough to hold small cameras without tipping, and permits shooting from a very low level.—Ken Murray







### Extra BONUS

THIS MONTH ONLY: With every camera purchase over \$40.00 FREE Flashgun w/batteries

\$8.95 value

ictures, perfect exposures.
Super-speed fl.8 lens
Coupled range/viewfinder
Unique one-ring setting for
allows also indiv. manual chol
MVL shutter, I-1/500th see.

Terrific, up-to-date Value
OUR SPECIAL—ONLY
Sold only with case 8.95

### **CLEARANCE!**

HURRY! Don't miss this terrific money-saving opportunity! Check prices! Order NOW!

LOWEST **PRICES EVER ANYWHERE** 

All merchandise is offered on 15-day free trial, full ey-back guaran--All items brand-new, except as listed. Pricos FOB N. Y. Add ap-prox. shipping cost. 20% deposit re-quired on C.O.D.'s.



### PETRI-PENTA

Widely acclaimed for these fine features: • Fast f2/50mm, 7 element inter-changeable lens

instant mirror return

Eye-level Penta Prism with fresnel lens
Sync. shutter speeds to 1/500
Autom. one-stroke lever
Autom. exposure counter, etc.

Here is your chance to get this fine comerc now at our LOWEST EVER ...

Sold only w/ease only 8.95 Famous SPEEDLIGHT

Make Compact lightweight Electronic Flash OUR SPECIAL



Precision Single Lens Reflex

(YO 8-E

TRULY FABULOUS MOVIE CAMERA

AT A TERRIFIC LOW PRICE

for shutter-speed & lens opening

**©**50

With automatic electric Expos meter, with f1.4/13mm Stand meter, with fl.4 Lens fl.4/38mm

to use, no calculations, coupled e control system for all lenses. compact. Lightweight. As Exceptional Value!

ONLY OUR SPECIAL PRICE

Unique Opportunity FUJITA 8 Electric drive **Battery** operated Easy to use with ingenious exposure guide.

Turn dial to proper light condition, aim & press button. No winding. Complete with sharp f1.9/13mm lens plus aux. tele & W.A. lens set ONLY

2 batteries 50c



With built-in HiFi LV Exp. Meter for correct exposure every time.

Fast, sharp f2.8 Taronar lens, Copal SVL shutter, LV system, speeds to 1/300, autom. parallax correction, coupled range/viewfinder, 1-stroke advance. Self-timer, other fine

Sold only w/case \$4.95



SENSATIONAL OFFER! **BRAND-NEW** TANACK IVS OUR LOW SPECIAL

12/50mm lens alone \$29.95 E. R. Case 4.95 Luxury 35mm w/interchangeable lens system (Leica thread) • Tanar hard ctd. 6-elem. 12/50mm • Builtin synchr. for flash, strobe • Coupled Range/Viewfinder • Focal plane shutter, 12 speeds to 1/500 • Autom. filmwinding & shutter cocking.

Our Special .....14.50 6x30 7x35 7x50 8x30

Binoculars 10x30 16x50

15 East 19th St.

### SAVE! Fine Quality LENSES



R PRICE ONLY 2995

nm TELEPHOTO LENS, 5 pre-set. OUR PRICE ONLY

PRICE 3995

Aux. Lens Kit for PETRI, TARON, etc Complete with Aux. Telephoto & Wide Angle Lensos, matching Turret Viewfinder and attrac-

FOR 12.8 1995 UNR SPECIAL \$2495

PETRI GUIDE BOOK illus. s 125

YOURS FREE! Bargain-packed Bulletin with sensational 'discount' values of finest imported cameras and accessories.	1000
	/
SEND FOR IT TODAY!	//,
COUPON! - BARBIN BUT	//
Burn Marre City St	10

### TITLING

(Continued from page 75)

the starting position, and lock the column. Make 1 sec. worth of singleframe exposures. Crank the camera down slightly, about 1/4 to 1/2 turn, and lock it. Make a single-frame exposure. Adjust focus as with a titler.

Superimposed titles: Here's where you place your title on a photographic background. It can be no more involved than setting up letters on a black-andwhite or color print. But you can also utilize slides-especially those that you might have shot when you made your movie. For this you'll need either a regular back-projection or ground-glass screen, as shown in the photo below right, page 75, and a slide projector.

Place the slide front to back in the projector and focus it on the screen. Someone will have to focus the projector while you watch the side of the screen facing the camera for sharpness. Place the title on the screen, as shown in the photo, and line up your camera. Take a reflected light meter reading for highlights and set your camera for 8 fps shooting. Make the exposure.

The title can also be superimposed on live footage. For a full explanation, see the story on Water's Edge, special effects section, page 78.

What you shoot is just as important as how you shoot it. Titles can be used in several ways—as opening sequences to your film, for credits, to supply missing information within the film. And every movie should have an end title.

But no matter where you use titles. they should be as brief as possible. Often, one or two words will convey everything a title should say. Water's Edge is an example of good title writing. It hints at subject matter and also the approach of the film.

A travel film where you journeyed by car could be called simply Highways. A birthday party movie might have just the age of the child as the title.

Titles in the body of the film to explain missing information should also be brief.

### Neither long nor lavish

Screen time for titles must be kept to the minimum required to read them. Five seconds is usually more than enough for a three-word title—including fade-in and fade-out.

Above all, don't make your titles pretentious. Unless the film matches the title, avoid using quotes from literature. They may be better than your movie.

There are many types of lettering to choose from-flat, three-dimensional, self-adhering, and textured. A visit to an art supply store or photo dealer may turn up just what you need .- THE END

### SPLICING

(Continued from page 82)

1e e.

ra

ıd

e.

ic

d d-

0

u

a

38

w

e

ì.

æ

n e

e

e

ŀ

n

1

d

S

1

Which is better? It depends on the amount of splicing experience you have. Tape splicing can be learned more quickly. A splicer should be purchased on the basis of operational ease and speed, quality of construction of the unit. precision of the splice produced, and dependability.

First, there's no saving in time in either system. It takes just about as long to make a tape splice as a cement splice.

Second, cement splicing does require care in scraping the emulsion from the film base. Gouging into the base can weaken the splice.

With tape, there's no scraping. However, care must be exercised in placing tape over the film or else sprocket holes in the tape won't align with sprocket holes in the film. Tapes are available in precisely the right size needed to make a single splice. On 16mm both sides must be spliced. While a single tape will do for 8mm, it's safer to tape both sides.

### With or without flashes

Third, splices made with cement often show light flashes on the screen. This won't happen with Mylar if the splice is made correctly. Ends are joined squarely to each other and no light can penetrate.

Fourth, it's virtually impossible to use editing gloves with Mylar since the paper backing must be grasped between the fingers. This means there's a chance of getting finger marks on the film. Editing gloves can be used easily with any cement splicer.

Fifth, cement splicers can go out of alignment. However, at least one machine can be obtained for readjusting alignment.

While there's little to go out of alignment on tape splicers, only the sprockets hold film in place. Occasionally, where sprockets are somewhat too large, they can tear film sprocket holes.

Sixth, in Mylar's favor is the fact that torn film can be repaired with Mylar tape-without loss of frames. With cement splicers a torn film must first be cut. To repair with Mylar tape, you place the tape over the damaged area. Mylar tape is also available in rolls for repairing large areas.

Finally, many film laboratories will not accept for duplication film that has been spliced with Mylar. They feel there's a risk of splices being stripped off by printing machines.-M.A.M.



## ANORA

### DIRECT TO CONSUMER!

FACTORY FRESH COLOR FILM

FILM	SIZE	PRICE PER 3 ROLLS	PRICE PER 6 ROLLS	PRICE PER 10 ROLLS
KODACHROME ANSCOCHROME	135-20 Exp.	6.60	12.75	20.00
EKTACHROME	135-36 Exp.	9.85	18.55	30.00
New, High Speed EKTACHROME	135-20 Exp. 135-36 Exp.	7.90 12.40	15.50 23.40	24.50 36.95
SUPER ANSCOCHROME	135-20 Exp. 135-36 Exp.	7.15 10.95	13.95 20.95	21.95 32.95
KODACHROME 8mm 100' Dble. Bo	8mm Rolls 25' Dble. 8mm Mag. Dble. lex with 200' R&C	8.05 9.45 26.00	15.90 18.50 51.00	26.00 30.00 84.50
Ansco Moviechrome	8mm Rolls 25' Dble. 8mm Mag. Dble.	8.95 9.85	17.75 19.25	28.50 31.00
High Speed EKTACHROME 8mm 100' Dble. Bo	8mm Rolls 25' Dble. 8mm Mag. Dble. lex with 200' R&C	16.25 17.30 62.25	31.50 33.60 114.00	47.50 51.00 180.00
KODACHROME	16mm Roll 100'	22.50	44.90	72.50
B&W MOVIE FILM PLUS X Reversal ASA 80 or TRI X Reversal ASA 20	8mm 25' Roll 8mm 25' Mag. 16mm 100' Roll	6.45 7.50 20.25	12.25 14.35 39.00	19.50 23.00 62.50

ADD 5¢ per roll on film for postage and handling. ADD 10¢ for 16mm film for postage and handling.

### COLOR PRINTS

FROM YOUR 35mm SLIDES OR 35mm KODACOLOR NEGATIVES Approx. 2½ x 3½ x 15¢ each or any 5-1.00 2.99

FROM YOUR 21/4 x 21/4 SLIDES OR KODACOLOR NEGATIVES \*20¢ each or any 4-1.00 2.99

FROM YOUR 35mm SLIDES OR KODACOLOR NEGATIVES 3½ x 5
25¢ each °MIN. OF 12 ASSTD. 2.99

### FROM COLOR SLIDES 5 x 7 85¢ ea. 1.75 ea. 2 for 3.00 50¢ ea. 5 for 2.00

KODACOLOR ENLARGEMENTS
FROM ANY SIZE NEGATIVE
5 x 7
69c ea. minimum any 3
\$2.25 minimum any 2

35mm COLOR SLIDE DUPLICATING 15€ each mounted MIN. OF 20 ASSTD. \$2.99

OR ANY 5 FOR \$1.00 35mm BLACK & WHITE FILM SPECIAL 20 Exp 36 Exp 28' Bulk 100' Bulk

20 Exp. 36 Exp. SUPERHYPAN KODACOLOR FILM PROCESSED
Including 1 Jumbo print from each negative
Per 8 Exp. roll—2.25 Per 16 Exp. roll—3.25
Per 12 Exp. roll—2.95 35mm 20 Exp. —2.95

Per 12 Exp. roll—2.95 35mm 22

BLACK & WHITE PROJECTION SLIDES
From your developed 35mm negatives. Bl. & Wh. positive slides, mounted ready for projection.

36 Exp. 2.00 20 Exp. 1.00 Developing of film, 50¢ addl.

ANSCOCHROME . KODACHROME . EKTACHROME **PROCESSING** 

35mm (20 exp.) mid.; 828 bantam mtd.; \$1 8mm 25' roll; 120-620-127 mtd. .75 35mm 36 exp. mtd. 1.75 120-620-127 unmtd. .75 8mm 25' magazine .75 8mm 25' magazine 1.75 16mm 50' mag 16mm 50' roll 2.75 16mm 100' roll 35mm Stereo 15 sets mtd. 1.75 35mm Stereo 28 sets mtd. 2.75

35mm BLACK & WHITE SPECIAL COMBINATION Fine grain developed and 1 each Jumbo en-largement, including FREE FILM REPLACEMENT. 20 exp. roll Complete 1.50 36 exp. roll Complete 2.50

### 35mm KODACOLOR FILM

20 Exp. roll, including developing and 1 each Ju print of every frame. COMPLETE .. Positive color transparency projection slides made from your 35mm Kodacolor negative. 20 exp. roll ...... \$1.50

### **EXCLUSIVE WITH US** STYLOPHOT

A new concept in a 16mm (Made in France) subminiature . . per-fect for snapshots in color or black and white. Features . . . Double coated sharp lens, permitting enlargement. Single shutter speed at 1/50th. Automatic film transport, shutter cocking. Automatic exposure counter—18 pictures—15mm. Uses standard perforated black and white or color films. \$995

compact.
Black & white, Plus-X, Tri-X - 18
exposures, including negative developing, 1 jumbo enlargement
of each frame. Box of 2 rolls

Kedachrome, Anscochrome er Super Anscochrome — 18 expo-posures, including developing, cardboard mounting, ready for projection. Box of 2 relis \$2.98



BOX 35064, LOS ANGELES

1190 AVENUE OF THE AMERICAS N.Y. 36, N.Y. Circle 7-1811 IN CALIFORNIA



### For Easier STRONGER movie splices

Professionals and amateurs agree ... splicing was never easier ... no scraping, cement or clamping with BAIA SPLICE TAPE. Once applied it becomes a permanent part of the film.

Made of DuPont MYLAR, stronger than the film itself.

OOK FOR THIS DISPLAY TODAY!

BAIA BANTAM SPLICER
Automatic butt splicer for 8
& 16mm. Compact, made of
Aluminum with convenient
tape storage compartment,
and supply of
SPLICE TAPE. 2.95

BAIA SPLICE TAPE For either 8 or 16mm, includ-ing sound. Can be used with any dry type

BAIA CORP. - JACKSON, MICH.



· Frame Marker, 400' Capacity Rewinds

BAIA CORP. JACKSON R-7, MICH.

### **MOVIE LABS**

(Continued from page 85)

want them and how long they are to last. Most fades last 2 sec. Lap dissolves require A & B breakdown. There is an overall charge for setting up the machinery required and then a smaller charge for each effect. Most labs will make fades and dissolves only on 16mm film. A few will make them for both 8 and 16mm. Some labs offering titling service make dissolves and fades only on titles

Charges for fades and dissolves in the body of an 8mm film are usually much higher than for 16mm. You can circumvent the premium charge by instructing the original film processor not to slit the film and have the lab make effects on unslit 16mm length. However, you must plan for the procedure when you shoot.

Optical printing: Copies of your film are made in a machine that works in the same way as a still enlarger: the image of the original is projected onto the second film. Optical prints offer maximum quality for reproductions from the original since corrections for under- or overexposure and color from scene to scene can be made. Charges are per foot.

Duplicating: Here copies of the original are made by contact printing. Unlike prints made in an optical printer, the emulsion side is reversed and duplicate film cannot be intercut with images on the original film since one or the other will be out of focus. Some exposure correction is possible.

### A range of special services

Color correction: Unusual color renditions caused by lighting of a slightly different color temperature than required by the film can be best corrected in an optical printer. Correction for poor color rendition can be adjusted from scene to scene. Some processors offer to correct color rendition of tungsten film inadvertently used in daylight.

35mm slides from movie frames: Many laboratories will make slides from either 8 or 16mm movie frames. Results are better from 16mm since it requires less magnification.

16 to 8mm reduction: This is one way to take advantage of scenes you need for an 8mm movie that may have been shot by a friend on 16mm film. Results for well-exposed, sharp 16mm film reduced to 8mm in an optical printer can be superb. Charge may be either per foot of 16mm or per foot of 8mm, depending on the lab.

8 to 16mm enlargement: Most labs with an optical printer can enlarge your 8mm film to 16mm-but don't recommend it. All imperfections-scratches, soft focus, for example—are magnified

(Continued on page 110)

**Now! Thrill To** 





RE

MO

ALI

YASHI FI.8 Y. HEILA

MIRAN

50mm MIRAN

50mm PENTA

MINOL

F2 Aut

NIKON

CANOI

FI.8 AI

50mm F

EDIXA

DEJUR

50mm F EXA II F2.8 AU EXA M) F2.9 P.S

FRAKTII

PRAKTIC

2.8 Tes EICA 2 Sumr

With The Sensational MANSFIELD HOLIDAY ZOOM REFLEX 8mm CAMERA



Just Aim, Set and Shoot!

- · Smooth, instant wide angle-totelephoto zoom action!
- Built-in electric eye meter gives correct settings everytime!
- Super-fast f/1.8 lens!
- Adjustable focusing eye piece!
- First Zoom Camera with through-the-lens viewing-ends paralla: forever!

See the Mansfield Holiday **Zoom Reflex Movie Camera** At Your Nearest Photo Dealer



lansfield Industries, INC

es

ET

INC

PHY

# OMPAR

Compare with orig. mfgr' list! Compare against other "sale" prices. See what you save at Wall St. Camera!

**Quantities On Some Items Limited! Time Payments.** 

# REFLEX S



WALL ST. PRICED WITH F2.8 XENAR LENS

			Retina	Reflex S	139.50
-	with	50mm	F1.9 X	enon Lens	. 137.30
111	s, F2.8.				87.50
111	S. F1.9_				117.50

Above sold only with Les B.C. Folding Flashgun, Al	
Retina Reflex, F2, Used "3.6 Curtar 29.50 3.6 Curtar 29.50 3.6 Curtar 48.50 3.6	135mm F4 Tele79.5 Close-Rangefinder Kit. 25.0 Close-Up Kit. "B"29.5 Microscope Kit. 42.5 Right Angle Finder13.5 Close-Up Lenses, N7.5 Close-Up Lenses, R16.5 BOmm Auxiliary Lens9.3 35-80 Optical Finder9.5

### MORE SELECTED VALUES ALL FAMOUS BRANDS

*	
YASHICA PENTAMATIC FI.8 Auto, NEW	101 05
Fi.8 Auto, NEW	IUI.75
YASHICA LYNX FI.8 Yasinon, NEW HEILAND PENTAX H-2	48 50
FI.8 Yasinon, NEW	00.30
50mm F2 Auto Takumar, USED	99.50
PETRI PENTA	70.50
50mm F-2 ORRIKOR, NEW	69.50
FETRI PENTA 50mm F-2 ORRIKOR, NEW	Very Low Price
SUMM PLY AUTO SOLIGOR, NEW	on wedness
Simm F2 & Soligon NEW	58.50
MIRANDA S 50mm F2.8 Soligor, NEW PENTACON	
S8mm F2 Preset Biotar, NEW	79.50
MINOLTA SR-I	112 FA
MINOLTA SR-I F2 Auto Rokkor, NEW	I I Z.3U
BESELER-TOPCON-B 50mm FI.8 AUTO TOPCOR, USE	-150 EA
58mm FI.4 AUTO NIKKOR, USE	259.50
CANONFLEX	1/0 FO
FI.S AUTO CANON, USED	1 67.5U
EDIXAFLEX	00 EA
50mm F2.8 AUTO WESTENAR, NE	w 77.30
Samm F2 PS Biotar, Lightmt'r., NE	w109.50
EDIXA REFLEX D	140.50
EDIXA REFLEX D 50mm F1.9 AUTO XENON, NEW	<u> 149.50</u>
50mm F2.8 LENS, NEW	37.30
F2.8 AUTO TESSAR, NEW	89.50
EXA MX	24.05
F2.9 P.S. PRESET MERITAR, NEW.	34.95
CONTAFLEX SUPER	124 EO
50mm F2.8 AUTO TESSAR, USED. PRAKTINA FX	
F2.8 Auto Tessar, USED	79.50
PRAKTICA FX-3	
F2.8 Tessar, NEW	52.50
LEICA III G	170 EA
F2 Summicron, USED	1/7.30
FI.4 Nikkor, USED	129.50
CANON VI	140.50
FI.8 Canon, NEW	169.50
FIS CANON, NEW	120 EA
TIS CANON, NEW	137.30
ABOVE SOLD ONLY WITH LEA	THER 409!
VEREADY CASE, & BC FLASH	BUN, ID

# CLOSE-OUT

### BRAND NEW DISCONTINUED **NIKKOR LENSES**

For	Leis	ea,	Can	on,	Nicca,	ef	e.	Wall	
			0 _89				F1.5		
28	mm	F3.	5 _67	.50		m	F2.5	_79	.50
			5 _46		135m	100	F3.5	_79	. 54
			3 .57		* 85m	m	F2.0	_79	.50
35	mm	F1.	8 _79	.50	* 85m	1777	F1.5	154	.54
50	mm	F1.	4 _87	.50	*135m	m	F3.5	_69	.50
			99.			Ca	ntax	Mou	nts

### MIKKOD MONIE LENSES

		in the late of	W IMA	IN PRINCE	, ,
	6.5mm	F1.9		Mount	45.50
¢	13mm	F1.9	Focusing	Mount	24.50
	38mm	F1.9	Focusing	Mount	39.50
	36mm	F2.5	Rotar		14.50
	*25mm	F1.4	Focusing	Mount	77.50

### BRAND NEW LATEST

### MINOLTA SR-1 OUTFIT



Wall St. Priced 15450

BRAND NEW

# POLAROID OUTFITS

GET FINISHED PICTURES IN JUST 10 SECONDS!



MODEL 800 9950 80B Outfit 95B Outfit 900 Outfit 110B Outfit

MODEL 79.50 Plus your model 110A 99.50+Your 80 84.50+Your 150 79.50+Your 800

BRAND NEW AUTOMATIC

# RAKTICA FX-3 Outfit

WALL ST. 050



- HERE'S WHAT YOU GET!

  Brand new Automatic Praktica F
  Optical Waist Level & Sports Fine
  S0mm F2.5 Automatic Westens'
  135mm F3.5 Preset Tele Lens
  Extension Tube Set for Closs-ups
  B.C. Flashgun Leather Co
- Above outfit available with S0mm
  F2.8 Automatic Tessar or 50mm
  F2 Auto Westagon Lens Add

Zeiss Eye Level Penta Prism 19.50

35mm f2.8 Auto Schneider Curtagen Wide Angle

135mm f3.5 Auto Tele Westenar



BODY NO LENS OR FINDER

LENSES & ACCESSORIE	S .
35mm F2.8 Flektagon automatic S	79.50
50mm F2.8 Tessar automatic	49.50
55mm F1.9 Quinon automatic	74.75
58mm F2.0 Biotar automatic	59.50
75mm F1.5 Biotar preset	139.50
135mm F4 Zeiss Triotar preset	49.50
135mm F4.5 Travegon	34.50
180mm F5.5 Telemegor preset	64.50
180mm F4.5 P.S. Westenar	39.95
200mm F4.5 Quinar preset	74.95
200mm F5.5 Tele-Xenar preset	69.50
300mm F4.5 P.S. Tele Megor	79.50
400mm FS.5 P.S. Tele Megor	89.75
Waist Level Finder	12.00
Exposure Meter Prism	42.50
Range Finder Insert	7.50
Prism Finder	19.95
Magnifying Focusing Eveniece	24.50
Folding Bellows	19.50
Novo Flex Bellows	24.00
Extension Tube Set	9.50
Microscopic Eyepiece	22.50
Rapid Sequence Spring Motor	49.50
50 ft. bulk film mag.	47.50

WALL ST.

TELEPHOTO LENS

**7**50

Wall St. Priced

BRAND NEW EXAKTA



BODY ONLY

# EXA I BODY, NEW......EXAKTA VX BODY, USED. NEW LENSES & ACCESSORIES

Waist Level Finder		
Ihagee Penta Prism & Rangefinder	2	i
Ihagee Lightmeter PP RF	3	١
Exa Eveready Case		1
Exakta Evergady Case		
28mm F4 Auto Curtagon		į
35mm F2.8 Auto Flektagon		
35mm F2.8 Auto Curtagon		
35mm F3.5 Auto Travenar	3	į
40mm F2.8E Macro Kilar used	7	į
40mm F2.8D Macro Kilar used		į
50mm F2.8 Isco Click-Stop	1	
50mm F2.8 Tessar, Preset	2	į
50mm F2.8 Tessar Automatic	3	į
58mm F2 Zeiss Biotar, P.S	4	i
58mm F2 Automatic Biotar		i
50mm F2 Zeiss Pancolar Auto		į
S0mm F1.9 Auto Xenon, used	6	ė
85mm F2 Preset Kalimar	3	١
\$5mm F2.8 Preset Travenar	3	
100mm F2.8 Preset Votar	2	į
135mm F3 & Broset Voter	2	ä



PRICED 8950

HERE'S WHAT YOU GET:

• Petri Penta Camera
• Eye Level Penta Prism Fecu
• Rapid Return Mirror
• Somm F2 Orritor Lens

### ALL BRAND NEW **MIRANDA OUTFIT** WALL ST.



sonnagar -BC Flash • Flashgun Bracket

Bracket
Leather Eveready Carrying Case
MIRANDA D instead 24.50
of S add

50mm F1.9 auto Soligor instead of 39.50 F2.8 add

Penta Prism Finder 12.50

PRICED





WALL ST. CAMERA EXCH. Dej

	. M41	****	46.00	IUIK	٥, ١		mon.	4-0001
1	WANT	TO	BUY.	Rush	full	details	on	***************************************

9.2	**********		*********	********	******	*******	000000	100000	******
1	WANT	TO	TRADE.	Rush	best	offer	for	my	*****

_			
	*************************	*************	**************
2.1	AME		

***************************************
NAME
ADDRESS

..ZONE .... STATE ...

Send free copy of Wall Street Camera News!
All our merchandise fully guaranteed 1 year against mechanical or optical defects for free repair. 20 day return privilege on mail orders. STORE HOURS: MON.-FRI. 9-6, CLOSED SATURDAY

Camera Exchange LST.

120 WALL ST., **NEW YORK 5, NEW YORK** WHitehall 4-0001

### KODACHROME prices apply for Ans 3 Rolls 10 Rolls 36 Exp. \$36.50 32.50 20 Exp. 36 Exp .....\$8.60 \$12.35 ..... 6.95 11.25 SUPER ANSCOCHROME KODACHROME MOVIE FILM With Processing Included Of (FF) FACTORY FACKED OR (FF) FACTORY FRESH (Respool on the year expiration date of the factor of the \$10.00 10 Rolls \$29.25 37.00 8mm Roll 25' dbl. (FP)... 8mm Mag. 25' dbl. (FP)... 16mm Roll 100' (FP)... 16mm Mag. 50' (FP)... ..\$8.95 ..10.95 ..16.85 **BLACK AND WHITE MOVIE** FILM WITH PROCESSING 8mm 25' dbl. roll 8mm Mag. 16mm 100' roll 16mm 100' sound ASA 24 16mm 50' Magazine Bolex Spool 100 ft. B&W 2.50 2.50 With purchase of 5 rolls, 1 roll free. B & W 35mm Film 100' Roll Negative film outdated ...... 120, 620, 116, 616, Black 20X 35mm B&W ASA 50-4 for ... 36X 35mm B&W ASA 50-2 for ... KODACHROME PROCESSING 8mm Roll ...... 8mm Mag. ..... 16mm Mag. 50' ..... 16mm x 100' Roll . Money must be included with order. 35mm COLOR MOVIE FILM SPECIAL-ASA 50 5.95 22.00 2.75 4.75 8.75 5.95 25 rolls as above . 54 rolls as above . 55 rolls as above . 56 rolls as above . 57 rolls as above . 58 rolls as above . 59 rolls as above . 10.75 19.50 3.60 NO PROCESSING ON ABOVE ANSCOCHROME MOVIE FILM PRICE INCLUDES PROCESSING mm 100 ft. Please specify indoor or outdo AVAILABLE IN 8mm and 16mm THE FOLLOWING FULL VERSION REELS 8mm is approximately 200 ft. and 16mm (imately 400 ft. each reel.

Religious Films Available

HAL ROACH COMEDIES Pollard & other famous stars, full version-able in 8mm approx. 200 ft. \$5.00 per reel-m \$10.00 silent per reel and \$12.50 sound. Ap. 400 ft.

ORIGINAL OUR GANG COMEDIES—
available in 8mm and 18mm \$5.00 for 8mm approx.
200 ft. 310.00 per rest for 18mm silent approx. 400
ft. per rest—available for 18mm silent approx. 400
FRIZE FIGHTS
HEAVY WEIGHT FEATHER WEIGHT

ASTRA PHOTO PRODUCTS

243 W. 55 St., N. Y. C. 19, N. Y.

**VISIT OUR STORE** 

**OPEN EVENINGS UNTIL 6** 

**OPEN SATURDAY** 

PLEASE INCLUDE POSTAGE

\$15.00 per re

Thorns
ny of Padua
of the Blessed Virgin.

### MOVIE LABS

(Continued from page 108)

somewhat more than 4X. It's not worth the expense unless the footage is required for a 16mm film and cannot be duplicated in any other way.

Cleaning and repair: Scratches that don't cut through the emulsion, tears and brittleness can be remedied. Some labs will repair and clean old film to the point where a good copy can be made from it.

Preservation: Special treatment for your film is offered that will lengthen its life, and prevent fungus and overly moist or dry air from affecting it.

Magnetic striping: If you have an 8 or 16mm magnetic sound projector, labs throughout the country will place magnetic oxide stripe on one edge of the film required for adding sound to your movie. Striping width varies from 30 to 100 mils. The smallest width is usually applied to 8mm film, while the 100-mil width is used on single perforated 16mm film. The widest stripe provides the best sound. Charges are according to width of stripe and number of feet striped.

Sound recording: Labs offering this service will transfer sound from magnetically striped film to an optical sound track. This requires a print or duplicate of the film with the stripe. Some labs will also transfer sound on tape to either magnetic or optically striped film. Sound is filtered to eliminate as much distortion as possible. Charge is usually per foot.

Before sending your film to a laboratory, it's best to send for literature describing their services and costs. A list of addresses for the labs in the chart on pages 84 and 85 follows:

### NORTHEAST

Arco Movie Films, 8616 Fourth Ave., Brooklyn 9, N. Y.

Cineque Colorfilm Labs, Inc., 424 E. 89 St., New York 28, N. Y.

Commercial & Home Movie Service. Inc., 727 N. 19 St., Allentown, Pa.

Criterion Film Labs, Inc., 33 W. 60 St., New York 23, N. Y.

Dephoure Studios, Inc., 782 Commonwealth Ave., Boston 15, Mass.

Eastman Kodak Co., 343 State St., Rochester 4, N. Y.

Kin-O-Lux, Inc., 17 W. 45 St., New York 36, N. Y.

Lab TV, 723 Seventh Ave., New York 19, N. Y.

Lord Film Labs, P.O. Box 243, New York 51, N. Y.

Peerless Film Processing Corp., 165 W. 46 St., New York 36, N. Y.

Permafilm, Inc., 723 Seventh Ave., New York 19, N. Y.

Rapid Film Technique, Inc., 37-02 27 St., Long Island City 1, N. Y.

Rolab Studios, Sandy Hook, Conn.

Stahl Editing & Titling Service, 33 W. 42 St., New York 36, N. Y.

U. S. Photographic Equipment Co., 442 Rogers Ave., Brooklyn 25, N. Y.

Vacuumate Corp., 446 W. 43 St., New York 36, N. Y.

Frederick F. Watson, Inc., 202 E. 44 St., New York 17, N. Y.

### SOUTHEAST

National Cine Laboratories, P.O. Box 4425, Washington 17, D. C.

### MID-WEST

Bonine Film Laboratory, 2003 Forest Ave., Des Moines 11, Iowa.

Cine-Graphic Film Lab. Inc., 1720 Olive St., St. Louis 3, Mo.

Geo. W. Colburn Laboratory, Inc., 164 N. Wacker Dr., Chicago 6, Ill.

Escar Motion Picture Service, Inc., 7315 Carnegie Ave., Cleveland 3, Ohio.

Film Associates, Inc., 4600 S. Dixie Highway, Dayton 39, Ohio

Title-Craft, 1022 Argyle St., Chicago 40.

Top Productions, Inc., 701-03 W. Willow St., Chicago 14, Ill.

Zenith Cinema Service, Inc., 3252 Foster Ave., Chicago 25, Ill.

### SOUTHWEST

Southwest Film Laboratory, Inc., 3024 Ft. Worth Ave., Dallas 11, Texas

### WEST

Cine-Craft, 8764 Beverly Blvd., West Hollywood 48, Calif.

Cinematic Developments Co., 2125 32 Ave., San Francisco 16, Calif.

Color Reproduction Co., 7936 Santa Monica Blvd., Hollywood 46, Calif.

Hollywood Film Enterprises, Inc., 6060 Sunset Blvd., Hollywood 28, Calif. (Continued on page 112)

ON NEW CAMERAS AND EQUIPMENT-LATEST MODELS SHIPPED IN ORIGINAL PACKING.



ANNOUNCING -CAMERA MAILORDER CORPORATION

THEMERGEROF with

GRAND CENTRAL CAMERA



7

2

W

X

st

ve

64

15

ie

10.

w

ter

24

est

32

nta

060

PHY

\*\*\*\*\*\*\*\* THIS MERGER WILL GIVE US GREATER PUR CHASING POWER PLUS THE ADVANTAGE OF ONE OF THE LARGEST AND FINEST NEW YORK STORES WITH MORE EX-PERIENCED PERSONNEL, LARGER INVENTORY RESULTING IN LOWEST POSSIBLE PRICES COMBINED WITH PROMPT EFFICIENT SERVICE. WRITE US YOUR REQUIREMENTS AND WHEN IN NEW YORK DO SEE US. nent in this country. We can supply from stock not only <u>35m</u> as. Reflex, Press, View, and Folding Cameras. Enlargers, 8mm m Movie Cameras and Projectors, Sinde Projectors, and Screens to their accessories, such as Close up Equipment, Filters, Flash entry, Elash Butts, Film and over 10,000 Lenses available.

OUR TREMENDOUS VOLUME AND LOW COST OPERATION LET US PASS THE SAVINGS ON TO YOU!

35mm CAMERAS	PRAKTICA FX 2 12.9 Trioplan 49.00	ROLLEIFLEX	KODAK Turret fl.9 89.00	16mm CAMERAS	GRAND CENTRAL
AGFA	11.9 Meritar P. S. 54.00 12.8 Culminar P. S. 57.00	VASHICA A 18.25 D 36.25	KONICA Zoom	AURICON	AMERICA'S
Anscoset 12.8 52.50	12.8 Tessar P. S. 59.00	MAT 51.00	MANSFIELD Holiday II	BELL & HOWELL	
nscomark M f2.8 99.95 nscomark M f1.9 119.95	12 Biotar P. S 79.00 PRAKTICA FX 3	MAT LM 58.00 635 Outfit 46.00	Turret EE	Royal f1.9 139.00	TRADE-IN CENTER
RGUS	13.5 Primetar Auto. 54.00	SUB-MINIATURE	Meter Matic Turret w/pistol grip 58.00	Cine K-100 fl.9 215.00 Cine K-100 fl.4 299.00	ALC: UNKNOWN
tronic 35 f3.5 se & Flash	12.8 Westanar	CAMERAS	Holiday Reflex	K-100 Turret f1.9 . 240.00	
chmatic C-3	f2.8 Tessar Auto 74.00	BOLSEY 8 79.00 .	Zoom 73.00	K-100 Turret f1.4. 335.00 Cine Special II	N. S. C.
& Flash 47.00 Case & Meter 89.00	12 Westagon Auto. 84.00	CamBinex	SANKYO	PATHE	W. 1000
G Case 69.00	PRAKTICA IV 12.8 Tessar P. S 119.00	GAMI 222.00	8E 95.00 8R 89.00	REVERE WOLLENSAK	*
12.8 Case & 81.00	12.8 Cassar P. S 109.00	MEC 16 39.00	Moviemat 71.09	SLIDE	21
fl.9 Case &	f3.5 Primotar 99.00 f2.9 Meritar P. S. 89.00	16SB f2 99.00 16SB f2.8 84.00	SEKONIC 8 69.00	PROJECTORS	3 7
98.00	PRÁKTINA FX	MINOLTA	WOLLENSAK	AGFA Karater	
OPTICA 35.	12 Biotar	16 II	YASHICA Zoom 8 Reflex 82.00	AIREQUIPT Superba 77 82.00	STEEL OF
	12.8 Tessar 114.00	MINOX	8-EIII Turret 74.00	Superba 66 71.00	
12.8 <b>29.00</b>	PRAKTINA IIA f2.8 Tessar 189.00	YASHICA Y16 25.00	8M 37.00	Superba 44 52.00 Superba 33 44.50	EXPOSURE
ER TOPCON	f2 Flexon 219.00	15/8 x 15/8	8 EE1 \$2.00	ANSCO	METERS
RA-MATIC .	11.9 Quinon 214.00 REALIST	CAMERAS	8mm PROJECTORS	Anscomatic 84.00	ARGUS L-3
ric Eye 12.8 46.00	RICOH	ANSCO Lancer LG 19.00	ARGUS	Special 515 22.00	Golden Crown
R NFLEX	Auto. 35 13.9 38.00	KODAK Starmatic. 22.00	Showmaster 500 63.00	300 Automatic 44.00	PR-3 w/case 23.00
	RICOHMATE 12.8 43.00 RICSOR 12.8 19.00	KOMAFLEX 49.25	Showmaster 500A 84.00 Showmaster	500 Automatic 58.00 500 Electromatic 73.50	KALIMAR A-1 w/case 6.00
27.00	ROYAL 11.9 E 38.00	BELL & HOWELL Infallible 127 29.00	750AV 106 00	President 500 99.00	Clip-On w/case 6.00
Meritar P. S 48.00	SAMOCA	REVERE EE 127 107.00	Showmaster 750AVZ 110.00	President Zoom 109.00	P-A-L w/case 4.50 Auto Memo
lessar P. S 79.00	Prince LE-II 12.8. 29.00 Duke MR-28 19.00	YASHICA 44A 22.00	BYZKOM	Balomatic 655 89.00	w/case 11.90
TA VX IIA	VOIGTLANDER	44LM 44.00	Automatic 800 44.00 BELL & HOWELL	Balomatic 755 137.00	B-1 w/case 8.50 KODAK
Meritar P.S. 144.50	WALZ	IF YOU DO NOT FIND	BAUER	BRUMBERGER	Kodalux w/case 14.90
b. Biotar 178.00 uto. Quinon 299.50	Electric 1000 fl.8 74.00	WHAT YOU WANT IN	DEJUR	FERRANIA GRAFLEX	Kodalux L w/case 18.75
uto. Xenon 299.50	WERRA	THIS AD PLEASE	EUMIG	Constellation	KONICA
ito. color 259.50	YASHICA	WRITE FOR COMPLETE	8mm Zoom	Mark II	SEKONIC
	35 YK f2.8 27.00 35 YL f2.8 39.00	LOWEST PRICE QUOTA-	8mm Sound 69.00	KEYSTONE K-511 74.00 LABELLE	Movie Meter w/case & neck cord 4.95
N DENYAY	35 YF f1.8 94.00	TION.	KEYSTONE	MANSFIELD	L-86 Auto-Lumi
PENTAX.	35 YF f1.5 149.00 Lynx 68.75	8mm CAMERAS	K-60 47.00 K-90 67.00	Skylark 33.00 150 21.95	w/case & neck cord 5.20
59.00	Pentamatic f1.8 102.00		K-100G 74 00°	MINOLTA	Studio Incident
79.00	CARL ZEISS	AGFA Movex 88 • ARCO Zoom S f1.8 189.00	K-100Z 86.00	Mini 16 28.00 Mini 35 29.00	w/case, neck cord & 3 direct-reading
R	Pentacon 12.8 Tessar Auto 89.00	ARGUS	K-110 Z 149.00	KODAK	slides & attach 22.00
W. A 315.00	f2 Auto. Biotar 109.00	Matchmatic M-3	K-110AZ 169.00 K 109AZ 149.00	Calvacade 510N 99.90	Movie Pet 3.50
HS 12.8 94.00	ZEISS IKON	Cinetronic M-3 FF 87.75	KODAK	Calvacade 520 88.90	Polaroid Pet 3.50 L-6 w/case 4.50
IS f1.9 127.00 tomatic ! 79.00	Contaflex Prima • Contaflex Rapid •	AUTO-CARENA 149.00	Brownie A-15 39.25	Calvacade 520Z 96.00	LC-2 Clip-On
	Contaflex Super	Carena ZOOM 250.00	Brownie 10 35.00 Brownie 310 48.00	500B Readymatic 49.00	w/case 7.45 L-38 w/case 8.90
c II 92.00	Contarex	BELL & HOWELL	Brownie 500 59.00	303 Readymatic 52.00	Brockway S
c III 106.00	Contax IIA f2	Sunometer	Showtime A-20 93.00 Showtime A-30 112.00	QUICKSET	complete 21.90
Reflex	Sonnar	220 MM	8mm SOUND 247.50	505	SPECTRA 97.50
127.00	Sonnar 184.00	Turret 59.00	MANSFIELD	REALIST	WESTON MASTER
teflex 154.00	Contax IIA f1.1	390E Electric Eye 78.00	Holiday M-1000 35.00 Holiday MZ-1000 38.00	Automatic 64.00	IV w/case 24.95
66.00	Zunow 269.00 Contax IIIA Body. 107.00	Electric Eye 98.00	Ultra Deluxe 51.00	990 Realomatic 49.00	fociode pastage on all
tio 35 94.00	Contax IIIA 12	414P Duo Power	Ultra Zoom 58.00	400 Automatic 22.00 620 34.00	prepaid orders. (Excess retunded)
	Sonnar	424P Mag. Duo	REVERE	REVERE	
0 11.9 36.00	Sonnar 195.00	Power Zoom 209.00	30-C 62.00	SAWYERS OF THE SAWYERS	FREE COMP
37.00	Contax IIIA f1.1		Znom 80P 89.00	WOLLENSAK 815 99.00	WITH LOWEST PO
126.00	Zunow	mag 183.00	TANDBERG Elite Sound		
A 107.00		CANON Zoom	Projector 294.00	Filled a	ON C
	ORDER	DEJUR	WOLLENSAK	1999e	WITH TH
Itomatic 124.00	NOW!	EUMIG	PROJECTORS	1.0	AGFA . BALDA . B
97.00 IL	4044	KEYSTONE K-4C 85.95		-	GRAFLEX . FUJIC
x 224.00	21/4 x 21/4		BELL & HOWELL •		NIKON + REALIST +
ON .	CAMERAS	K-7 Zoom 111.95	BELMONT 127.00	120	KODAK - LEICA
71.00	RONICA	KODAK	KODAK Kodak Analyst 297.00	510/00	Cup Mail
46.00	BROOKS Plaubel	Brownie fl.9 26.75	Kodak Pageant	and the	
24.00	/eriwide 100	Brownie Turret	Sound Model 8K5 315.00 1	GRAND CEN	TRAL CAMERA E)
31 00	KALIMAR Reflex SL 13.5 82.00	Brownie Automatic	Kodascope Pageant Sound Model MK5 618.00		AST 43rd STREET, NEW Y
59.00	MANNITA	12.3 36.00	REVERE	- 1	Between Fifth & Ma
manhla 50 an		Automatic Zoom 11.9 95.95	O COL		MUrray Hill 2
	PRAKTISIX 12.8	Cine Scopemeter		Please Ship	
MAT (1.9 110 00	HEOM Diacord G. 33.00	Turret f1.9 59.00			
	Diacord L 46.00	Unit Automatic	A AND THE REST OF		

ELECTRONIC FLASH AIRES Speedlight 28.00 BRAUN PAXITRON 37.00 EXAKTA EXAKTA
Speedlight
FR 150
WEILAND
Futuramic
Strobonar II-65A
MERSNEY
SUMLIGHT
MECABLITZ
102 or 103
Mini-Metz 106 or 107 37.00 32.00 107 49.95
MULTIBLITZ

OPTA VUE GALAXY
STROBOFLASM
ULTRABLITZ
Mono-let / 51.00 65.50 22.50 **EXTRA!** PREE . MAN. COUPON TODAY
. WE SEND LATEST G.C.C. GLANT
BULLETIN . IT OVERFLOWS WITH
THE BIG GEST PHOTOGRAPHIC
EQUIPMENT SELECTION SPECIALLY

SSIBLE (C) MERAS, LENSES, ACCESSORIES

HE FOLLOWING TRADE MARKS.

EA - HEILAND - KONICA - MAMIYA

REVERE - ZEISS - MINOLTA - MINOX

Dejur - Wollensak - Sawyer

GRAND DEPT.M4	CENTRAL CAMERA EXCHANGE, In ONE EAST 43rd STREET, NEW YORK 17, N. Y. Between Fifth & Madison Aves.	C. TRADE YOUR
	Murray Hill 2-2085	DATE
nid? eses		

. En	San	ad	La	
Barre	-	e es	**	4

PRICES ARE AVAILABLE

Diacord L 46.00 Citie Automatic		
ERYTHING LISTED IN THIS AD IS BRAND NEW. All merchandise sold with our	Please Send Me Your Very Best Quotation   NEW	
	3 I wish to trade	PLEASE SEND GIANT BULLETIN
ered are subject to prior sale. There are limited quantities of some items and orders filled as received. Rush your Mail Order to us today. Prices subject to change with t notice. 10% Deposit required on C.O.D. orders. Servicemen, Foreign orders wel-	Name	
me. Quantity prices available. SAVINGS AND PRICE PROTECTION You benefit im any price reduction which takes place after this ad goes to the magazine. Orders	Address	Phone
e filled at prices in effect at time of shipment. Prices are net F.O.B. shipping point.	City	Zone State
ost orders received by us before 12:00 o'clock are shipped the same day.	EVERYTHING PHOTOGRAPHIC CAN BE GET.	
	LaPHOTOGRAPHIC TR	ADORAMA CENTER



NOW! See your tovorile snapshot on the stre DUPLICATING \$5mm COLOR SLIDES 30c ea. (100 or more 20c ea.) MOUNTED COLOR SLIDES from COLORED PICTURES . 31.50 ea. Specify cardboard mounts or film strips.

PHOTO LABS NEW HYDE PARK 12 NY

### INSTRUCTION



Be a Professional Artist with the Camera

Art Center's Faculty of practicing designers, illustrators, photographers can help you develop taste & professional picture sense as you learn advanced techniques of the camera. 8 semesters to B.P.A. deg. Accred. Coed. Vet apprvd. Begin training in Feb., June or Sept. semester. For catalog and application form, write Mr. Mills, 5353 W. 3rd St., Los Angeles 5, California

STUDY PHOTOGRAPHY
COMMERCIAL • PORTRAIT • ILLUSTRATIVE
Finest professional instruction and equipment. G. I. Approved. Co-ed. Living accommodations secured for men.
Attractive dornitory for girls. Enter 1st though year honory
750 n. ORTH MICHIGAN AVENUE, CHICA 00 11.





### (58). Taking Pictures After Dark



New Amphoto "Edition Bound" book. By Y. Ernest Satow. How to make the most out of today's high speed films, developers and lenses. Complete up-to-theminute techniques for night photography, including full processing instruction. Hard cover. \$2.50

At your book or camera store, or AMPHOTO 33 West 60th St., New York 23, N. Y.

### THE MOVIE MAKER

(Continued from page 96)

ably acceptable wallet size prints can be made from them.

You might also use the system for making a series of photographs of unedited footage from which initial rough editing can be done. It will save wear and tear on your footage and provide an easily manageable device for determining order of scenes. Final editing, however, should be done on the footage itself.

How well does shooting stills from the screen work? Turn to the story on Ernst Wildi's film, Water's Edge (page 76) and see. That's the way we shot the iliustrations.—THE END

### MOVIE LABS

(Continued from page 110)

Hollywood Valley Film Labs, Inc., 12546 Ventura Blvd., Studio City, Calif.

Lord Film Labs, P.O. Box 4125, Valley Village Station, North Hollywood, Calif.

Multichrome Laboratories, 760 Gough St., San Francisco 2, Calif.

Peerless Film Processing Corp., 959 Seward St., Hollywood 38, Calif.

Permafilm of California, Inc., 7264 Melrose Ave., Los Angeles 46, Calif.

Photo-Tech Laboratories, 200 E. First South, Salt Lake City 11, Utah

Thoro Products Co., P.O. Box 567, Reseda, Calif.

Western Cine Service, Inc., 312 S. Pearl St., Denver 9, Colo.—THE END

### TOO HOT TO HANDLE

(Continued from page 49)

1960 issue there's a blank space under the entry for rangefinder in reference to the Miranda Automex. Which issue is correct?—L. Flannery, Toronto, Ontario. Actually, we were right both times. The Miranda people have been debating whether to put a rangefinder on the Automex and some models were produced with and some without this feature. But the company now advises us that all the Automex cameras will be equipped with split-image rangefinders. We will be testing the camera as soon as we get a working model.

Would the Minolta Autocord 2½ x 2½ twin-lens reflex be suitable for Kodacolor shots of weddings? Would it give sharp enough negatives for enlargement to 5 x 7 or 8 x 10?—L. H. Cool, Jr., Platte, S. Dak.

Yes.

# WOW! ONE BUCK "THE MODEL"

Studies by ten distinguished photographers of famous model, Betty Biehn, with her own commentary. 112 pages.

\$1.00 Postpaid

# **AMPHOTO**

33 W. 60th St. New York 23, N. Y.


## MODEL RELEASES

Complete—Long Form Covers every contingency, compensation, and guardian consent.  $8\frac{1}{2}xII$ .

Pad of 50 \$1.00 postpaid Include 3% Tax for New York City

## **AMPHOTO**

33 W. 60th St. New York 23, New York



UNIT			ERA E	XCHANGE Y. 36
	SEND	FREE	BARGA	IN BOOK
Name	•••••	•••••		
Address				
City			. Zone	. State

# NATIONAL CAMERA **EXCHANGE**

# **Great 47th Anniversary Sale!**

National Camera Exchange is one of the nation's oldest, most reliable photographic firms. You can buy with complete confidence, for our policy is "satisfaction guaranteed or your money refunded."



### Famous Brand RADIO-BINOCULAR

Very unique and most practical. Features a

fine 7x50 binocular with fully coated optics, PLUS a built-in 3 transistor radio with telescoping aerial, speaker and earphone for personal listening while using binoculars. Com-plete with genuine leather case and straps.

A genuine \$125 value.....ONLY \$69.95



### TAPE RECORDER

Our exclusive import! Lightweight, compact. Two speed,  $7\frac{1}{2}$  &  $3\frac{3}{4}$ . Two hours recording time with mylar tape. Complete with microphone. Unconditionally guaranteed to please or your money back. Never before a tape recorder at this price.

ONLY \$59.95

### Triple Turret 8mm **MOVIE CAMERA**

Another exclusive import! Brand new 8mm Mercedes camera with three f/1.9 coated lenses including wide angle, telephoto and



normal. Built-in filters and built-in exposure meter assure perfect pictures. No greater value ever offered

ONLY \$39.95



### **Bell & Howell** 16mm SOUND **PROJECTOR**

Features automatic loop setter with inch speaker and f/1.6 lens. Both sound and

silent speeds, 2000-ft. reel capacity, high speed rewind, safelock sprockets. Ideal for home, church, school, industry. New I-year guarantee against any mechanical defects. Serviced by our factory trained men. Complete with microphone for public address system. Less than half original cost. Looks and runs like new.

ONLY \$249.50

With built-in speaker ONLY \$225.00 single case unit....

**DeVRY 16mm SOUND PROJECTOR** 

Not new, but completely checked over by our factory-trained men, and guaranteed to run like new. Sound and silent speeds, f/1.6 lens, deluxe speaker and input jack for use with mike or turntable. List \$550.

SPECIAL \$139.50

New Yashica sub-miniature Y16 kit, list \$46.95, only\$ 27.50
New Kalimar Dual speakers with amplifier for all tape recorders, list \$129.50,
Korona panoramic view with Bausch & Lomb Proter Ser. V F 18, 16x18, good condition \$ 79.50
Steporette Janrus \$179.00 dictating re-
corder, close-out shopworn, only\$ 59.50 Movie mite 8mm. magnetic sound pro- jector, 400' with mike, speaker, and
amp. original cost \$450,00, needs ad- justment—close out price\$ 49.50 New I inch Bell & Howell 2.5 lenses, "C"
or "D" mount
IIIC or IIC or Reflex, either Schneider or Rodenstock
or Rodenstock Auto Exakta VX IIA with penta prism, photo electric meter, I, 9 50mm. Iscomat LM lens, mfg. list \$370.00, special
only \$259.00  New Exakta YX IIA body only \$99.50  New Kodak Motormatic 35 camera \$79.50  Kodak sound 8 projector, new \$245.00
Kodak sound 8 projector, new \$245.00 Kodak Analyst movie projector, I6mm. new \$289.00
New Anscomatic 500 watt slide pro-
New Kodak Retina IIIS with 1.9 lens.
only \$119.95 New Kodak Signet 80, list \$129.50, only \$ 64.75 Kodak Signet 80 telephoto lens, 90mm. F 4 \$ 44.50
Kodak Signet 80 wide angle lens, 35mm. 3.5 \$ 36.00
New Kodak Retina Curtagon wide angle, 28mm, F 4 for Retina IIIS and Reflex S.\$ 59.95
200' chamber for Cine Kodak Special\$395.00 Kodak autofocus enlarger, complete with Easel and lens, excellent
New 12 inch Ektar 4.5 in Ilex synch. shut- ter \$225.00
81/2 inch new Comm. Ektar, 6.3 in barrel\$115.00 70mm. Ektar new 4.5 enlarging lens\$ 59.50
New Aires Viscount 80mm. Aux. tel. lens. \$ 29.95 New Aires Penta 35 camera & case \$ 77.50 Yashica 44LM & case, new \$ 49.95
New Yashicamat Reflex with case, list \$85.50\$ 59.95
New Yashica 635 reflex with con. kit and case
New Elgeet Synchronex-8, 1.8 electric Eye
tric eye model, list \$59.95 only\$ 29.95
Leica, only
Canon 85mm. I.5 for Leica, Canon, or "C" mount 16mm. cameras, used\$ 99.50 28mm. 3.5 wide angle Angenieux for
Leica, only \$ 69.95 Kodak 2 inch F I.6, "C" or D mount
movie lens, like new\$ 69.95 Kodak 25mm, 1.4 Ektar lens "C" or "D"
Wide angle 1.4 Ektar converter for
Bell & Howell 6 inch 4.5 lens, "C" or "D"
Your choice or 12 assorted reels—800' 1200' or 1600' good condition only\$ 15.00
13.00

Ampro temm, carbon arc projector,
complete with amplifier, rectifier, speakers, everything, ready to operate, only\$595.00
speakers, everything, ready to operate.
only
motor drive can also be used as con-
wentional 100' model year guarantee
with I look I E look I look telephote
motor drive, can also be used as con- ventional 100' model, year guarantee, with 1 inch 1.5 lens, 6 inch telephoto, and wide angle, a \$2000.00 outfit ex- cellent condition, for only
and wide angle, a \$2000.00 outfit, ex-
cellent condition, for only\$595.00
riew inclos for your raine tellin. cam-
era, only\$149.50
era, only \$149.56 Bell & Howell 750 watt projection lamps, \$18.00 \$ for \$18.00 \$ for \$24.00  We have exciter lamps, projection lamps, parts, cases, for most sound projectors—
6 for \$ 18.00
Reli & Hewell 1000 wests projection lemms
bell & riowell rootwatt projection lamps,
0 for
We have exciter lamps, projection
lamps, parts, cases, for most sound
projectors—
New I inch Bell & Howell 8mm. projec-
fion lenses, only \$ 4.95 New Zeiss 30mm, F 4 pantar lens \$ 49.00
New Zeiss 30mm F 4 nantar lens \$ 49.00
events
Nacra
New Steinnell Isomm. 2.8 auto quinar
exacta exacta serim. 3.5 wide angle for \$ 99.50 New Steinheil 135mm. 2.8 auto quinar auto lens for Exakta
New Zeiss Planar 35mm, for Contax II
or IIIa \$69.95 Latest model Minox "B" used, only\$ 97.50 Leica IIIF with F 2 Summicron lens, used, \$149.50 Taiss For Tessas 35mm F 4 85mm for
Latest model Minox "B" used, only \$ 97.50
Laica IIIE with E 2 Summicron lans used \$149 50
Zeiss Pro Tessar 35mm. F 4 85mm. for
Cartalland Santa John P 4 Somm. Tot
Containex 87.75
Brand new Keystone 8mm. K-107-6 8mm.
projector \$ 77.00
Leica Imarect finder, used
Zeiss Contax variable finder, list \$80,00.
Contaffex Samm. F. 4 somm. 5 49.95 Brand new Keystone Smm. K-107-G Smm. projector \$77.00 Leica Imarect finder, used. \$19.95 Zeiss Contax variable finder, list \$80.00, only Brand new Polaroid Electric shutter for your 800, 150, XXX or 95 camera, list table contains.
Brand new Polaroid Flectric shutter for
your 800 ISO YYY or 95 camera list
\$39.95, only
\$39.95, only \$19.95 New Exakta Electronic flash with battery, charger & case \$39.95
New Exakta Electronic hash with Dattery,
charger & case
Reg. \$39.95 Leica, Contax, compartment
case, also fits most other comparable
case, also fits most other comparable size cameras, holds extra lenses, filters, etc., all leather, close out only. \$ 12.50 35mm. Tower camera, coupled range finder, 2.8 lens, shopworn, list \$59.00, only \$ 12.50 8ell & Howell self threading 8mm. projector, only \$ 79.95 8ram new Sylvania Sun gun, only. \$ 17.95 8mm. wide angle propection lens, fits most projectors, only \$ 7.95
etc all leather close out only \$ 12.50
35 Tower comes coupled cone
Somm. Tower camera, coupled range
tinder, Z.8 iens, snopworn, list 307.00,
only
Bell & Howell self threading 8mm. pro-
jector, only \$ 79.95
Brand new Sylvania Sun gun, only\$ 17.95
8mm, wide angle propection lens, fits
most projectors only \$ 7.95
2 took Cooks books! E I A to UCU as UDU
most projectors, only \$ 7.95 2 inch Cooke Ivatol F I.4 in "C" or "D" mount \$109.95
mount
Bell & Howell 385 lamm, sound projector \$389.50
Bell & Howell 385 I6mm, sound projector, \$369.50
New 35mm. 100 watt 2x2 picture vision
New 35mm. 100 watt 2x2 picture vision
New 35mm. 100 watt 2x2 picture vision
New 35mm. 10G watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 10G watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only \$85.00 New Kodak cavalcade programer \$ 67.50 Bausch & Lomb 6 or 7 power binoculars. \$159.50 pictural projects with the project of the pr
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$250.00 list, only
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$85.00 New Kodak cavalcade programer
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$85.00 New Kodak cavalcade programer
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$85.00 New Kodak cavalcade programer
New 35mm. 106 watt 2x2 picture vision projector can be used in its own self contained case, or projects on screen, \$85.00 New Kodak cavalcade programer

IF YOU LIVE IN THE TWIN CITY AREA, DON'T FAIL TO GET OUR PRICES ON ANYTHING PHOTOGRAPHIC BEFORE YOU BUY. WE CAN MEET, AND OFTEN BEAT ANY PRICE IN THIS MAGAZINE.

SEND \$1.00 for new catalog with most unusual equipment and bargains.


We will allow FULL LIST PRICE for your Colt, Smith & Wesson, High Standard, Ruger, Winchester 52, Remington 760, Winchester Model 50 field gun, toward purchase of Zeiss Contarex, Linhof, Topcon or Bell & Howell new or used sound projectors. We want all types of guns, antiques and modern, and you will find our allowances sensational. Write and tell us what you want and what you have to trade.

Satisfaction guaranteed on every purchase or your money refunded

NATIONAL CAMERA EXCHANGE 114 South Fifth Street


# AMPHOTO GUARANTEES TO MAKE

Choose from the most helpful and authoritative books in photography. Try them




### (56.) Outer Space Photography For Amateurs By Dr. Henry E. Paul An AMPHOTO "Edition Bound" book.

Shows the amateur how he can take dramatic shots of satellites, stars, planets, etc. with his own camera, a few simple accessories and a telescope. Dr. Paul is an amateur astronomer and author of 30 years experience. His book is profusely illustrated with photographs—each one taken by an amateur. Hard cover. \$2.50



(58.) Taking Pictures After Dark By Y. Ernest Satow An AMPHOTO "Edition Bound" book.

Successful night photography, explained for the progressive amateur. Detailed instructions cover equipment, techniques and treatments providing a step-by-step, simple-to-follow introduction to this fascinating field. By Y. Ernest Satow whose recently published 35MM NEGS AND PRINTS now is a nation-wide best seller. Hard cover. \$2.50



(81). Lenses: How To Choose and By Ted Russell Use Them

An AMPHOTO "Edition Bound" book.

A goldmine of lens information never before between two covers. Written by LIFE photographer Ted Russell, this book provides the most accurate guide for selecting a lens for a 35mm camera. Tells how to select a lens, how to test, which lens goes with what camera, what effects may be achieved. Hard cover. \$2.50

### (101) RETINA REFLEX WAY

by L. A. Mannheim. One of the most eagerly-awaited books in photography. Covers the Retina Reflex from start to finish. Fully illustrated with charts, graphs, etc. \$7.50

(205) MEDICAL PHOTOGRAPHY, RADIOGRAPHIC AND CLINICAL by T. A. Longmore, ARPS, MSR. A Universal source of reference indispensable to the radiographer and clinical photographer. 5th revised edition. 972

### Free! Beautiful Imported **Alpine Hardwood Book Rack**



Order \$10.00 worth of books, or more, from these books or from the Amphoto Catalog, and get this beautiful imported Alpine hardwood Book Rack free of charge. Measures 16½ x 8 x 8½ inches. Holds 12 books. Choice of blonde or walnut finishes.

### (249) LIGHTING FOR PHOTOGRAPHY

by W. Nurnberg. A standard text on illumination. Discusses lighting techniques for practically every type of subject. A book that's been used for years as a guide to all lighting problems. \$5.00

### (225) LIGHTING FOR PORTRAITURE

by W. Nurnberg. The highly-specialized lighting requirements in portraiture are examined and explained in lucid detail. Graphically illustrated. \$5.00

### (52) CONTAFLEX WAY

by H. Freytag. Everything the Contaflex owner will want to know about his fine equipment, its operation and accessories. Directions for first-class, flawless photographs. \$4.95

### (143) PRACTICAL PORTRAIT PHOTOGRAPHY

by Charles Abel and Edwin A. Falk. If you are dreaming of opening a professional portrait studio, this book is definitely for you. Invaluable information on the secrets of achieving portraits that really sell.

### (114) HOW TO SHOOT WEDDINGS

by M. K. Arin. A successful professional provides the low-down on creating a profitable business spe-cializing in wedding photographs, based on his own experience. Sound technical and commercial advice on a down-to-earth level. \$3.95

### (372) ULTRAMINIATURE PHOTOGRAPHY

By Joseph D. Cooper. This comprehensive hand-book contains a complete directory of ultraminia-ture cameras, films and accessories, and detailed instructions on exposure, flash, color, developing, close-ups, etc. \$3.95

### (6) CHILD PHOTOGRAPHY MADE EASY

by Joseph Schneider. America's best-known child photographer uses a psychological approach to obtain his outstanding pictures. Offers a valuable guide to parents and professionals. Over 100 illus-trations, many in color. \$4.50

### (312) ALL-IN-ONE CAMERA BOOK

by W. D. Emanuel. This famous textbook has provided grounding for thousands of beginners. A treasury of useful information, now in its 43rd edition. Profusely illustrated. \$2.95

# (40) AMERICAN CINEMATOGRAPHER MANUAL

Compiled and edited by Joseph V. Mascelli. Assoc. Editors, Arthur Miller, A.S.C. and Walter Strenge, A.S.C. The bible of Hollywood cameramen containing all the shooting data required in filming theatrical, television, industrial, military, educational, and documentary motion pictures. \$7.50

### (705) CAMERA PORTRAITURE

by Herbert Williams. Now, at last, a complex subject has been simplified. Here are easy-to-understand instructions, by a recognized authority, on how to achieve portraits that please and portraits that live.

### (471) HOW TO USE YOUR CAMERA AFLOAT


by H. S. Newcombe. Guidance on perspective, movement, creative composition and color, and the pitfalls to avoid in photographing this most popular sport. Richly illustrated.

### (186) AVAILABLE LIGHT AND YOUR CAMERA

Edited by G. Wright. Ten authorities survey the field and explain the methods used by professionals in difficult situations where supplementary lighting is unavailable. Revised second edition. \$5.00

# YOU A BETTER PHOTOGRAPH


for 7 days. If you are not completely satisfied, your money refunded in full.



(64). Close-Up Photography With Your Camera By Harold Martin


An AMPHOTO "Edition Bound" book.

Covers every aspect of gross photography, micro-photography and photomicrography: cameras; lenses; use of supplementary lenses; tripod require-ments; films; developers; calculating exposure; for-mulae for calculating effective aperture; diameter of your lens at any f/stop; copying, etc. Hard cover. \$2.50



(49). Floyd's Photo Tips By Wayne Floyd An AMPHOTO "Edition Bound" Book.

Wayne Floyd is a magician of the camera. He knows a thousand-and-one short cuts, time-savers, photo tricks that can give avery photographer anew interest in his work. FLOYD'S PHOTO TIPS covers all sorts of situations found in the field and in the darkroom, and it provides a quick solution to each. Hard cover. \$2.50



(329). Official Nikon F Reflex Manual By Amphoto Editorial Board An AMPHOTO "Edition Bound" Book.

Newest of the prism reflex camera is the Nikon F. It is the cornerstone of an entire system of photography. AMPHOTO has called upon its Board of experts, to provide a working manual designed to make sure that each NIKON F owner gets the best out of his instrument. Hard cover. \$2.50

### (734) Retouching

her ete elis ed.

to

ge, on-

on its

AT

nd ost 95

RA

By O. R. Croy. Methods, materials and tools required, as well as all the techniques, are told in this longtime best-selling book. Contains over 200 formulae and tables, with advice on their use.

Also covers air brush technique. \$4.50

### (63) COLOR BOOK OF PHOTOGRAPHY

by Lucien Lorelle. One of the most useful books ever published on this subject. Covers the field thoroughly and comprehensively dealing with films, filters, charts. 4th revised expanded edition. 136 illustrations. Regularly \$3.95 Special \$3.00

### (515) THE TECHNIQUE OF FILM EDITING

by Karel Reisz. A distinguished symposium consist-ing of ten outstanding members of the British Film Academy analyze the problems of creative film making, and present invaluable advice based on their individual experience. 6th up-dated edi-tion, 288 pages.

# Ask for AMPHOTO BOOKS at camera and book stores, or **USE THIS** HANDY COUPON

# (330) MOVIE TECHNIQUES FOR THE ADVANCED AMATEUR

by George Regnier and Myron Matzkin. The first really explicitly, up-to-date book for the serious amateur movie maker. Explains all professional methods . . shooting, scripting, lighting, direc-tion, documentaries in a down-to-earth, clearly comprehensible manner.

# (27) PHOTO-JOURNALISM: PICTURES FOR MAGAZINES AND NEWSPAPERS

by Arthur Rothstein. A complete, informative, survey of modern communications by photography—a standard study on how newspapers and magazines work with photography. Illustrated with over 200 \$5.95

### (62) FORM AND FIGURE

by Peter Basch. A collection of outstanding studies of the nude, beautifully reproduced. With commentary and technical notes by this famous glamour-shooter, who provides detailed, specific advice on lighting, props, etc. 91/4 x 121/2. \$5.95

### (716) NUDE PATTERNS

by Andre de Dienes. Over 100 unique photographs, all taken in Hollywood. A master-photographer displays his great sensitivity, technique and artistry in lighting and arrangement. \$4.95

### (727) PHOTO ET PROPO SUR LE NU

by Lucien Lorelle. A French study on methods of photgraphing the female nude. This deluxe gift volume is produced in gorgeous heliogravure with 121 illustrations, including color. \$3.95

_	Quebec (	Add 10%	for Canad	ian shipment)			Enclos		halam
I encl	ose 🗆	Money	Òrder	Check book rack.	□ Send	C.O.D	(Postage	Extra	.)
56	58	81	64	49	329	101	205	249	225
52	143	114	372	6	312	40	705	471	186
734	63	515	330	27	62	716	727		
Name									
ddress									
lity						State			

# NO PROGRESSIONE AND A CONTRACTOR OF THE PROGRESSION OF THE PROGRESSION

### MOONGLOW COLOR PRINTS

Any of same	e size	3	6	12	25
21/ax31/a	25€	08.	22¢ ea.	20¢ es.	18¢ ea
31/4×41/2	50c		45¢ ea.	40¢ ea.	35¢ ea.
4×5	60¢		55¢ ea.	50¢ ea.	40¢ ea.
Sx7	85¢	ea.	80¢ ea.	75¢ ea.	70¢ ea.
8x10	1.75	es.	1.50 ea.	1.25 ea.	1.10 ea.
11×14	4.50	ea.	4.25 08.	4.00 ea.	3.50 ea.
16×20	10.00	ea.	9.75 ca.	9.50 ca.	9.00 ea.

All Film Handled with Care

### COLOR FILM PROCESSING

35mm Anscochrome, Super, Ektachrome 20 Exp. ----\$1.00 Mtd. 36 Exp. ----\$1.75 Mtd. 120, 127, 620 -----\$1.00 in Sleeves\_--\$1.25 MTD KODACHROME PROC 20 Exp \$1.40 Mtd.; 36 Exp \$2.45 Mtd

### Fresh 35mm, RELOADS

	Ektachron	ie, Anscochrome	, Kodachrome
1	\$1.30	5\$6.21	10\$12.00
8mm	Kodachrome	Proc25'	Magazine\$1.25
16mm	Kodachrome	Proc50'	Magazine\$1.50
25' Ro	11	_\$1.60	100' Roll\$4.00

KODACOLOR PRINTS FROM KODACOLOR NEGATIVES 3x5\_\_\_\_\_\_\$3.05 ea. 8x10\_\_\_\_\_\$3.00 ea. 5x7\_\_\_\_\$1.05 ea. 11x14\_\_\_\_\_\$6.75 ea. Kodacolor Proc. \_\_\_\_\_\_\$0¢ per roll

### MOONGLOW COLOR PRINTS

P. O. Box 75622—Sanford Station
Los Angeles 5, Calif. Dept. M



STANRITE SUPERPOD GEARED TWO WAYS ...

Horizontal gear for smooth movie panning. Geared for fast eleva-tion up-down action. Extra 90° tilt on pan-head. Ball level, many new features that have never been offered on any tripod before.

WRITE FOR FREE CATALOG

ds, Enlarger STRITE INSTRUMENT CO.

S THE FINISH" THAT COUNTS

CHINACOLOR

FINISHED LIKE FINE PORCELAIN

**PRINTS** FROM SLIDES

31/2 Sq. or 31/2×5 256 5×7 1.00 8×10 2.00 FROM KODACOLOR

31/2 Sq. or 31/2 x5 25 5x7 1.19 8x10 3.

DUPLICATE COLOR SLIDES Each . . . 20¢ 25 to 99 . . 17¢ es. 100 or more 15¢ es.

Now !

CHINACOLOR LABORATORIES

Dept. 6104-B, 715 Kennedy St. N.W., Wash. 11, D.C.

# **FASCOLOR**

The Complete Service for

- · Slides, Movies, Stereos and Color Snapshots Complete Print and Enlargement Service
- Genuine Kodak Processing for Kodachrome, Kodacolor, Ektachrome
- Special Services: Duplicate Slides, Movies, Prints from Movies
- Factory Fresh Color Films. No Re-spools

Write for new handbook catalog and mailers

Rm. 304 Fulmar Bldg., Box 86, Rochester 1, N. Y. World Photographic Center

# INVISIBLE RETOUCHING

Even on Glossy Prints

SPOTONE has been a favorite print spot-ter and retoucher for years in schools as well as professional studios.

SPOT OFF removes black spots or will dark areas on any print. Write for lighten dark areas

RETOUCH METHODS CO. CHATHAM, N. J.



KODACHROME

Hollywood MOVIE LABS. Dept. M. 12546 Ventura Blvd., Studio City, California

MOVIE 8mm Roll ... 85¢ 8mm Mag .. 60¢ 16mm Mag .. 85¢ 16mm 100° ... 2.15 8mm Bolex .3.75

ALL WORK PROCESSED SAME DAY RECEIVED KODACHROME ANSCOCHROME, EKTACHROME 

KODACOLOR DEVELOPED 40% LIST

SEND CHECK, CASH OR M. O. WITH FILM Orders returned FAST 1st Class Mail

COLUMBIA PHOTO SERVICE

### IF YOU OWN A TAPE RECORDER

. . . here is a new book that will be ex-tremely helpful. The "ALL-In-ONE TAPE RECORDER BOOK" tells the whole story of RECORDER BOOK" tells the whole story of tape recording . . . how a recorder works . . recording techniques . . maintenance . . a complete tape recording encyclopedia. Equally important, it is most interesting reading, Published by the famous Focal Press, of England. Priced at only \$2.95. At your camera store—or ORDER DIRECT, on a 10-day money-back guarantee from

AMPHOTO, 33 W. 60th St., N. Y. 23, N.Y. 

### Just 1 oz. of each and . .







by the NEW Edwal Controlled fix by adding for, Hi-Spee Menobath Method rect to deve

4 oz. bottle-59c, 16 oz. bottle-99c Ask or write for free "Controlled Monobath" b

EDWAL SCIENTIFIC PRODUCTS CORP

# Surset\_COI COLOR LAB (from 35mm only) 85c COLOR PRINTS

lor Slide

COLOR PRINTS 11x14....4.50 ea. COLOR PROCESSING Anscochrome, Ektachrome 35mm-20 exp. 1.00 mtd 120-920 --- 1.00 35mm-20 Exp. Reli Kodachrome --- \$1.40 Min. Order 1.50-No C.O.D.

### SUNSET COLOR LAB

Box 46415, Dept. M. Los Angeles 46

### **Automatic Daylight Developing Tank**



- Processes up to 200 Ft.
  Smm-16mm-35mm-70mm
  Movie—X-Ray—Microfilm
  Motor-Driven—Portable
  Uniform Density Assured
  400 Ft. Tank Available
  Guaranteed
- Write for Free Literature.

Micro Record Corp. 487-11 South Ave

# **Buy 4 Rolls Receive 1 Free**

Respooled From Bulk										
Prices include processing	Super Ansco- chrome ASA 100	Chrome	Chrome		B & W ASA 50					
8mm Roll	2.50	2.25	2.25	1.50	1.00					
8mm Mag	3.25	2.75	2.75	2.00	1.25					
16mm Mag	4.00	3.75	3.75	2.00	1.50					
16mm 100'	7.00	6.50	6.50	4.00	2.25					
8mm Bolex	7.50	7.00	7.00	4.50	2.50					
Please	specif	y out	door o	r inde	or.					

SUN FILM CO.

200 W. 57th ST. N.Y.C. 19, N. Y.

# SUPER SAVINGS ON KODACHRO

OVIE FILM 8 MM ROLL

35 MM 10 Exp Developed and Mounted

Precessed First Order Only

This offer to acquaint you with our superior quality & rapid service for over 15 yrs. 90% of our worl professionals — who know and demand the best.

Sand your films new. Write for Free Mailing Envelopes and low prices on all color film processing.

EASTERN COLOR STUDIOS BOX 125 M

# COLOR PRINTS

FROM KODACHROME, 2×3...20¢ · 4×5...45¢

3x4...35¢•5x7...1.00

SUPER SLIDES DUPED AT 30¢ EACH. ANSCO OR EKTA \$1.00-KODACHROME \$1.50.

KODACOLOR ROLL DEV. AND PRINTED:

8 EXPOSURE 3½ x 5... \$2.35
12 EXPOSURE 3½ x 3½... 3.15
20 EXP. 35mm 2½ x 3½... 3.95
STANDARD SIZE PRINT... 20¢ EA.
25/x3½ PRINT FROM 55mm ONLY 16¢ EA.
400MMMMM ORDER \$4.00. INCLUDE POSTAGE.

WASHINGTON PER SLIDE
E. MONTGOMERY AVE., ROCKVILLE, MD.





5

Introductory Offer

7.2½x3½ from 35mm slide \$1.00 6.3½x3½ from square or storeo \$1.00 2.5x7 from 35mm slide . . . \$1.00 6.35mm duplicates from 35mm \$1.00

\* THIS AD MUST Write for free mailer and price list

Colorfax EXBORATORIES, INC

# COLOR 5

### COLOR FILM PROCESSING

35mm 20 Exp. Mounted, Roll ....\$1.00

120, 620, Roll ......\$1.00 Slide Duplicating 25c ea.

# **Color Prints** 21/4×31/4 31/4×41/2 5×7 ..... 8×10 .... .....25c .....45c .....1.00 ....2.00 ....5.00 ....12.25

16x20 35mm Kedachrome 20 Exp. Roll \$1.40 Mtd. Minimum Order \$1.50 No C.O.D.

CANYON COLOR CO. BOX 36536 LOS ANGELES 36, CALIF

Numbatabs keep slides in sequence, right side up index your stereo slides, film holders, negatives, motion picture reels, etc.



. . . . 250 Specify red, blue, orange,

green, or black on order.

APPLY WITHOUT MOISTENING

PICK OFF TAB

COLOR

15

21/2×31/2

DUPLICATE

NUMBATABS . P.O. BOX 111 . ROCHESTER 1, N.Y. U.S.A. ORDERS PREPAID

# LOW, LOW PRICES!

### ON COLOR FILM PROCESSING KODACHROME ANSCOCHROME - EKTACHROME

35mm 20 exp. 85¢ DEV. & MTD. 36 exp .- 1.50

AOVIE Magazine

65¢

ROLL-

KODACOLOR TRANSPARENCIES 8 esp. \$225 12 esp. \$325 35 mm 15 acc

QUALITY GUARANTEED
SEND FILM OF Write for
FREE Mailers and Price List
GLO-COLOR LABS
GPO BOX 9L, NEWARK 1, N. J.

### MINOX OWNERS! or Minolta, GaMi, Yashica, etc.

IF YOU OWN A FABLUOUS MINOX or other ultra-miniature camera and have been in the habit of having your film developed and printed by another processor, try Towne Labs and compare! PROMPT SERVICE—Black and white mailed back in 48 hours. Color approx. 5 days. Top quality en-largements hand pristed on imported white, buff or glossy. Individual attention by specialists—af no price premium.

price premium.
FREE: Towne-Proof—entire roll on one 3 x 6 print with frame numbers. Perfect record, makes reordering easy. Free with every black and white roll 
developed and enlarged.

TOWNE LABORATORIES, Dept. M 249 W. 29th St., New York I, N. Y.

# PRINTS and PROCESSING

ality with ECONOMY!

COLOR PRINTS FROM TRANSPARENCIES 2½x3½ six for \$1.00 (20 for \$3.00) 5x7 .....each \$ .75 8x10 ....each \$1.50 Anscochreme, per-Auscochrome,

| 2/<sub>22</sub>21/<sub>2</sub> six (or 51.00 (20 for 53.00) (20 for 53.00) (20 for 53.00) (20 for 53.00) (20 for 53.50) (20 for 54.50) (20 for COLOR SLIDE DUPLICATING

MINIMUM (35mm Mounted)
PRINT ORDER 31 7-\$1.00, 20-\$2.75, 50-\$6.50 All work returned by 1st class mail. ality, Service & Satisfaction guarantee ler and price list FREE. No C.O.D.'s ple

Lee-Jan color 148..

Box 382-D LaGrange, Illinois

# WE'LL MEET HENRY'S EASTERN PRICES!

NEW-1961 Electronic Flash ULTRABLITZ Replacing in Germany the well-known MET PLUS 30% MORE POWER PLUS ALM DOUBLE SPEED IN RECYCLING TIME P 125 WATT SECONDS. This unit was actived to be sold in this country 25% in than the well-known Meteor II. ONE P YEAR UNCONDITIONAL GUARANTES.

Exclusive \$79.50. Delivered with flash bracket, charger cord and flash cord. FREEI Monthly Bargain News Letter loads with new and used specials. Write to . . Cert. Check or M.O., We Prepay, Parcel Post Only in U.S.A. 10% Advance on C.O.B., 4% bx. in Calif.

516 W. 8th St. L. A. 14. Cal.

a

m

e

r

a

# REAL HORSE TRADIN'S

POLAROID 800 KIT
Includes camera, cowhide case, wink-light,
2 rolls 3000 ASA film, postcarders, albums,
PLUS \$39.95 automatic electric eye. Tetal Value, \$199.45—Sale \$113.97

179.50 119.50 Money refunded if not le-in quotations on any

AUSTIN CAMERA COMPANY

# RELOADED . KODAK TRI-X SOME NEW PLUS X BENT OF THE PROPERTY OF THE PR

20 EXP. . . . \$1.50 Add 10c per order for postage and packing.

CUSTOM QUALITY FINISHING

CUSTOM QUALITY FINISHING
20 Exp. Developed & 3¼ x 4½ prints. 90¢
36 Exp. Developed & 3¼ x 4½ prints. \$1.50
8 Exp. roll film. .40¢
12 Exp. rell .60¢
20 Exp. Exhechrome — Kedechrome \$1.50
Kodacolor processing 75¢
Also, bergains in 8mm. Kedechrome &1.25¢
Miller for complete prices.
Individual handling of all film. Me centinuous processing used. Plaishing shipped pestpaid.

EASTERN PHOTO LABS. Dept. "B"
1405 N. Charles St. Baltimore 1, Md

# ASTRONAR

TTT FINITE FOR THE PROPERTY OF THE PROPERTY OF

COMPACT TELE LENSES



"THE 6x" The lightest, most cor pact high-quality pho monocular for Contage parina Reflex, Bess and oth TLR's. \$4995

SEND FOR FREE INFORMATION ON WITH CASE USE OF MONOCULARS AND NEW 6x BATA SHEET



"THE 400" The lightest (13 os.) sharpest (1400 lines/inch) I o we st price (359.50) highest quality 400mm f/7.5 telephoto lens. Available in Praktica and Exakta

"THE 200"

n extremely rapid cusing f/7.5 200ms that focuses do feet fouranteed 1400 ch! Available in raktica and Exakta inch! Available in Praktica and Exakta S2495 mounts. SEND FOR FREE DATA SHEET

ENCINO ENGINEERING

### PERIFLEX 35mm "Gold STAR"



Accepts and foc LEICA screw me lenses. (Tanack, Tower, Nikkor, wer, Nikkor, etc.

True Reflex Focing using unic Periscope System Focal Plane Shut 1 sec. to 1/500 Split-Image RF

bodies and FREE liter

SOMM (1.5 Latte Kanon User
Periffer Body Off).

NIKON Reflex F w/fi.4 Nikhor, Perf., used. \$238.45

Free Buying Guide Dept. MPA

WARBUCKS PHOTO SUPPLY, INC. 80 East 11th Street, New York 3, New York 10 DAY REFUND IF NOT SATISFIED.

### **TURBULATOR** PRINT WASHER

Efficiency Plus for Sink or Bathtub. Prints Kept in Constant Motion. Professional Results. Nothing to Rust or Break.

ONLY \$295



SPEED-EZ-ELS Compact — No Adjustments — Easy Facusing — No Eyestrain — 6 Papular Sizes — Budget Priced

\$1.68 \$1.80 \$2.00 \$2.76 \$3.85 \$5.10 31/2 = 31/4 ... Complete set only \$17.15. Special size on request. Send for Free Literature.

A. J. GANZ CO.

# FOTOLARGERS

## FROM \$29.95

Professional results the lowest price possible for fine, precision made equipment. Only low price enlarger offering full line of accessories such as con-

densers, copy back, copy lites, etc.

No Enlarger at Any Price Will Make Better Prints. Stade in U.S.A.

Free Catalog On Tripods, Darkroom Сору

Equipment.

### COLOR SLIDE DUPLICATING

35mm Mounted
Finest quality, sharpest reproduction.
One of the West's oldest color slide
duplicators. **20c** 

duplicators.

24 Hour Color Film Processing

Anseo, Anscochrome, Ektachrome, Kodachrome

QUALITY COLOR PRINTING ALSO AVAILABLE Atkinson/Stedco Color Film Service 7610 Melrese Ave., Dept. M, Los Angeles 46. WE 3-5954

EACH

CROPPING AND SHAPING UP SLIDES? CATALOG ON PORTER × 4 LANTERN SLIDE BINDERS

PORTER MFG. & SUPPLY CO. 2836 Sunset Blvd., Dest. MP-4, Los Angeles 26, Califor

COLOR PROCESSING ---To acquaint you with our quality pro-KODACHROME 20 Exp. Mtd.
ANSCOCHROME 20 Exp. Mtd.
EXTACHROME 29 Exp. Mtd.

COODWORK STUDIOS

# CINELARGERS

135 MONROE ST., NEWARK S. N.

ELOPING

-Largest Assertment 98 Pages-HOTO FRAMES . MOUNTS
ALBUMS and MAILERS

**Fastest Service! Lowest Prices!** NTERNATIONAL SALES CO., Inc., Dept. A 9 W. Baltimore St., Baltimore 1, Maryland

# Color Slides ALASKA (

New Series! 100 Color Slides of "Land of the Midnight Sun" America's new wonder state -- Colorful -- Exciting -- Different Make your own selection at just 10 cents each! 10 for \$1.00 100 for \$10. List free! SLIDE CO. Bex 1031, Canton Ohio





### **NEW PRODUCTS**

(Continued from page 48)

turns off the room light when the projector is switched on, and turns it back on when the projector is stopped. The Revere AZ-718 also has: forward, reverse and still projection; high-speed rewind; rheostat speed control; 750-wat illumination; tilt control; removable loop formers for optional manual threading; and 400-ft. reel capacity. The Revere AZ-718 8mm automatic zoom projector, with case, is priced under \$125. Write: REVERE CAMERA CO.

320 EAST 21ST ST., CHICAGO 16, ILL.

### **Auto-Thread Projector**



The Keystone K-98 projector's auto-thread device threads the 8mm film automatically onto the upper sprocket, down the film track and through the lower sprocket in about

sprocket in about six seconds. You can also remove the film any time during projection. The projector has an f/1.6 Magnascope wide-angle lens. Other features include: single clickstop knob control for forward, reverse, still, off, on, and fast rewind; built-in room light switch allowing room light to be turned on and off from projector; Tru-Flector lamp; 400-ft. reel capacity; fully geared fold-away reel arms; 110/120-volt Universal motor; focusing and tilt control knobs. Price focusing and tilt control knobs. Price of the Keystone K-98 8mm movie projector is \$99.95. Write: KEYSTONE CAMERA CO., INC. 151 HALLET SQUARE, BOSTON 24, MASS.

### **Plastic Print Washer**



Pako's Mid-Jet print washer, made of Dialine plastic, handles 15 single- or 1 double-weight 11 x 14, or 24 single- or 15 double-weight prints from 4 x 5 prints from 4 x 5 through 8 x 10 sizes. The unit includes plastic tank, print retain-er, aspirator, and distributor tube,

distributor tube, and is equipped with hoses for faucet connection and drain. The unit is 17½ in. long, 17% in. high, and 3¼ in. wide. Water in the Mid-Jet is said to be changed every two minutes, and prints are washed in about 30 min. The Pako Mid-Jet print washer sells for \$49.95. Write: sells for \$49.95. PAKO CORP.

6300 OLSON MEMORIAL HIGHWAY MINNEAPOLIS 40, MINN.

### Tap Water Demineralizer

A pint-sized plastic squeeze bottle, called Distill-O-Water, contains chemicals which remove minerals and other scale-making impurities from tap water. You fill the bottle with water, shake to mix contents. Water is then instantly demineralized and ready for color or fine black-and-white processing. The bottle can be refilled with water repeatedly, making up to 10 gal. of mineral free water. When the resin beads have turned yellow, refills can be ordered. Distill-O-Water costs \$1.49. Write: DISTILL-O CO.

P.O. BOX 21111, DALLAS 11, TEXAS

Eastman Kodak announces that its improved Tri-X Pan film, introduced last year in roll film, is now available in 4 x 5 film packs. Price, for pack of 12,

# INDEX OF DISPLAY **ADVERTISERS APRIL 1961**

Advertiser	Page No.
ALLIED IMPEX CORP.	40
ACME COLOR LABS ALLIED IMPEX CORP. AMPHOTO ANSCO ART CENTER SCHOOL	114, 115 Cover II
ART CENTER SCHOOL	112
BAIA CORP. BASS CAMERA CO. BEST PHOTO INDUSTRIES BLACKHAWK FILMS BROOKS INSTITUTE OF PHOTOGRAPHY BURLEIGH BROOKS, INC	47
BLACKHAWK FILMS	97
BURLEIGH BROOKS, INC.	, 46, 89
CENTRAL CAMERA CO.	184
DIMCO-GRAY, INC.	
EASTMAN-KODAK CO. 20, 21, 22, 23, 24, 25, EDMUND SCIENTIFIC CO. EXAKTA CAMERA CO.	121
FUJI PHOTO OPTICAL PROD., INC	
GAMI CORP. GEISS AMERICAN (Gauthier)	30
GAMI CORP. GEISS AMERICAN (Gauthier) GRAFLEX GRAND CENTRAL CAMERA EXCHANGE	
HABER & FINK, INC.	34 35
HABER & FINK, INC. HEILAND PHOTO PRODUCTS HUDSON PHOTO INDUSTRIES HUNT-WILDE CORP.	6
ICELANDIC AIRLINES IDEAX CORP. INDUSTRIAL TIMER	36
KALART KEYSTONE CAMERA CO., INC. KINNARD CO. KLING PHOTO CORP. KONICA CAMERA CO. KOVO (Meopta)	.12, 13
KINNARD CO	100
KONICA CAMERA CO	105
LEITZ, E., INC.	16 162, 103
MACMILLAN CO., THE	90
MACMILLAN CO., THE MAMIYA MANSFIELD INDUSTRIES, INC. MINNESOTA MINING & MFG. CO. MODEL FILM	108
MODEL FILM	100
NATIONAL CAMERA EXCHANGE NATIONAL CAMERA REPAIR NATIONAL PHOTO LABS NATIONWIDE FREE FILM NEW YORK INSTITUTE OF PHOTOGRAPHY NIKON, INC. NUCLEAR PRODUCTS, INC.	113
NATIONAL PHOTO LABS	112
NEW YORK INSTITUTE OF PHOTOGRAPHY .	31
NUCLEAR PRODUCTS, INC DLDEN CAMERA & LENS CO	105
PAULAND INC	. 10, 13
PAILLARD, INC. PANDRAM FILM LABS PERMA-COATER CORP. PHOTOGRAPHIC IMPORTING & DISTRIBUTING CORP. PLYMOUTH PRODUCTS CO. POLAROID CORP.	107
PHOTOGRAPHIC IMPORTING & DISTRIBUTING CORP.	4
PLYMOUTH PRODUCTS COPOLAROID CORP	105
RAY VOGUE SCHOOL	
REVERE CAMERA CO.	42
AWYER'S	33
AWYER'S CHOOL OF MODERN PHOTOGRAPHY EYMOUR'S IMMON BROTHERS, INC. OLAR CINE PRODUCTS, INC.	33, 122 45
OLAR CINE PRODUCTS, INC.	98. 99
ULAR CINE FADDOLS, INC. PIRATONE, INC. TARLIGHT COLOR LABS TERLING-ROWARD CORP. UPERIOR BULK FILM	91 95
UPERIOR BULK FILM	95 96 ver III
. S. COLOR PHOTO	
OSS PHOTO CORP	
ALL STREET CAMERA EXCHANGE	
ASHIMA OPTICAL CO	
EISS, INC., CARL	7
though we attempt to keep this index	as ac-
lthough we attempt to keep this index trate as possible, we cannot be held re- le for errors which may occasionally	occur.

# Classified Ads...

Classified Want Ads may be inserted in MODERN PHOTOGRAPHY by any reliable individual, camera dealer, or specialty house. To avoid chance of error, submit copy typed. Terms: 70g a word. Each word, including each item in the address, counts as one word. 10g additional for each word in Capital letters. Send cash with order, 5%, discount for 6 consecutive insertions, 10% discount for 12 consecutive insertions, if entire bill is paid in advance. Forms close on the 15th of the third month preceding date of issue. For example: February 15th is deadline for May issue.

### cameras, accessories for sale

ONE OF WORLD'S LARGEST CAMERA TRADING CENTERS—Cameras, lenses, accessories—purchased, sold, traded—new-used! SUN-DAYS 11-2 pm, Daily 10-7 pm. CHROM-OPTICS, 943 N. State, Chicago 10.

8mm Electric Eye Cameras, Projectors, Films, Supplies. Free Discount Catalog. National Cinema 8mm, 71 Dey St., N. Y. 7, N. Y.

VISITING? Jay Reed's really well-stocked, worth seeing! Free guidemap available, write: CHROMOPTICS, 943 N. State, Chicago 10.

USED 16MM Sound projectors, also sound films, rental, sale, exchange. Write for free catalog. National Cinema, 71 Dey St., N.Y.C.

"1961 CATALOG Over 500 Illustrations Sensational Savings! Send 25¢ Olden Camera, 1265 Broadway, New York 1, N. Y."

JAYREED'S Desires Opportunity to Undersell! Tremendous, top-quality, namebrand store, well-stocked specialists, offering immediate-action service, undersells when told what prices to underbid! Chromoptics, 943 North State, Chicago 10.

CHICAGO VISITORS—may we cordially invite you to see one of the world's great camera stores, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

LET'S DEAL IN PERSON—complicated trade deals thru the mail are usually quite simple over the counter, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

The BEST DEALS are made over the counter. Get the ALTMAN PRICE on that next trip to Chicago. ALTMAN'S, 16 S. Wabash, Chicago 3, III.

WHEEL and DEAL when you buy that next new camera. It's part of the fun. Stop in on that next trip to Chicago. In Chicago, for cameras the wheeling and dealing headquarters is, ALT-MAN'S, 16 S. Wabash, Chicago 3, Ill.

WHEN out of towners see our store they are usually amazed at the lavish display of the finest in photographic equipment. If you like cameras, stop in for a "look" or a free cup of coffee. We're friendly here, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

ALTMAN is a TRADER!!! And we can trade best when you are here in person and both you and we can see exactly what we are getting, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is NOT a loft with a catalog. We have a large store with a tremendous inventory. We would like you to see our store on that next trip to Chicago, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

The LOWEST PRICES are offered over the counter. In Chicago, they ask for the ALTMAN PRICE, ALTMAN'S, 16 S. Wabash, Chicago 3, III.

CAMERA FANS: Don't Buy that camera or projector until you see our 1961 Giant Photo catalog—all standard brands. King For Price, Box 5, Monsey, New York.

SAVE AT COLUMBUS, LOADS OF BARGAINS, SAVINGS UP TO 75% in New & Used 8 and 16mm Movie Cameras, Projectors; Still Cameras, Slide Projectors, and various accessories for new and discontinued cameras such as Holders for Speed Graphic and Enlarging lenses. SAMPLE of BARGAINS... KODAK 8mm SOUND PROJECTOR, New, Listing at \$345.00 less 33½% Sale \$230.00; KODAK SIGNET "80," New List \$129.00, Sale \$77.50; KODAK STEREO CAMERA with case and flashholder, List \$110.00, Sale \$43.00; ALL RETINAS IN STOCK AT LOW, LOW PRICES: MOVIE FILMS with Processing by Kodak included, 8mm rolls \$3.65; 8mm magazines \$4.25; 16mm 100ft 101\$ \$9.75; 16mm magazines \$6.80; three or more we pay postage; Send \$.25 for catalog; Be specific in your requests for quotations; 40 Years In Business; COLUMBUS PHOTO SUPPLY CORP., 2051 Broadway (71st), N.Y.C. 23, Established 1921.

Kodak Master Contact Printer model 1. Ideal Photo Print Dryer. Delineascope and Visualcast projectors. Sacrifice. International Firearms, 52 Lake, St. Albans, Vt.

### wanted to buy

IMMEDIATE AIRMAIL PAYMENTS— One of The World's Largest Camera Trading Centers offers TOP PRICES for Cameras, Lenses, Accessories in excellent condition! CHROM-OPTICS, 943 N. State, Chicago 10.

CASH AIRMAILED IMMEDIATELY for your cameras and equipment. We consistently pay more! Your camera and equipment brings top dollar. Satisfaction or merchandise returned prepaid if not entirely satisfied. "OK" CAMERA EXCHANGE, 553 So. Main Street, Los Angeles 13, California.

ALTMAN'S is too big to "play games." You will get what we offer for your equipment—not a new and lower offer once the equipment gets here, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is known for fast action, no delays, no stringing you along, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S PAYS MORE, BICKERS LESS, REPLIES IMMEDIATELY, Altman's, 16 S. Wabash, Chicago 3, Ill.

HIGHEST prices paid for Leica, Contax, Rolleis, Polaroid, Movie Cameras, Projectors. Ace Camera Exchange, 689 Lexington Ave., New York MP-22, N. Y.

### camera repairs

SPECIALISTS in Foreign and Domestic Camera Repairs. Flash Syncro and Rangefinders repaired. All repairs guaranteed. Chicago Camera Specialists, 17 N. State St., Chicago 2, Ill.

EFFICIENT—FAST—INEXPENSIVE: All Makes Cameras, Movie Cameras, Binoculars. Free estimate. Modern Technical Supply Co., Dept. MPH, 55 West 42nd Street, New York 36, N. Y.

FOREIGN-DOMESTIC CAMERA RE-PAIRS: 15 years experience with inventor of Contax (Zeiss) assures 100% efficient service by highly qualified technician. Internal synchronization installed on Contax, Leica, Rollei, etc. Factory authorized Service Station for most American manufacturers. Strauss Photo-Technical Service, Inc., 930 F Street, N.W., Washington, D. C.

### photo supplies

ALBUMS! Wedding, Commercial. Photographer and customer's names in gold. MOUNTS, Sales Aids. Free catalog! Crestwood, 3601 West 71st, Prairie Village, Kansas.

164 PAGE ILLUSTRATED CATALOG, listing hundreds of new and used photographic bargains. Send 10c—receive 25c credit on first order. The midwest's most complete photographic store; since 1899, Central Camera Company, Dept. 6-4, 230 S. Wabash Ave., Chicago 4, Ill.

PHOTOMOUNTS: Send \$2.00 large assortment Folders, Easels. WEDDING ALBUMS Wholesale Price Lists. Robin Mounts, 245 Seventh Ave., New York.

### special savings for readers of Modern Photography

Do you want to sell your old camera or equipment? Are you looking for a hard-to-find photographic item? Want to make a good trade? Put your own personal ad in the Classified Columns of MODERN PHOTOGRAPHY. Special moneysaving rate, to private individuals only, of 50¢ a word, including name and address. Send cash or money-order with your ad. Forms close on the 15th of the third month preceding date of publication—for example, March 15th is deadline for June issue.

### color photo finishing

KODACHROME-EKTACHROME. Guaranteed Kodak processing—Prompt—8mm or 35mm 20 exp. \$1.40. Free list—mailers. Color Pix, Dept. M, CPO Box 30, Kingston, N. Y.

### photo finishing

"Kodachrome Processing mailers 50% discount. 5x7 Kodacolor enlargement 75¢. Bi-Chrome, Berkeley Hts 36, N. J. Six 4x5 enlargements 50¢."

Six 4x5 enlargements 50¢. New color Films, processing 25/50% discounts. Bi-Chrome, Berkeley Hts. 36, N. J.

Move up to more sales. Reach over 200,000 active, interested, money-spending readers of Modern Photography through your ad in these columns. Try a low-cost ad in our next issue. Immediate results.

### oil coloring

OIL COLORING PHOTOGRAPHS—A fascinating hobby or profitable sideline for those with artistic talent. Learn at home. Easy simplified method. Free booklet. National Photo Coloring School, 835 Diversey Parkway, Dept. 1111, Chicago 14.

### movies, movie film & titles

8MM—16MM KODACHROME MOVIES. Travel, Adventure, Wild Animals. Free Illustrated catalog, Colonial, 247D, Swarthmore, Pa.

"SURPRISE" assortment 8-MM colorful titles, \$1. Postpaid. Guaranteed. LeMoine Films, Nevada, Mo.

8mm-16mm Color and B&W film and supplies. Save \$\$\$\$. Free Catalog. Superior, 450 N. Wells, Chicago 10.

MOVIE film! Free catalog! ESO-G, 47th Holly, Kansas City 12, Missouri.

FREE 1961 large discount catalog. 8mm-16mm films, features, cameras-equipment, projectors. Imperial, 34 Park Row, New York City.

5,000 New—Used 8-16mm Silent—Sound Films. International-D, Greenvale, L. I., New York.

Star-studded 16MM sound features. Free list. P.O. Box 8206, Jersey City 8, New Jersey.

8mm-16mm Kodachrome titles with fade-in and fade-out will lend a professional touch and add interest to your home movies. Stock titles or custom made at sensible prices. Write for free samples and listing. National Title Service, 58 Broadmoor Drive, Little Rock, Arkansas.

16mm Sound Shorts. Tremendous assortment of features, \$16.50 up. Used 16MM Sound Projectors, \$79.50 up. Free catalog. Abbe Films, 417 West 44th Street, New York 36. PLaza 7-2219.

8mm, 16mm, camera film. Free catalog. FICOA-C, Box 5811, Cleveland 1, Ohio.

1961 PASADENA ROSE PARADE. 8mm, 50'—\$5.00, 200'—\$18.95. 16mm, 400', \$40.00. San Diego Zoo or Marineland, 8mm, 50' \$5.00. All in Color. Send for free list and samples. Kolor Kade Productions, 5880 Hollywood Blvd., Hollywood 28, Calif.

Move up to more sales. Reach over 200,000 active, interested, money-spending readers of Modern Photography through your ad in these columns. Try a low-cost ad in our next issue.

### photos, b & w slides

2x2 Black & White slides mounted from any photo 35¢ or from any size B&W negative 15¢. B. J. Anderson, Box 26072, Indianapolis 26, Indiana

2x2 B&W MOUNTED slides from any size negative, 20¢; unmounted 15¢. From photos 40¢; unmounted 30¢. Colorslides from Kodacolor prints, 55¢. Slide Service, Box 123, Fredonia, Kansas.

MOUNTED SLIDES 35mm 7¢ Optical Reductions 13¢. Kirwin Slidefilm Laboratory, Crystal Lake 1, Illinois.

### color slides

MISSING travel slides? We have them 10,000 35mm (2x2) color slides of the USA and all over the world. Historic scenic, exotic, subjects featuring hard to get shots, matchless air views, restricted interiors, spectacular night scenes. Hundreds of title and map slides. Every slide of professional quality. Write for 140 page color catalog, free. Henry Cobb Shaw, 105-2 Washington St., Boston 8, Mass.

COLORSLIDES, Travel, nature, etc. Free list. Sample 30¢. Kelly M. Choda, Box 15, Palmer Lake, Colorado.

FREE, color illustrated catalog color slides. Free title slides. 10¢ mailing charge, Inter-American Features, Jenkintown 13, Penna.

COLORADO Scenic, Railroad, Trolley slides by Thirty-Five Slides, Green Mtn. Falls, Colorado. Free Lists, specify.

SENT ON APPROVAL! Travelers complete your collection—order the scenes you missed—as good as your own most beautiful originals. Order from 7300 Wolfe Hi-Fi 35mm Slides in Living Color, make your selection, return the others. Agra to Zurich, we have the slide, including 42 exclusive slides of Oberammergau Passion Play, also title and map slides. Send 25¢ today for the big, new 7th Edition Wolfe 72-page color catalog. You'll be delighted with its 300 slide reproductions of important scenes—28 in full color! Wolfe Worldwide Films, Dept. 441, 1657 Sawtelle, Los Angeles 25, Calif.

50 Interesting, assorted slides, with mounts (un-assembled) \$2.00. Sample, catalog \$.50. Sanford Co. (Established 1941) Lake City, Pa.

"17,000 subjects in stock offers wide choice and quick delivery. Production by Captain M. W. Arps, U. S. Navy, retired, insures satisfaction. 108 page Catalog United States, Canada, Mexico and Cuba, 166. If interested other countries, add 4¢ for each additional list. World-Wide coverage (100 countries). Roloc, Box 1715, Washington 13, D. C."

10 Slides \$1.00 Unconditional guarantee, HOP-SON 2524 Sichel, Los Angeles 31, Calif.

FABULOUS Freedomland—4 colorslides and brochure \$1. Chronicle Films, 103 Park Ave., New York 17, N. Y.

THOUSANDS beautiful colorslides. Eight for \$1. Sample 10¢. Riviera, Box 34-1303, Coral Gables, Fla.

1961 PASADENA ROSE PARADE (2x2) from Sparkling Kodachromes . Beautiful Color . by Eastman Controlled process . not just ordinary dupes Complete parade . bands . Horses, all floats complete with script describing each float . title slide and portrait of Queen and Princesses included (70 slides in all) only \$12.00 postpaid. Our 8th Year . satisfaction Guaranteed. FREE BONUS—Six Slides of Miss Universe Beauty Contestants included in first 500 orders. Sparkling Color Movies of the Parade with SOUND in both 8mm and 16mm. 8mm. 50ft. silent \$6.95 . 100ft. sound (8mm) \$14.95 . 200ft. sound \$29.95 . 16mm 100ft. sound \$19.00 . 200ft. . \$38.00 . 400ft. \$79.00. Sound on Tape or 45 Rpm. record, state preference. COLORSLIDE BOX 1193 STUDIO CITY, CALIF.

TITLES—Colorslides or 8mm. 1100 Travel, Comedy, Family Map Titles. Custom Titling. Free List. Title-Color, P-3, 3618 Marsh Lane Place, Dallas 20, Texas.

London - Paris - Tokyo - Rome - Venice - Madrid. Eight Colorslides one category \$1.00. All 48 \$5.95. Eddings. 8-M Roberts. Corning, N. Y.

New Reduced Prices; famous collection of Color Sides. Sets of 6—\$1.00 per set. Over 1,000 sets, U.S.A. and foreign countries (also 5,000 indi-vidual slides). Send 10¢ for catalog. Universal, 132 West 32nd St., N.Y.C.

LOOK NO FURTHER—35mm or 2x2 slides, four for \$1 or 25 for \$5. NELSON, P.O. 321M, Niagara Falls, N. Y.

FIVE CENTS EACH! Sampler Assortment 20 Beautiful 35mm Scenic Color Transparencies \$1.00. Five samples 25¢ Mounts 36 for 50¢. SLIDE SUPPLY, Box 1031, Canton, Ohio.

FROM Germany—Color Slides and glossy prints, movies, Landscapes, Townphotos and models as well as many other interesting spheres. Samples and prospects. U.S. \$1. Nordland, P. Box 52, Bad Bramstedt (Germany).

See 1961 ROSE PARADE—Gorgeous color slides—from perfect professional Kodachromes. Shot from choicest press locations during actual parade. Wholesale priced—Entire Parade, all Floats, over 70 perfect 2x2 slides including full descriptions, only \$12.00 ppd. 36 Best (2x2) all winners, \$7.00 ppd. No finer slides available anywhere at any price. Our 10th year of satisfaction guaranteed or money back. Extra bonus slides Free with early orders—Horse and Band units, Queen, Title, Rosebowl—Send check, cash or money order TODAY. Color Control Co., Dept. M4, 1538 Cassil Pl., Hollywood 28, Calif.

AMERICA'S Largest Selection — Colorful Title, Map, Comic, Travel Slides. Exclusive! Free Illustrated Lists. Colonial, 247-D, Swarth-

ARTISTS—Photographers: Human interest subject references. Free Listings: Slides, Box 384, Chicago 90.

Collection of 10 color slides (35mm) of a subject \$1.75. Write for FREE list of subjects. Dept. P. PHOTO LAB., INC., 3825 Georgia Ave., Wash. 11, D. C.

AERIAL 35MM COLOR SLIDES—Grand Canyon, Glen Canyon Dam, Rainbow Bridge, Monument Valley, Bryce Canyon, Zion Canyon, Boulder Dam, Oak Creek Canyon. Four slides per set sealed in plastic, \$1.25 postpaid. Graphic-Aire, P.O. Box 29M, Medina, Ohio.

Increase your sales at low cost. Your ad in the classified columns of Modern Photography puts you in fast touch with over 200,000 buyers. Try this proven method of selling and see for yourself.

### schools and instructions

LEARN Retouching. Complete. Home Study Course including all equipment. Easy payments. Money Back Guarantee. Full Price \$27.50. Write for Free Literature today. A-1 Arts, Dept. A, 3944 West Lawrence, Chicago 25, Ill.

PHOTOGRAPHY FOR PLEASURE or profit. Learn at home. Practical basic training. Long established school. Free booklet. American School of Photography, 835 Diversey Parkway, Dept. 2124, Chicago 14, Illinois.

BIG Money in Photography! Train quickly at home or in New York in America's largest photographic school. Veteran approved. Send for Free Illustrated Book. New York Institute of Photography, Dept. C-117, 10 West 33 Street, New York 1, New York

### business opportunities

TRANSPARENCIES Wanted! Up to \$500.00 each. For information write: American Color, 1008 N. Stanley Ave., Hollywood 46, Calif.

Make \$25.\$50 Week, clipping newspaper items for publishers. Some clippings worth \$5.00 each. Particulars free. National, 81-MP, Knickerbocker Station, New York 2.

### agents wanted

Run a Spare-time Greeting Card and Gift Shop at home. Show friends samples of our wonderful new 1961 All-Occasion Greeting Cards and Gifts. Take their orders and earn up to 100% profit. No experience necessary. Costs nothing to try. Write today for samples on approval. Regal Greetings, Dept. 48, Ferndale, Michigan.

### plastics

Plastic and supplies for laminating. COLAM-CO, 12P Center, New Haven, Connecticut.

### miscellaneous

Sight and Sound in one. Combination phonograph record and picture postcard. 25¢ each, 5 for \$1 includes catalogue. HMW, 12615 Parkland Drive, Rockville, Maryland.

FREE Illustrated Hypnotism, Self Hypnosis, Catalogue. Write: Hypnotist, 8721 Sunset, Holly-wood 46MP, California.

FREE Hypnotism, Self-Hypnosis, Sleep-Learning Catalog! Records, Tapes, Books, Courses, Equipment! Drawer MP-697, Ruidoso, New Mexico.

HI-FI, Recorders. Free Wholesale Catalogue. Carston, 125-B East 88th, NYC 28.

MIRROR front; transparent back. Observe, photograph, secretly. 8" x 10", \$2.00; 16" x 20", \$5.00. ONE-WAY MIRROR, MF-263, Box 625, Mt. Vernon, N. Y.

MODEL RELEASES, 100-\$1.00. Studio, Box 1143-M, Santa Barbara, Calif.

RECORDERS, HiFi. Free wholesale catalogue. CARSTON, 125-B East 88, NYC 28.

MODEL RELEASES, 100—\$1.00. Foto-orms, Box 432, Wall Street Station, New York N. Y.

Hundreds of thousands of dollars in merchandise are sold each year through these classified col-umns. Here's a proven, low-cost way to sell what you have. Try an ad now for fast, prompt results.

### telescopes

Reflector and Refractor Telescopes. Complete Kits: Mirrors, Eyepicces, Tripods, All Other Accessories. Request Free Illustrated Catalogue F. Criterion Manufacturing, Dept. MP21, Hart-ford 1, Conn.

### hand painted portraits

BEAUTIFUL hand painted portraits from photograph. Free literature. Portraits, 420-MD Hazlett, Baltimore 29, Maryland.

### photographic books close-out

Close-Out: Subject to prior sale and exhaustion of

Close-Out: Subject to prior sale and exhaustion of stocks:

1. Three Dimensional Photography by Herbert C. McKay, Regularly \$5.75—Special \$4.00

2. Guide to Making Better Movies, A.C.L. Movie Book, Regularly \$3.00—Special \$2.50

3. Guide To Audio Reproduction by David Fidelman, Regularly \$3.50—Special \$2.20

4. Better Prints, Regularly \$3.50—Special \$2.00

5. How To Title Home Movies, Regularly \$1.00—Special \$5.00

6. Photomaxima 1959, Regularly \$4.50—Special \$2.00

Special \$2.00

Special \$2.00
All prices post paid in U.S., Foreign add 10%. Send check or money order to AMPHOTO.
33 West 60th St., New York 23, New York.

### special savings for readers of Modern Photography

Do you want to sell your old camera or equipment? Are you looking for a hard-to-find photographic item? Want to make a good trade? Put your own personal ad in the Classified Columns of MODERN PHOTOGRAPHY. Special moneysaving rate, to private individuals only, of 50¢ a word, including name and address. Send cash or money-order with your ad. Forms close on the 15th of the third month preceding date of publication—for example, March 15th is deadline for June issue.

GET READY FOR THE SPACE and SCIENCE ERA! SEE SATELLITES, MOON ROCKETS



### and OTHER

FREE! FREE! SEND FOR GIANT 144 PAGE CATALOG "M" SEE BELOW!

See the Stars, Moon, Planets Close Up!

### 3" ASTRONOMICAL REFLECTING TELESCOPE

Photographeral Adapt your camera to this Scope for excellent Telephoto shots and fascinating photos of moon!



Ameus St. Palemer Typel An Unusual Buyl Assembled-Ready to usel Saturn, the faccinating Saturn, the faccinating Saturn, the faccinating Saturn, the faccinating Indiana Saturn, the faccinating Saturn, the faccinating Saturn, the faccinating Saturn, the faccinating Saturn, the saturn of Saturn, the saturn of Saturn o

HEAVENS" plus "H Stock No. 85,050-M

### LOOK! METROGON CAMERA LENSES EXTREME WIDE ANGLE, MULTI-USE



Use for Opaque Projector, Copy or Telephoto, Transparency Projector, Reducer, Photo-Murals.

Reducer, Photo-Murcis.

One of the biggest Surplus values ever!
Real METROGON Aerial Camera Lens so
versatile you can build an amazing variety
of valuable equipment at fractional cost:
OPAGUE or ARTIST'S PROJECTOR covering 10° x 10° copy that is unmatchable—
WIDE ANGLE CAMERA with 38° more
area for group shots, satellites, landscapes,
etc.—PHOTO-MURAL PROJECTOR prosecrees—3-Power feeting 10° picture at 5 feet from lens to
etc.—PHOTO-MURAL PROJECTOR prosecrees—3-Power feeting 10° picture at 5 feet from lens to
etc.—Brown with 2½ x 2½ Camera)—4.7X WIDE ANGLE
TELERCOPE (using Edmund 1½° Erfe Eveplece) ideal for
satellite viewing—or use for COPY WORK for real definition
without distortion with camera up to 8 x 10. Mounted Metrogon Lens is 4-element design, all coated. Has 6" focal length
—wide angle of 74° without distortion. Overall outer diameter
is 4-13/16". Back lens diameter 1-11/16"—Front Lens 1½°.
Depth 2½°. Filter diameter 3½° —apocal yellow correction
filter included. Set of the state of the surface of the surfac

### ADJUSTABLE SPANNER WRENCH



Made for U. S. Air For Available at a fraction Government Cost

A top grade, versatile tool that every instrument and camera repair man or just plain tinkerer to 12" diameter retaining rings. Complete with six different complete with six different and 12" main bars. All steel and nicely plated. The finest tool we have ever come across for this type of retaining grows Ahl) a real bargain at our lies type of retaining

### FLASHLIGHT POINTER for MOVIE SCREENS

Ideal for pointing out interesting features on movie, slide projection screens. Excel-lent lecture tool. For teacher use on maps, etc. Flashlight focuses an arrow where you point it.

Steek No. 60,117-M ....\$9.50 Pestpaid

BEAM SPLITTER FOR
Take "footble-except



Take "double-exposure" photographs in one shot. Operation is simple. Mount or hold the beam splitter at a 54 degree of the control of the con ....\$2.00 Postpaid

### CIRCULAR DIFFRACTION-GRATING JEWELRY 1" DIAMETER



A Duxiling Rainbow of Colori
This new kind of jeweiry is capturing attention everywhere. Shimmering rainbows of gemilke color in jeweiry of exquisite beauty—made with CIRCULAR DIFFRACTION—GRATING REPLICA. Just as a prism breaks up light into its full range of individual colors, so does the diffraction grating.

	_		Aldnat	colors,	80	a	263	Libe	10	211	п	ac	tion	grating
Stock	No.	30,349	M-E	erings									\$2.7	Psted
Stock	No.	30,350	- M-Cu	ff Lin	18								\$2.7	Pstpd
Stock	No.	30,372	M-Pe	ndant									\$2.7	Pstpd

# SPECIA TERRIFIC BUY! AMERICAN MADE! OPAQUE PROJECTOR

Projects illustrations up to 3" x 3½" and enlarges them to 35" x 30" if screen is 6½ ft. from projector; larger pictures if screen is further away. No film or negatives needed. Projects charts, diagrams, pictures, photos, lettering in full color or black-and-white. Operates on 115 volt, A.C. current. 6-ft. extension cord and plug included. Operates on 60 wath bulb, not included. Approved by Underwriters' Laboratories, Inc. Size 12" x 8" x 4½" wide. Weight I ib. 2 oz. Plastic case with built-in handle.

Stock No. 70,199-M ..... .....\$7.95 Postpaid

## NEW BINOCULAR-TO-CAMERA HOLDER

FOR EXCITING TELEPHOTO PICTURES-WILL FIT ANY CAMERA



TURES—WILL FIT ANY CAMERA
Bring distant objects 7 times nearer with
a 35mm. camera, 7.550 binocular and
our NEW CAMERA-TO-BINOCULARS
HOLDER, Ideal for long range photos
of wild life, sliges people, plane, ele.
Camera and binocular attach easily. Use
any binocular or monocular—any camera,
still or movie. Take color or black and
white shots. Attractive gray crinke and
bright chrome finish, 10° long. Full directions for taking telephotos.
Stock Ne. 79,223-M...\$11.30 Pestpaid Stock No. 70,223-M ....\$11.50 Postpaid

**SCIENCE TREASURE CHESTS** For Boys - Girls - Adults! Excellent "Science Fair" Material!

### American-Made 7x50 Binoculars

**War Surplus** 



in g s!
Brand
new!
Crystal
clear
view:

viewing 7 powers 7 powers 1 po

Stock No. 1533-M Only \$55.00 pstpd. (Tax included)

# Excellent "Science Fair" Material: Science Treasure Chest-Extra-powerful magnets, polarising filters, compass, one-way-mirror film, prism, diffraction grating, and lots of other items for hundreds of thrilling experiments. Full instructions included statements of the contract of the c HANDY REVERSIBLE MULTI-USE PUMP



You'll find important uses for this unique pump. Reversible this unique pump. Reversible the pump. Reversible the

### **NEW! NEW! NEW!** DOUBLE ENDED CLIPS!



Stock No. 60,138-M......Pkg. of 10 -\$1.00 Pstpd. Stock No. 70,402-M......Pkg. of 100-\$8.95 Pstpd.

### MINIATURE ELECTRIC PUMP



STANDARDIZES AGITATION of developer, hypo, fixer or rinse as recommended by Kodak, Permits results impossible by hand. Tiny (2%'x'18'4'') Electric Motor and Pump deliver continuous flow of water at rate of one pint per minute at 12" head. Operates off one D Battery, Pumps in either direction.

# CIRCULAR LEVEL VIAL

For leveling in all directions. Use it on top of cameras, or telescopes to get a fix on the horizon. When bubble is centered, base of instrument is level. Use it in the home for leveling appliances, for model making, train layout, etc. Diameter 1",

Sensitivity 45 minutes plus/minus



Take Telephoto

Shots Thru

7 x 50 Monocular

Stock No. 40,068-M Used ......\$1.70 Ppd

### NOW! EXPLORE THE NEW LAND THEORY OF COLOR!

This entirely new method of color projection demonstrated by Dr. Köwin Land of Polaroid, challenges all classic theories of color perception! Explore this new process—taking 2 black-and-white transparencies through differently colored filters, and projecting them with just 2 colors (usually red and white) for a full-color effect. Kit contains necessary filters for duplicating original experiments, plus many more for your own variations—also beamspillter mirrors, parts for assembling a variable density filter, full directions and bibliography. Process works most easily with Polaroid Camera, but can be used with others. Stock No. 50,366-M





Years in development. Precision American made. Used for cheeking, inspecting, small assembly work. Up is 3" working distance. Clear, sharp, erect image. Wide, 3 dimensional field. 2 sets of objectives on rotating turret. 23X and 40X. 19. 5056. Mag. 5,055. Ma

This is fine quality, American made instrument—was surplus. Actually 15 of a surplus. Actually 15 of a surplus price. I bractions and actually 15 of a surplus price. I bractions and 15 of a surplus price. I bractions and 15 of a surplus price. Stock No. 50,003-M...........\$15.00 Postpaid


# WRITE FREE CATALOG-M

144 Pages! Over 1000
Bargains! Optics for the Space Eral Huge selection of lenses, prisms, war surplus optical Instruments, parts and accessories. Yete-scopes, binoculars, sniper-scopes, science experiment I fe ms, math learning and feaching aids. Request Catalog M. EASY PAYMENT PLAN AVAILABLE

Idmond &

EASY PAYMENT PLAN AVAILABLES DETAILS WITH CATALOGS

ORDER BY STOCK NUMBER . SEND CHECK OR MONEY ORDER .. SATISFACTION GUARANTEED! CO., BARRINGTON, NEW JERSEY



A SYMBOL

This emblem, recognized by thousands of Exakta Owners as the Company Emblem of Seymour's the Exakta Specialists, has become the symbol for unequalled Exakta Service, highest quality Exakta Equipment, and fabulous Exakta Offers.

# If you are thinking

of buying a single lens reflex camera (ANY single lens reflex camera) write to Seymour's and let us show you why the Exakta has no equal, and why concentrated purchasing power makes it possible for us to offer the Exakta at truly competitive prices.

# And if you own an Exakta

make sure to be on Seymour's famous Mailing List—to receive our informative mailings regularly and to get our great special offers.

Mail the Coupon NOW!




350-D West 31st Street, New York 1, N. Y.

- To Seymour's, 350-D West 31st Street, New York 1, N. Y.
- Please ship the items which I have listed on the attached sheet.
- I do not own on Exakta.
  Please send me descriptive literature, price list, accessory list, and a sample copy of your Exakta News.
- i have an Exakta (Model
  Please send your Exakta News regularly; also send accessory lists and bulletins and put my name on your mailing list.
- Use I would like to trade equipment.
  I have listed the items I have and the items I want on a separate sheet attached hereto.
- PLEASE: If you are on our mailing list, check here

Please hand print or type name and address

NUMBER AND STREET.

ZONE.



**FREE** BRIGHT STAR PHOTOFLASH BATTERY with every pack of Sylvania Blue Dot flashbulbs If you don't get you buy! your free fresh battery from Sylvania right now, you'll have to buy one later on. Hurry, supply is limited!

Sylvania Lighting Products, Division of Sylvania Electric Products Inc., 1740 Broadway, New York 19, New York

Subsidiary of GENERAL TELEPHONE & ELECTRONICS





# For action - for color - for available light

This is the 35mm reflex • a fast lens, 50mm f/1.9 • fast shutter, ten speeds to 1/500 • controls at your finger tips for quick operation

• match pointer to meter needle, your f/stop is automatically right • focus and view life-size. always at full-aperture brilliance • change focus or aperture, and twin pointers automatically tell you the field depth • change shutter speed, your f/stop adjusts automatically to match • switch to any other lens, 28mm to 135mm - you still get the same wide-open viewing, precise rangefinding, automatic diaphragm stop-down, automatic exposure control • let this superb camera bring new power and new zest to your picture-taking . See your Kodak dealer soon, and look into the KODAK RETINA REFLEX S CAMERA, f/1.9.

With 50mm f/2.8, less than \$200. Prices subject to change without notice. See your dealer for exact retail prices

EASTMAN KODAK COMPANY, Rochester 4, N. Y.

